

**ACEPROMAZINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-TABLET(S), ABN	1		100

---

**ACEPROMAZINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100
PR-MULT SITES, CONGEST	1		100

---

**ACEPROMAZINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	4	4	0
SIGN	NUMBER		PERCENT
AGGRESSION	1		50
DESTRUCTIVENESS	1		50
INEFFECT, SEDATION	1		50
INEFFECT, TRANQUILIZAT	1		50
SEDATION TOO DEEP	1		50

---

**ACEPROMAZINE  
HUMAN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
STUPOR	1		100
UNCONSCIOUS	1		100

---

**ACEPROMAZINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	3	3	1
SIGN	NUMBER		PERCENT
ANESTH RECOV PROLONGED	1		50
APNEA	1		50

**ACEPROMAZINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	3	3	1
SIGN	NUMBER		PERCENT
ARREST, HEART	1		50
DEATH	1		50
HYPOTHERMIA, BODY	1		50

---

**ACEPROMAZINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	11	11	1
SIGN	NUMBER		PERCENT
CONVULSION(S)	1		50
DEATH	1		50
INEFFECT, SEDATION	1		50

---

**ACEPROMAZINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	42	4	0
SIGN	NUMBER		PERCENT
HYPERACTIVITY	3		75
PACING	2		50
ANAPHYLAXIS/TOID	1		25
CIRCLING	1		25
COLLAPSE	1		25

---

**ACEPROMAZINE  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	15	15	0
SIGN	NUMBER		PERCENT
ANESTH RECOV PROLONGED	1		100
SEDATION TOO DEEP	1		100

---

**ACEPROMAZINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**ACEPROMAZINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DEAFNESS	1		100

**ALBENDAZOLE  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5200	251	12
SIGN	NUMBER		PERCENT
COLLAPSE	2		40
DEATH	2		40
INEFFECT, ASCARIDS	2		40
INEFFECT, COCCIDIA	2		40
INEFFECT, PARASITE(S)	2		40
INEFFECT, STRONGYLES	2		40
DEATH(TX FAILURE)	1		20
DEPRESSION/LETHARGY	1		20
DIARRHEA	1		20
DYSPNEA	1		20
HAIR, ABN	1		20
HYPERSALIVATION	1		20
INEFFECT, FLUKES	1		20
PR-STOMACH, LESION(S)	1		20

**ALBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
10	17	17	4
SIGN	NUMBER		PERCENT
WBC LO, BLD	6		60
ANOREXIA	5		50
DEPRESSION/LETHARGY	5		50
FEVER, BODY	4		40
ALBUMIN HI, BLD	1		10
BLD, MOUTH/LIP(S)	1		10
DEATH	1		10

**ALBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
10	17	17	4
SIGN		NUMBER	PERCENT
GLOBULIN LO, BLD		1	10
LIVER ENZYMES HI, BLD		1	10
PLATELETS LO, BLD		1	10
VOMITING		1	10

---

**ALBENDAZOLE  
OTHER, ORAL**

REPORTS	TREATED	REACTED	DIED
1	3	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100

---

**ALBENDAZOLE  
SHEEP, ORAL**

REPORTS	TREATED	REACTED	DIED
1	8	0	0
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**ALBENDAZOLE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
FEVER, BODY		1	100
WBC LO, BLD		1	100

---

**ALBENDAZOLE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN		NUMBER	PERCENT
ANOREXIA		1	50
DEATH		1	50
DEPRESSION/LETHARGY		1	50
PLATELETS LO, BLD		1	50

**ALBENDAZOLE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN	NUMBER		PERCENT
VOMITING	1		50
WBC LO, BLD	1		50
WEIGHT LOSS	1		50

**ALTRENOGEST  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
INFLAM, SKIN	1		100
LAMINITIS	1		100
PAIN, ABDOMEN	1		100
VASCULITIS	1		100

**AMIKACIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN	NUMBER		PERCENT
PD-CAP(S), ABN	1		25
PD-CONTAINER(S), ABN	1		25
PD-SOLUTION, ABN	1		25
PD-UNDERFILL, VIAL(S)	1		25

**AMINOPENTAMIDE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-MISSING, CAP	1		100

**AMINOPENTAMIDE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DYSPHAGIA		1	100
MYDRIASIS		1	100
TREMBLING		1	100

**AMITRAZ  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	2
SIGN		NUMBER	PERCENT
ACCIDENTAL EXPOSURE		1	50
CONVULSION(S)		1	50
DEATH		1	50
DEHYDRATION		1	50
DEPRESSION/LETHARGY		1	50
GI, ABNORMAL		1	50
VOMITING		1	50

**AMITRAZ  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
8	9	9	0
SIGN		NUMBER	PERCENT
RASH		4	50
ALOPECIA		1	13
CONGESTION, SKIN		1	13
CONVULSION(S)		1	13
DEPRESSION/LETHARGY		1	13
DIZZINESS		1	13
HAIR, ABN		1	13
PAIN, EYE(S)/LID(S)		1	13
PAPULE(S)		1	13
PRURITIS		1	13
SOMNOLENCE		1	13

**AMOXICILLIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
17	0	0	0
SIGN		NUMBER	PERCENT
PD-SEAL, ABN		6	35
PD-COLOR, ABN		4	24
PD-CAP(S), ABN		2	12
PD-ODOR, ABN		2	12
PD-TABLET(S), ABN		2	12
PD-DISPENSER, ABN		1	6
PD-LABEL(S), ABN		1	6
PD-MISSING, LABEL(S)		1	6

**AMOXICILLIN  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
4	59	20	0
SIGN		NUMBER	PERCENT
RESIDUE, MILK		4	100

**AMOXICILLIN  
MISSING INFORMATION, MISSING**

REPORTS	TREATED	REACTED	DIED
1	5	3	0
SIGN		NUMBER	PERCENT
INJ SITE PAIN		1	100
VOCALIZATION		1	100

**AMOXICILLIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	1
SIGN		NUMBER	PERCENT
ANOREXIA		2	40
BLINDNESS		1	20
CONVULSION(S)		1	20
DEPRESSION/LETHARGY		1	20
GAGGING		1	20
HYPERACTIVITY		1	20
RECUMBENCY		1	20

**AMOXICILLIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	1
SIGN		NUMBER	PERCENT
TACHYCARDIA		1	20
TREMBLING		1	20

---

**AMOXICILLIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
15	15	15	0
SIGN		NUMBER	PERCENT
VOMITING		3	20
ANOREXIA		2	13
ATAXIA		2	13
DEPRESSION/LETHARGY		2	13
URTICARIA		2	13
ALK PHOS HI, BLD		1	7
BIRTH DEFECT(S), HEAD/		1	7
CONGESTION, SKIN		1	7
DIARRHEA, MUCOID		1	7
FEVER, BODY		1	7
GAGGING		1	7
HEAD TILT		1	7
INEFFECT, ANTIBIOTIC		1	7
INFLAM, SKIN		1	7
PARESIS, HIND LIMB(S)		1	7
RASH		1	7
SEDATION		1	7
SEGS HI, BLD		1	7
SGPT/ALT HI, BLD		1	7

---

**AMOXICILLIN  
FERRET, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ALOPECIA		1	100

---

**AMOXICILLIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
FEVER, BODY		1	100
INJ SITE PAIN		1	100

---

**AMOXICILLIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	5	5	1
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	25
BRADYCARDIA		1	25
COLLAPSE		1	25
DEATH(EUTHANIZED)		1	25
HYPOPNEA		1	25
LEUKODERMA		1	25
SORE(S)		1	25
STUPOR		1	25
URTICARIA		1	25
VOMITING		1	25

---

**AMOXICILLIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
HEADACHE		1	100
SWELLING, HEAD/FACE		1	100
URTICARIA		1	100

---

**AMOXICILLIN, CLAVULANATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
44	0	0	0
SIGN		NUMBER	PERCENT
PD-COLOR, ABN		25	57

**AMOXICILLIN, CLAVULANATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
44	0	0	0
SIGN	NUMBER	PERCENT	
PD-UNDERFILL, PACKAGE	6	14	
PD-DISPENSER, ABN	3	7	
PD-UNDERFILL, VIAL(S)	3	7	
PD-CONTAINER(S), ABN	2	5	
PD-PRODUCT DEFECT	2	5	
PD-CONTAM, MOLD	1	2	
PD-ODOR, ABN	1	2	
PD-SEAL, ABN	1	2	
PD-UNKNOWN	1	2	

**AMOXICILLIN, CLAVULANATE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
22	22	22	3
SIGN	NUMBER	PERCENT	
BILIRUBIN(TOT) HI, BLD	4	18	
VOMITING	4	18	
ANEMIA	3	14	
ANOREXIA	3	14	
ATAXIA	3	14	
DEPRESSION/LETHARGY	3	14	
MELENA	3	14	
SGPT/ALT HI, BLD	3	14	
CONVULSION(S)	2	9	
DEATH	2	9	
DIARRHEA	2	9	
HYPERSALIVATION	2	9	
ICTERUS, BODY	2	9	
PALLOR, MUOUS MEMBRAN	2	9	
STUPOR	2	9	
ALK PHOS HI, BLD	1	5	
AMYLASE HI, BLD	1	5	
ANAPHYLAXIS/TOID	1	5	
BILIRUBIN, URINE	1	5	
BLD, URINE	1	5	
BLD, VAGINA	1	5	

**AMOXICILLIN, CLAVULANATE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
22	22	22	3
SIGN	NUMBER	PERCENT	
BLINDNESS	1	5	
CALCULI, BLADDER	1	5	
CONFUSION	1	5	
CONSTIPATION	1	5	
DEATH(EUTHANIZED)	1	5	
INEFFECT, ANTIBIOTIC	1	5	
MYDRIASIS	1	5	
PLATELETS LO, BLD	1	5	
PUPIL(S), AREFLEXIA	1	5	
RESPIRATORY DISORDER	1	5	
SNEEZING	1	5	
SOUND ABN, VOICE	1	5	
STOOL ABN	1	5	
ULCER(S), MOUTH/LIP(S)	1	5	
ULCER(S), TONGUE	1	5	
UNCONSCIOUS	1	5	
VOCALIZATION	1	5	
WBC HI, BLD	1	5	

---

**AMOXICILLIN, CLAVULANATE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
31	60	42	1
SIGN	NUMBER	PERCENT	
VOMITING	11	35	
DEPRESSION/LETHARGY	6	19	
DIARRHEA	3	10	
ATAXIA	2	6	
CONGESTION, SKIN	2	6	
DIARRHEA, BLOODY	2	6	
SWELLING, HEAD/FACE	2	6	
ULCER(S), MOUTH/LIP(S)	2	6	
ALK PHOS HI, BLD	1	3	
ANEMIA, AUTOIMMUNE HEM	1	3	
ANOREXIA	1	3	
BANDS HI, BLD	1	3	

**AMOXICILLIN, CLAVULANATE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
31	60	42	1
SIGN		NUMBER	PERCENT
CONVULSION(S)		1	3
COUGHING		1	3
DEATH		1	3
DYSPNEA		1	3
EDEMA, FEET/DIGIT(S)		1	3
EDEMA, HEAD/FACE		1	3
ERUPTION(S)		1	3
FEVER, BODY		1	3
INEFFECT, ANTIBIOTIC		1	3
LEUKODERMA		1	3
MELENA		1	3
PAIN, MOUTH/LIP(S)		1	3
PALLOR, MUCOUS MEMBRAN		1	3
PLATELETS LO, BLD		1	3
PRURITIS		1	3
RELUCTANT TO MOVE		1	3
SCALE(S), SKIN		1	3
SEGS HI, BLD		1	3
SORE(S)		1	3
STIFFNESS		1	3
TREMBLING		1	3
ULCER(S), FEET/DIGIT(S)		1	3
ULCER(S), SKIN		1	3
URTICARIA		1	3
VESICLE(S)/BULLAE, SKI		1	3
VOMITING, BLOODY		1	3
WBC HI, BLD		1	3
WEAKNESS		1	3

**AMOXICILLIN, CLAVULANATE  
RABBIT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN		NUMBER	PERCENT
DEATH		1	100

**AMOXICILLIN, CLAVULANATE  
UNKNOWN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
UNPALATABLE	1		100

---

**AMOXICILLIN, CLAVULANATE  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
URTICARIA	1		100

---

**AMPICILLIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
57	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	53		93
PD-CAP(S), ABN	4		7
PD-COLOR, ABN	1		2
PD-CONTAINER(S), DAMAG	1		2
PD-UNDERFILL, PACKAGE	1		2

---

**AMPICILLIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
RESIDUE, MILK	1		100

---

**AMPROLIUM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
CONVULSION(S)	1		100

**AMPROLIUM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
WEAKNESS	1		100

**ARSENAMIDE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	3	3	0
SIGN	NUMBER		PERCENT
ANEMIA	1		50
EDEMA, LIMB(S)	1		50
INJ SITE EDEMA	1		50
INJ SITE SWELLING	1		50
SWELLING, LIMB(S)	1		50

**ATIPAMEZOLE  
DOG, MISSING**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
INEFFECT, REVERSAL	1		100
SOMNOLENCE	1		100

**ATIPAMEZOLE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
10	12	12	6
SIGN	NUMBER		PERCENT
DEATH	3		30
ANESTH RECOV TURBULENT	2		20
APNEA	2		20
EDEMA, LUNG(S)/TRACHEA	2		20
HYPERSALIVATION	2		20
INEFFECT, ANTIDOTE	2		20
ANAPHYLAXIS/TOID	1		10

**ATIPAMEZOLE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
10	12	12	6
SIGN		NUMBER	PERCENT
ANOREXIA		1	10
ARREST, HEART		1	10
ATAXIA		1	10
BREATHING, PERIODIC		1	10
COLLAPSE		1	10
CONVULSION(S)		1	10
DISTRESS, RESP		1	10
HYPERACTIVITY		1	10
HYPERPNEA		1	10
PR-MULT SITES, CONGEST		1	10
PROLAPSE, THIRD EYELID		1	10
SWELLING, HEAD/FACE		1	10
TECH ERROR ADMINISTRAT		1	10
VOCALIZATION		1	10

---

**ATIPAMEZOLE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
44	51	46	10
SIGN		NUMBER	PERCENT
INEFFECT, REVERSAL		11	25
ANESTH RECOV PROLONGED		5	11
DEATH		5	11
HYPERSALIVATION		5	11
HYPERPNEA		4	9
FEVER, BODY		3	7
HYPERACTIVITY		3	7
INEFFECT		3	7
POLYPNEA		3	7
ARREST, HEART		2	5
ATAXIA		2	5
BRADYCARDIA		2	5
CONVULSION(S)		2	5
MUCOUS MEMBR, ABN COLO		2	5
SEDATION		2	5
TREMBLING		2	5

**ATIPAMEZOLE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
44	51	46	10
SIGN		NUMBER	PERCENT
VOCALIZATION		2	5
VOMITING		2	5
AMYLASE HI, BLD		1	2
ANEMIA		1	2
ARRHYTHMIA		1	2
BLD, LUNG(S)/TRACHEA		1	2
BLD, MOUTH/LIP(S)		1	2
CONGESTION, LUNG(S)		1	2
CONGESTION, SKIN		1	2
COUGHING		1	2
DEATH(NEWBORN)		1	2
DIARRHEA		1	2
DYSPNEA		1	2
EDEMA, HEAD/FACE		1	2
EOSINOS HI, BLD		1	2
HYPOTHERMIA		1	2
INCONTINENCE, URINARY		1	2
INEFFECT, ANTIDOTE		1	2
MUCOUS MEMBR, MUDDY		1	2
NAUSEA		1	2
NERVOUSNESS		1	2
NYSTAGMUS		1	2
OPISTHOTONOS		1	2
PRESSURE LO, BLD		1	2
SEDATION TOO DEEP		1	2
SHOCK		1	2
TACHYCARDIA		1	2
TWITCH		1	2
URTICARIA		1	2

**ATIPAMEZOLE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
6	8	8	0
SIGN		NUMBER	PERCENT
HYPERSALIVATION		3	50

**ATIPAMEZOLE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
6	8	8	0
SIGN		NUMBER	PERCENT
VOCALIZATION		3	50
POLYPNEA		2	33
APNEA		1	17
ATAXIA		1	17
CONVULSION(S)		1	17
FROTH, MOUTH/LIP(S)		1	17
HYPERACTIVITY		1	17
PARALYSIS, HIND LIMB(S)		1	17
RECUMBENCY		1	17
VOMITING		1	17

---

**ATIPAMEZOLE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
18	19	19	2
SIGN		NUMBER	PERCENT
INEFFECT, REVERSAL		7	39
DEPRESSION/LETHARGY		4	22
TACHYCARDIA		3	17
VOMITING		3	17
DEATH		2	11
FEVER, BODY		2	11
POLYPNEA		2	11
ALK PHOS HI, BLD		1	6
ANOREXIA		1	6
APPREHENSION		1	6
ARREST, HEART		1	6
ATAXIA		1	6
BILIRUBIN(TOT) HI, BLD		1	6
COLLAPSE		1	6
CONVULSION(S)		1	6
CPK HI, BLD		1	6
DEATH(EUTHANIZED)		1	6
DIARRHEA		1	6
DYSPNEA		1	6
DYSURIA		1	6

**ATIPAMEZOLE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
18	19	19	2
SIGN		NUMBER	PERCENT
HYPERACTIVITY		1	6
HYPERPNEA		1	6
HYPERSALIVATION		1	6
HYPOTHERMIA		1	6
MUCOUS MEMBR, ABN COLO		1	6
MYDRIASIS		1	6
NYSTAGMUS		1	6
OPISTHOTONOS		1	6
SEGS HI, BLD		1	6
SGPT/ALT HI, BLD		1	6
TECH ERROR ADMINISTRAT		1	6
VOCALIZATION		1	6
WBC HI, BLD		1	6
WEIGHT LOSS		1	6

**ATIPAMEZOLE  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INEFFECT, REVERSAL		1	100

**ATTAPULGITE, BISMUTH, KANAMYCIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-TABLET(S), ABN		1	100

**BACITRACIN METHYLENE DISALICYLATE  
CHICKEN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	100	100	0

**BACITRACIN METHYLENE DISALICYLATE  
CHICKEN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	100	100	0
SIGN		NUMBER	PERCENT
TOX		1	100

**BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B  
CAT, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN		NUMBER	PERCENT
DYSPNEA		2	100
ANAPHYLAXIS/TOID		1	50
BREATHING ABN		1	50
CYANOSIS		1	50
DEATH		1	50
DISTRESS, RESP		1	50
PR-MULT SITES, CONGEST		1	50
STUPOR		1	50
SWELLING, EYE(S)/LID(S)		1	50
VOMITING		1	50

**BACITRACIN, NEOMYCIN, POLYMYXIN B  
CAT, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
2	3	3	3
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		2	100
DEATH		2	100
BLD, LUNG(S)/TRACHEA		1	50
BLOAT		1	50
COLLAPSE		1	50
CONVULSION(S)		1	50
CYANOSIS, MUCOUS MEMBR		1	50
EDEMA, LUNG(S)/TRACHEA		1	50
FROTH, MOUTH/LIP(S)		1	50
GAGGING		1	50

**BACITRACIN, NEOMYCIN, POLYMYXIN B  
CAT, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
2	3	3	3
SIGN	NUMBER	PERCENT	
HYPERACTIVITY	1	50	
HYPERSALIVATION	1	50	
INCONTINENCE, FECAL	1	50	
MORIBUND	1	50	
PR-COLON, LESION(S)	1	50	
PR-HEART, LESION(S)	1	50	
PR-KIDNEY(S), LESION(S)	1	50	
PR-LUNG(S), LESION(S)	1	50	
PR-MULT SITES, BLD	1	50	
PR-MULT SITES, CONGEST	1	50	
PR-SM INTEST, LESION(S)	1	50	
VOMITING	1	50	

**BALSAM PERU, TRYPSIN, CASTOR OIL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER	PERCENT	
PD-VIAL(S), LEAKING	1	100	

**BETA-AMINOPROPIONITRILE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	14	6	0
SIGN	NUMBER	PERCENT	
INJ SITE PAIN	2	33	
INJ SITE SWELLING	2	33	
LAMENESS	2	33	
SWELLING, TENDON(S)	2	33	
EDEMA, LIMB(S)	1	17	
FEVER, BODY	1	17	
INJ SITE SEPSIS	1	17	
PR-TENDON(S), LESION(S)	1	17	

**BETA-AMINOPROPIONITRILE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	14	6	0
SIGN	NUMBER		PERCENT
SKIN, NECROSIS	1		17

**BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DIARRHEA, MILD	1		100

**BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	0
SIGN	NUMBER		PERCENT
HEAD TILT	3		60
ANOREXIA	2		40
ATAXIA	1		20
DEAFNESS, TEMP	1		20
DEPRESSION/LETHARGY	1		20
EAR DISORDER	1		20
FEVER, BODY	1		20
HORNER'S SYNDROME	1		20
MIOSIS	1		20
NYSTAGMUS	1		20
VOMITING	1		20

**BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
70	72	72	1
SIGN	NUMBER		PERCENT
DEAFNESS, TEMP	36		51
DEAFNESS	19		27
DEAFNESS, PARTIAL	10		14

**BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
70	72	72	1
SIGN	NUMBER	PERCENT	
APPLICATION SITE ERYTHEMA	3	4	
APPLICATION SITE LESION(S)	3	4	
EAR DISORDER	2	3	
ULCER(S), SKIN	2	3	
VESICLE(S)/BULLAE, SKI	2	3	
APPLICATION SITE INFLAM	1	1	
BRADYCARDIA	1	1	
COLLAPSE	1	1	
IRRITATION, EAR(S)	1	1	
LESION(S), SKIN	1	1	
NYSTAGMUS	1	1	
OTITIS	1	1	
POLYDIPSIA	1	1	
SWELLING, HEAD/FACE	1	1	
URTICARIA	1	1	
VESTIBULAR DISORDER	1	1	
VOMITING	1	1	

**BETAMETHASONE, GENTAMICIN  
CAT, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
BLINDNESS, PARTIAL	1	100	
ULCER(S), CORNEA(S)	1	100	

**BETAMETHASONE, GENTAMICIN  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN	NUMBER	PERCENT	
ALOPECIA	1	33	
ANAPHYLAXIS/TOID	1	33	
EDEMA, EYE(S)/LID(S)	1	33	

**BETAMETHASONE, GENTAMICIN  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN	NUMBER		PERCENT
EDEMA, HEAD/FACE	1		33
IRRITATION, EYE(S)/LID	1		33
PRURITIS	1		33
ULCER(S), CORNEA(S)	1		33

---

**BETAMETHASONE, GENTAMICIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
PAIN, EYE(S)/LID(S)	1		100

---

**BETAMETHASONE, GENTAMICIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DIARRHEA	1		100

---

**BETAMETHASONE, GENTAMICIN  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	2	1	0
SIGN	NUMBER		PERCENT
EAR DISORDER	1		100

---

**BETAMETHASONE, GENTAMICIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN	NUMBER		PERCENT
DEAFNESS, TEMP	2		67
ACCIDENTAL EXPOSURE	1		33
TREMBLING	1		33
VOMITING	1		33

---

**BETAMETHASONE, GENTAMICIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
URTICARIA	1		100

---

**BOLDENONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	1		100

---

**BOLDENONE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
LAMENESS	1		100

---

**BUTORPHANOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
18	0	0	0
SIGN	NUMBER		PERCENT
PD-CAP(S), ABN	5		28
PD-TABLET(S), ABN	4		22
PD-UNDERFILL, VIAL(S)	4		22
PD-VIAL(S), LEAKING	4		22
PD-MISSING, CAP	3		17
PD-MISSING, LABEL(S)	1		6
PD-SEAL, ABN	1		6
PD-UNDERFILL, PACKAGE	1		6
PD-VIAL(S), DAMAGED	1		6

---

**BUTORPHANOL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**BUTORPHANOL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	1
SIGN		NUMBER	PERCENT
NERVOUSNESS		2	67
AGGRESSION		1	33
APPREHENSION		1	33
BEHAVIOR DISORDER		1	33
CIRCLING		1	33
HYPERACTIVITY		1	33
PACING		1	33

---

**BUTORPHANOL  
GUINEA PIG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100
SEDATION		1	100

---

**BUTORPHANOL  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	6	6	4
SIGN		NUMBER	PERCENT
DEATH		2	50
ANESTH RECOV PROLONGED		1	25
ANOREXIA		1	25
ARREST, HEART		1	25
HYPERACTIVITY		1	25
MYDRIASIS		1	25

---

**BUTORPHANOL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
11	17	17	1
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		2	18
NERVOUSNESS		2	18
POLYPNEA		2	18

**BUTORPHANOL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
11	17	17	1
SIGN		NUMBER	PERCENT
SEDATION PROLONGED		2	18
APNEA		1	9
ARREST, HEART		1	9
ATAXIA		1	9
CONFUSION		1	9
DEATH		1	9
FEVER, BODY		1	9
GI, ABNORMAL		1	9
HYPERACTIVITY		1	9
HYPOTHERMIA		1	9
HYPOTHERMIA, BODY		1	9
ICTERUS, BODY		1	9
INJ SITE NECROSIS		1	9
SEDATION		1	9
SEDATION TOO DEEP		1	9
VOMITING		1	9

---

**BUTORPHANOL  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	1
SIGN		NUMBER	PERCENT
DEATH		1	100
INJ SITE PHLEBITIS		1	100

---

**BUTORPHANOL  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	5	5	0
SIGN		NUMBER	PERCENT
FEVER, BODY		1	100

---

**BUTORPHANOL  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**BUTORPHANOL  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
FEVER, BODY		1	100
SHOCK		1	100

---

**BUTORPHANOL  
CAT, VARIOUS**

REPORTS	TREATED	REACTED	DIED
2	21	21	0
SIGN		NUMBER	PERCENT
INJ SITE PAIN		1	50
SOMNOLENCE		1	50
VOCALIZATION		1	50

---



---

**CARBADOX  
PIG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	4000	500	0
SIGN		NUMBER	PERCENT
INEFFECT, ANTIBIOTIC		1	100

---



---

**CARPROFEN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
41	0	0	0
SIGN		NUMBER	PERCENT
PD-TABLET(S), ABN		26	63
PD-UNDERFILL, VIAL(S)		8	20
PD-SEAL, ABN		5	12
PD-COLOR, ABN		2	5
PD-PRODUCT DEFECT		1	2
PD-UNDERFILL, PACKAGE		1	2

---

**CARPROFEN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**CARPROFEN  
CAT, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
47	50	46	5
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
VOMITING		22	47
ANOREXIA		17	36
DEPRESSION/LETHARGY		14	30
BUN HI, BLD		13	28
CREATININE HI, BLD		12	26
P HI, BLD		6	13
KIDNEY FAILURE		5	11
DEATH		4	9
DEHYDRATION		4	9
SGPT/ALT HI, BLD		4	9
ATAXIA		3	6
DIARRHEA		3	6
ICTERUS, BODY		3	6
POLYDIPSIA		3	6
WEIGHT LOSS		3	6
ALK PHOS HI, BLD		2	4
ANEMIA		2	4
ANEMIA, REGEN		2	4
BILIRUBIN(TOT) HI, BLD		2	4
DEATH(EUTHANIZED)		2	4
DIARRHEA, BLOODY		2	4
HYPOTHERMIA		2	4
ICTERUS		2	4
K HI, BLD		2	4
KIDNEY DISORDER		2	4
PALLOR, MUCOUS MEMBRAN		2	4
PROTEIN(TOT) HI, BLD		2	4
SGOT/AST HI, BLD		2	4
TREMBLING		2	4
VOMITING, BLOODY		2	4
ADIPSIA		1	2
ALBUMIN HI, BLD		1	2
ALBUMIN LO, BLD		1	2
ANEMIA, AUTOIMMUNE HEM		1	2
ANEMIA, HEINZ BODY		1	2

**CARPROFEN  
CAT, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
47	50	46	5
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
APNEA		1	2
ARREST, HEART		1	2
AZOTEMIA		1	2
BEHAVIOR DISORDER		1	2
BLD(ECCHYMOSES)		1	2
BRADYCARDIA		1	2
CHLORIDE LO, BLD		1	2
CONSTIPATION		1	2
CONVULSION(S)		1	2
DIARRHEA, MILD		1	2
FEVER, BODY		1	2
GAGGING		1	2
GI, ABNORMAL		1	2
GLUCOSE HI, BLD		1	2
HEART FAILURE		1	2
HEPATOMEGALY		1	2
HIDING		1	2
HYPERPNEA		1	2
HYPOTHERMIA, BODY		1	2
K HI, BLOOD		1	2
LIVER FAILURE		1	2
NA LO, BLD		1	2
P HI, URINE		1	2
PLATELETS LO, BLD		1	2
RECUMBENCY		1	2
SHAKING		1	2
STOOL ABN		1	2
TACHYCARDIA		1	2
URINE ABN		1	2
UROBILINOGEN HI, URINE		1	2
US-LIVER ABN		1	2
VOCALIZATION		1	2
VOMITING, SEVERE		1	2
WEAKNESS		1	2

---

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
VOMITING		641	26
SGPT/ALT HI, BLD		582	24
ALK PHOS HI, BLD		581	24
ANOREXIA		535	22
DEPRESSION/LETHARGY		385	16
BILIRUBIN(TOT) HI, BLD		291	12
DIARRHEA		216	9
BUN HI, BLD		195	8
DEATH		179	7
CREATININE HI, BLD		175	7
ICTERUS, BODY		159	7
ANEMIA		154	6
SGOT/AST HI, BLD		147	6
CONVULSION(S)		140	6
DEATH(EUTHANIZED)		129	5
LIVER ENZYMES HI, BLD		122	5
POLYDIPSIA		119	5
PLATELETS LO, BLD		109	4
PR-LIVER, LESION(S)		106	4
INTERACTION, DRUG(S)		104	4
ATAXIA		103	4
WBC HI, BLD		101	4
WEIGHT LOSS		98	4
WEAKNESS		94	4
POLYURIA		87	4
ALBUMIN LO, BLD		84	3
MELENA		79	3
DIARRHEA, BLOODY		75	3
BLD, URINE		68	3
POLYPNEA		64	3
FEVER, BODY		63	3
P HI, BLD		59	2
CHOLESTEROL HI, BLD		57	2
CONFUSION		52	2
AMYLASE HI, BLD		50	2

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
GGT HI, BLD	43	2	
INEFFECT, ANALGESIA	43	2	
VOMITING, BLOODY	43	2	
BILE ACIDS HI, BLD	41	2	
US-LIVER ABN	41	2	
INCONTINENCE, URINARY	39	2	
RECUMBENCY	38	2	
HEMATOCHEZIA	37	2	
KIDNEY FAILURE	37	2	
LIVER DISORDER	37	2	
EPISTAXIS	36	1	
PAIN, ABDOMEN	36	1	
COLLAPSE	35	1	
PROTEIN, URINE	35	1	
SPEC GRAVITY LO, URINE	34	1	
TREMBLING	33	1	
AGGRESSION	32	1	
HEAD TILT	31	1	
PRURITIS	31	1	
LIPASE HI, BLD	30	1	
NERVOUSNESS	27	1	
HYPERACTIVITY	26	1	
ALOPECIA	25	1	
ANEMIA, AUTOIMMUNE HEM	25	1	
DYSPNEA	25	1	
ICTERUS	25	1	
RADIOGRAPH(S) ABN	25	1	
DIARRHEA, MILD	24	1	
NYSTAGMUS	24	1	
PARESIS, HIND LIMB(S)	24	1	
SEGS HI, BLD	24	1	
HEPATOMEGALY	23	1	
PALLOR, MUCOUS MEMBRAN	23	1	
PROTEIN(TOT) LO, BLD	23	1	
CA HI, BLD	22	1	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
US ABN		22	1
ASCITES		21	1
CIRCLING		21	1
COAGULATION DISORDER		21	1
DEHYDRATION		21	1
PACING		21	1
PANCREATITIS		21	1
THYROID HORMONE(S) LO		21	1
VOCALIZATION		21	1
HYPERSALIVATION		20	1
LIVER FAILURE		20	1
DERMATITIS, MOIST		19	1
GLUCOSE HI, BLD		19	1
WBC LO, BLD		19	1
ABN COLOR, URINE		18	1
BILIRUBIN, URINE		18	1
BLD(PETECHIAE)		18	1
GLOBULIN HI, BLD		18	1
GLUCOSE LO, BLD		17	1
GLUCOSE, URINE		17	1
PR-KIDNEY(S), LESION(S)		17	1
BANDS HI, BLD		16	1
BEHAVIOR DISORDER		16	1
BLD(ECCHYMOSES)		16	1
HAIR, SHEDDING		16	1
PARESIS		16	1
PROPRIOCEPTIVE DISORDE		16	1
VESTIBULAR DISORDER		15	1
ANURIA		14	1
CASTS, URINE		14	1
CPK HI, BLD		14	1
HYPERPNEA		14	1
URTICARIA		14	1
INFLAM, SKIN		13	1
K HI, BLD		13	1

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
SPLENOMEGALY		13	1
DIC		12	
EDEMA, HEAD/FACE		12	
KIDNEY VALUES HI, BLD		12	
PALLOR		12	
ANEMIA, REGEN		11	
BLINDNESS		11	
DIABETES MELLITUS		11	
INFECTION, SKIN		11	
PR-STOMACH, LESION(S)		11	
PROTEIN(TOT) HI, BLD		11	
STAGGERING		11	
SWELLING, HEAD/FACE		11	
ULCER(S), MOUTH/LIP(S)		11	
BILIRUBIN(DIR) HI, BLD		10	
BLD, ABDOMEN		10	
INEFFECT, ANTIINFLAM		10	
INEFFECT, LOSS OF EFFE		10	
ULCER(S), GI		10	
VOMITING, SEVERE		10	
ADIPSIA		9	
ANEMIA, HEMOLYTIC		9	
APPREHENSION		9	
BLD, MOUTH/LIP(S)		9	
BUN LO, BLD		9	
CA LO, BLD		9	
COOMBS TEST POS		9	
DIARRHEA, SEVERE		9	
EOSINOS HI, BLD		9	
INFECTION, URINARY TRA		9	
KIDNEY DISORDER		9	
MONOS HI, BLD		9	
AZOTEMIA		8	
BLD(HEMATOMA)		8	
COUGHING		8	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
DIARRHEA, MUCOID		8	
DISTENTION, ABDOMEN		8	
FLATULENCE		8	
ILL		8	
PERFORATION, GI		8	
PERITONITIS		8	
SKIN DISORDER		8	
ULCER(S), STOMACH		8	
UNCONSCIOUS		8	
WBC, URINE		8	
CONSTIPATION		7	
GAGGING		7	
HAIR, ABN		7	
ICTERUS, SERUM		7	
MASS, ABDOMEN		7	
MICROORANISMS, URINE		7	
PAIN		7	
RBC, NUCLEATED		7	
RETICULOCYTES HI, BLD		7	
SHAKING		7	
STUMBLING		7	
TACHYCARDIA		7	
ALKALINE URINE		6	
BLD, RECTUM		6	
BLOAT		6	
CONGESTION, SKIN		6	
DISCOMFORT		6	
EDEMA, LIMB(S)		6	
ENLARGEMENT, LYMPH NOD		6	
HEPATITIS		6	
LESION(S), SKIN		6	
LYMPHS LO, BLD		6	
PARALYSIS		6	
PARALYSIS, HIND LIMB(S)		6	
PERFORATION, STOMACH		6	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
POLYCYTHEMIA		6	
PT PROLONGED, BLD		6	
PTT PROLONGED, BLD		6	
RASH		6	
SEGS LO, BLD		6	
SHOCK		6	
SOMNOLENCE		6	
SPASM		6	
ATROPHY, MUSCLE(S)		5	
BLD		5	
BLD, ABN		5	
CNS INFARCT		5	
DEAFNESS		5	
DIARRHEA, WATERY		5	
DYSURIA		5	
GLOBULIN LO, BLD		5	
LAMENESS		5	
PARALYSIS, FACIAL NERV		5	
PR-GI, LESION(S)		5	
PR-PANCREAS, LESION(S)		5	
PR-SKIN, LESION(S)		5	
PR-SPLEEN, LESION(S)		5	
RBC ABN		5	
RBC, ANISO		5	
RELUCTANT TO MOVE		5	
SEDATION		5	
SHAKING, HEAD/FACE		5	
SKIN, CRUST(S)		5	
STOOL ABN		5	
STUPOR		5	
SWELLING, JOINT(S)		5	
TRIGLYCERIDES HI, BLD		5	
TWITCH		5	
ULCER(S), SKIN		5	
URINATION		5	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
VOMITING, UNPRODUCTIVE		5	
ANEMIA, SPHERO		4	
ARREST, HEART		4	
BALANCE DISORDER		4	
BORBORYGMI		4	
CRYSTALS, URINE		4	
DISSOCIATION		4	
EDEMA		4	
EFFUSION, PERITONEAL		4	
GASTRITIS		4	
HYPOTHERMIA, BODY		4	
MORIBUND		4	
MURMUR, HEART		4	
MYDRIASIS		4	
NA LO, BLD		4	
NEUROLOGICAL DISORDER		4	
PLATELETS HI, BLD		4	
POLYPHAGIA		4	
PR-LUNG(S), LESION(S)		4	
PR-MULT SITES, BLD		4	
PR-SM INTEST, LESION(S)		4	
PUSTULE(S)		4	
REFLEX(ES) ABN		4	
SCALE(S), SKIN		4	
SWELLING, LIMB(S)		4	
AMMONIA HI, BLD		3	
ANAPHYLAXIS/TOID		3	
ANEMIA, BLD LOSS		3	
ANEMIA, HEINZ BODY		3	
APNEA		3	
BITING/CHEWING		3	
BLD, SKIN		3	
BLINDNESS, PARTIAL		3	
BREATHING ABN		3	
CHLORIDE LO, BLD		3	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
CNS DISORDER		3	
CO2 LO, BLD		3	
COLITIS		3	
CYANOSIS		3	
EFFUSION		3	
FLY BITING		3	
GI, ABNORMAL		3	
HYPHEMA		3	
INCONTINENCE		3	
K LO, BLD		3	
KERATOCONJUNCTIVITIS S		3	
LDH HI, BLD		3	
MUCOUS MEMBR, ABN COLO		3	
NAUSEA		3	
NEOPLASM		3	
NEOPLASM, LIVER		3	
NEOPLASM, SPLEEN		3	
NYSTAGMUS, HORIZONTAL		3	
PICA		3	
POLLAKIURIA		3	
PR-BONE MARROW, LESION		3	
REGURGITATION		3	
SKIN, NECROSIS		3	
SLEEP ABN		3	
SNEEZING		3	
SORE(S)		3	
STIFFNESS		3	
STOOL, MUCOID		3	
SWELLING, EYE(S)/LID(S)		3	
SWELLING, MOUTH/LIP(S)		3	
SYNCOPE		3	
TENESMUS, RECTAL		3	
UNPALATABLE, WON'T EAT		3	
ALBUMIN HI, BLD		2	
ANEMIA, APLASTIC		2	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ANESTH RECOV PROLONGED		2	
ARRHYTHMIA		2	
BLD, GI		2	
BLD, INCISION SITE		2	
BLD, MULT SITES		2	
BLD, THORAX		2	
BLD, VAGINA		2	
BLINDNESS, TEMP		2	
CHOLESTEROL LO, BLD		2	
CORT/CREAT HI, URINE		2	
DEATH(STILLBORN)		2	
DIABETES		2	
DISCHARGE, NOSE		2	
DISCHARGE, VULVA		2	
DISTRESS, RESP		2	
DYSPHAGIA		2	
EDEMA, VENTRAL		2	
EFFUSION, JOINT(S)		2	
ERUCTATION		2	
EYE DISORDER		2	
FIBRINOGEN LO, BLD		2	
FROTH, MOUTH/LIP(S)		2	
HEAD BOBBING		2	
HEAD PRESSING		2	
HEART DISORDER		2	
HIDING		2	
HYPOTHERMIA		2	
IMPROVEMENT, UNEXPECT		2	
INCONTINENCE, FECAL		2	
INFECTION		2	
INSOMNIA		2	
K HI, URINE		2	
K LO, BLOOD		2	
KETONES, URINE		2	
LESION(S), MOUTH/LIP(S)		2	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
LICKING		2	
LIVER PROFILE HI		2	
LOCOMOTION DISORDER		2	
NA HI, BLD		2	
ODOR, MOUTH		2	
PANCREAS ENZYMES HI, B		2	
POLYCYTHEMIA(RELATIVE)		2	
PR-SM INTEST, LESION(S)		2	
PROSTATOMEGALY		2	
PRURITIS, EAR(S)		2	
RBC, POLYCHROM		2	
SEBORRHEA		2	
SOUND ABN, RESPIRATORY		2	
SWELLING, NECK		2	
ULCER(S), CORNEA(S)		2	
ULCER(S), MUCOCUTANEOU		2	
ULCER(S), TONGUE		2	
UREMIA		2	
URINATION ABN		2	
VESICLE(S)/BULLAE, SKI		2	
VOICE DISORDER		2	
VOLVULUS, STOMACH		2	
WEIGHT INCREASE		2	
A/G RATIO LO, BLD		1	
ABN ODOR, URINE		1	
ACCIDENTAL EXPOSURE		1	
ACID URINE		1	
ANISOCORIA		1	
ATONY, BLADDER		1	
BILIRUBIN(IND) HI, BLD		1	
BLADDER, PARALYSIS		1	
BLD, EAR(S)		1	
BLD, LUNG(S)/TRACHEA		1	
BLD, PASSING		1	
BLD, RETINA		1	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BLD, SQ		1	
BLEPHAROSPASM		1	
BREATHING, DIFFICULT		1	
CACHEXIA		1	
CALCULI, KIDNEY		1	
CALCULI, URINE		1	
CAPILLARY REFILL PROLO		1	
CARDIOMEGALY		1	
CELLULITIS		1	
CHLORIDE HI, BLD		1	
CONGESTION, EAR(S)		1	
CONGESTION, LUNG(S)		1	
CONJUNCTIVITIS		1	
CULTURE/TITER DATA ABN		1	
CYSTITIS		1	
DEAFNESS, PARTIAL		1	
DEAFNESS, TEMP		1	
DESTRUCTIVENESS		1	
DILITATION, ESOPHAGUS		1	
DISCHARGE, EAR(S)		1	
DISCHARGE, MOUTH/LIP(S)		1	
DIZZINESS		1	
ECG ABN		1	
EDEMA, BRISKET/CHEST		1	
EDEMA, CORNEA(S)		1	
EDEMA, LUNG(S)/TRACHEA		1	
EDEMA, MULTIPLE SITES		1	
EFFUSION, PLEURAL		1	
ENCEPHALOPATHY		1	
ENDOCRINE DISORDER		1	
ENLARGEMENT(S), SKIN		1	
ESTRUS CYCLE ABNORMAL		1	
EXFOLIATION, SKIN		1	
FIBRINOGEN HI, BLD		1	
G-HAIR, ABN COLOR		1	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
GASTROENTERITIS		1	
GINGIVA, ABN		1	
GLOSSITIS		1	
GRINDING TEETH		1	
HEALING IMPAIRED		1	
HEART FAILURE		1	
HEMOGLOBIN, URINE		1	
HORNER'S SYNDROME		1	
HYPERESTHESIA		1	
HYPERMOTILITY		1	
HYPOADRENOCORTICISM		1	
HYPOPNEA		1	
HYPOSALIVATION		1	
INEFFECT		1	
INFECTION, EYE(S)		1	
INFLAM		1	
INJ SITE BLD		1	
IRRITATION, ESOPHAGUS		1	
IRRITATION, SKIN		1	
KETOSIS		1	
LIPIDS HI, BLD		1	
LYMPHS HI, BLD		1	
MICROORGANISMS, URINE		1	
MUCOUS MEMBR, RED		1	
MYOGLOBIN, URINE		1	
NA:K LO, BLD		1	
NECROSIS		1	
NEOPLASM, LYMPH NODE(S		1	
NEPHRITIS		1	
NEURITIS, OPTIC		1	
NOCTURIA		1	
NYSTAGMUS, POSITIONAL		1	
NYSTAGMUS, ROTARY		1	
NYSTAGMUS, VERTICAL		1	
ODOR		1	

**CARPROFEN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
2440	2513	2452	371
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
OLIGURIA		1	
OPACITY, CORNEA(S)		1	
OPISTHOTONOS		1	
P LO, BLD		1	
PANCREAS DISORDER		1	
PAPULE(S)		1	
PARAESTHESIA, EYE(S)/L		1	
PARESTHESIA, MOUTH/LIP		1	
PERIODONTAL, ABSCESS		1	
PHOTOPHOBIA		1	
PLATELETS ABN		1	
PR-ADRENAL(S), LESION(		1	
PR-ADRENAL(S), LESION(S)		1	
PR-ESOPHAGUS, LESION(S		1	
PR-GI, EDEMA		1	
PR-INTEST, LESION(S)		1	
PR-LUNG(S), EDEMA		1	
PR-LYMPH NODE(S), LESI		1	
PR-MULT SITES, LESION(		1	
PR-PLEURAL EFFUSION		1	
PR-SPINAL CORD, LESION		1	
PR-TONGUE, LESION(S)		1	
PRESSURE HI, BLD		1	
PRESSURE LO, BLD		1	
PROLAPSE, THIRD EYELID		1	
PULSE THREADY		1	
PUPIL(S), AREFLEXIA		1	
RESPIRATORY DISORDER		1	
RETICULOCYTES LO, BLD		1	
RUPTURE, STOMACH		1	
SALIVA, ABN		1	
SEDIMENT, URINE		1	
SKIN, SCAB(S)		1	
SLOUGH		1	
SLOUGH, FEET/DIGIT(S)		1	

**CARPROFEN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2440	2513	2452	371
SIGN		NUMBER	PERCENT
SLOUGH, GINGIVA		1	
SLOUGH, TONGUE		1	
SOUND ABN, VOICE		1	
SPEC GRAVITY HI, URINE		1	
STARING		1	
STOMATITIS		1	
STRANGURIA		1	
SWELLING, ANUS		1	
SWELLING, BRISKET/CHES		1	
SWELLING, EAR(S)		1	
SWELLING, FEET/DIGIT(S)		1	
SWELLING, PREPUCE		1	
TACHYCARDIA, VENTRICUL		1	
TEETH, ABN		1	
TENESMUS		1	
THRASHING/PADDLING		1	
THYROID HORMONE(S) HI		1	
TONGUE, ABN		1	
TORTICOLLIS		1	
TREMBLING, FACE		1	
UDDER, DYSGALACTIA		1	
ULCER(S), FEET/DIGIT(S)		1	
VAGINITIS		1	
WHEEZING		1	

---

**CARPROFEN  
HUMAN, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	33
DIZZINESS		1	33
TREMBLING		1	33
VOMITING		1	33

---

**CARPROFEN  
NOT REVIEWED, ORAL**

REPORTS	TREATED	REACTED	DIED
1			
SIGN		NUMBER	PERCENT
ALK PHOS HI, BLD		1	100

---

**CARPROFEN  
OTHER, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
NAUSEA		1	100
WEIGHT INCREASE		1	100

---

**CARPROFEN  
PANDA, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
ANEMIA		1	100
BUN HI, BLD		1	100
CREATININE HI, BLD		1	100
DEATH(EUTHANIZED)		1	100
PR-HEART, LESION(S)		1	100
PR-KIDNEY(S), LESION(S)		1	100
PROTEIN, URINE		1	100
WBC, URINE		1	100

---

**CARPROFEN  
PIG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
FEVER, BODY		1	100

---

**CARPROFEN  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
2	8	2	0
SIGN		NUMBER	PERCENT

**CARPROFEN  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
2	8	2	0
SIGN	NUMBER		PERCENT
VOMITING	2		100
DIARRHEA	1		50
LIVER ENZYMES HI, BLD	1		50

**CARPROFEN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
CONGESTION, SKIN	1		100
INFLAM, SKIN	1		100
PRURITIS	1		100
RASH	1		100
SORE(S)	1		100
SWELLING, EYE(S)/LID(S)	1		100

**CEFADROXIL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER		PERCENT
PD-CONTAINER(S), DAMAG	1		50
PD-LABEL(S), ABN	1		50
PD-MISSING, LABEL(S)	1		50

**CEFADROXIL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
CONGESTION, SKIN	1		100
PRURITIS	1		100
URTICARIA	1		100

**CEFTIOFUR  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	16	8	6
SIGN	NUMBER		PERCENT
DEATH	2		67
ANAPHYLAXIS/TOID	1		33
COLLAPSE	1		33
INJ SITE SWELLING	1		33

---

**CEFTIOFUR  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
BITING/CHEWING	1		100
COLLAPSE	1		100
STAGGERING	1		100

---

**CEFTIOFUR  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
INJ SITE PAIN	2		100
INJ SITE SWELLING	2		100
INJ SITE INFLAM	1		50

---

**CEFTIOFUR  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
HYPERESTHESIA	1		50
INJ SITE INFLAM	1		50
INJ SITE PAIN	1		50
INJ SITE SWELLING	1		50

---

**CEPHALEXIN  
DOG, ORAL**

**CEPHALEXIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN	NUMBER	PERCENT	
ALBUMIN LO, BLD	2	100	
DEPRESSION/LETHARGY	2	100	
ADIPSIA	1	50	
ALK PHOS HI, BLD	1	50	
ANOREXIA	1	50	
BANDS HI, BLD	1	50	
CHLORIDE HI, BLD	1	50	
COLLAPSE	1	50	
DEATH(EUTHANIZED)	1	50	
DEHYDRATION	1	50	
DIARRHEA, BLOODY	1	50	
DIARRHEA, MILD	1	50	
HYPOTHERMIA, BODY	1	50	
LESION(S), SKIN	1	50	
LYMPHS HI, BLD	1	50	
MONOS HI, BLD	1	50	
MORIBUND	1	50	
NA HI, BLD	1	50	
NYSTAGMUS, VERTICAL	1	50	
PALLOR, MUCOUS MEMBRAN	1	50	
PR-INTEST, LESION(S)	1	50	
PR-SKIN, LESION(S)	1	50	
PROTEIN(TOT) LO, BLD	1	50	
SEGS HI, BLD	1	50	
SLOUGH	1	50	
STOOL, MUCOID	1	50	
VOCALIZATION	1	50	
VOMITING	1	50	
VOMITING, BLOODY	1	50	
WBC HI, BLD	1	50	
WEIGHT LOSS	1	50	

**CEPHAPIRIN BENZATHINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**CEPHAPIRIN BENZATHINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN	NUMBER	PERCENT	
PD-APPLICATOR, ABN	2	40	
PD-DISPENSER, ABN	2	40	
PD-TUBE(S), LEAKING	2	40	
PD-CAP(S), ABN	1	20	
PD-TUBE(S), DAMAGED	1	20	
PD-UNDERFILL, PACKAGE	1	20	

**CEPHAPIRIN BENZATHINE  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
11	54	25	8
SIGN	NUMBER	PERCENT	
RESIDUE, MILK	8	73	
DEATH	3	27	
UDDER, MASTITIS	2	18	
INEFFECT, ANTIBIOTIC	1	9	
INFECTION	1	9	
RECUMBENCY	1	9	

**CEPHAPIRIN SODIUM  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
7	0	0	0
SIGN	NUMBER	PERCENT	
PD-TUBE(S), DAMAGED	3	43	
PD-TUBE(S), LEAKING	3	43	
PD-UNDERFILL, PACKAGE	3	43	
PD-APPLICATOR, ABN	2	29	
PD-CONTAINER(S), DAMAG	1	14	
PD-CONTAM, INSECTS	1	14	
PD-MISSING, CAP	1	14	

**CEPHAPIRIN SODIUM  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**CEPHAPIRIN SODIUM  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
64	271	233	0
SIGN		NUMBER	PERCENT
RESIDUE, MILK		64	100
INEFFECT, ANTIBIOTIC		1	2

---

**CEPHAPIRIN SODIUM  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
BITING/CHEWING		1	100
COLLAPSE		1	100
STAGGERING		1	100

---

**CEPHAPIRIN SODIUM  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE PAIN		1	100
INJ SITE SWELLING		1	100

---

**CHLORAMPHENICOL  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
PD-PRODUCT DEFECT		1	100

---

**CHLORAMPHENICOL, PREDNISOLONE, SQUALENE, TETRACA  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DEAFNESS, TEMP		1	100

---

**CHLORHEXIDINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
14	0	0	0
SIGN	NUMBER	PERCENT	
PD-CONTAINER(S), ABN	5	36	
PD-TUBE(S), LEAKING	4	29	
PD-MISSING, CAP	3	21	
PD-CONTAINER(S), DAMAG	2	14	
PD-SEAL, ABN	2	14	
PD-CAP(S), ABN	1	7	
PD-LABEL(S), ABN	1	7	
PD-MISSING, LABEL(S)	1	7	
PD-SOLUTION, ABN	1	7	
PD-VIAL(S), LEAKING	1	7	

**CHLORHEXIDINE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	3	3	1
SIGN	NUMBER	PERCENT	
ANAPHYLAXIS/TOID	1	50	
ARREST, HEART	1	50	
DEATH	1	50	
EDEMA	1	50	
EDEMA, NECK	1	50	
EDEMA, TONGUE	1	50	
PHLEBITIS	1	50	
SKIN, NECROSIS	1	50	
SLOUGH, SKIN	1	50	
ULCER(S), TONGUE	1	50	

**CHLORHEXIDINE  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
LESION(S), RINGWORM	1	100	

**CHLORTETRACYCLINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
3	0	0	0
SIGN	NUMBER		PERCENT
PD-CONTAINER(S), DAMAG	3		100

---

**CHLORTETRACYCLINE  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	100	60	0
SIGN	NUMBER		PERCENT
UNPALATABLE, WON'T EAT	1		100

---

**CHLORTETRACYCLINE, SULFAMETHAZINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN	NUMBER		PERCENT
PD-CONTAINER(S), DAMAG	6		100

---

**CLENBUTEROL  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100
NERVOUSNESS	1		100
PACING	1		100
STAGGERING	1		100
SWEATING	1		100

---

**CLINDAMYCIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	2
SIGN	NUMBER		PERCENT

**CLINDAMYCIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	2
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	33
APLASIA, BONE MARROW		1	33
CONVULSION(S)		1	33
CYANOSIS, MUCOUS MEMBR		1	33
DEATH		1	33
DEATH(EUTHANIZED)		1	33
DYSPNEA		1	33
PANCYTOPENIA		1	33

---

**CLINDAMYCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN		NUMBER	PERCENT
CONFUSION		1	50
DEATH(EUTHANIZED)		1	50
DIARRHEA, BLOODY		1	50
HYPERSALIVATION		1	50
PARESIS, HIND LIMB(S)		1	50
PR-SM INTEST, LESION(S)		1	50
RADIOGRAPH(S) ABN		1	50
VOMITING		1	50

---

**CLINDAMYCIN  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE PAIN		1	100

---

**CLINDAMYCIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DEAFNESS, PARTIAL		1	100

**CLINDAMYCIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
NAUSEA	1		100

**CLOMIPRAMINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
14	0	0	0
SIGN	NUMBER		PERCENT
PD-UNDERFILL, VIAL(S)	8		57
PD-UNDERFILL, PACKAGE	4		29
PD-LABEL(S), ABN	1		7
PD-TABLET(S), ABN	1		7

**CLOMIPRAMINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	1		100
MYDRIASIS	1		100

**CLOMIPRAMINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
100	100	100	8
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	37		37
AGGRESSION	25		25
ANOREXIA	24		24
VOMITING	15		15
SGPT/ALT HI, BLD	13		13
ALK PHOS HI, BLD	12		12
BILIRUBIN(TOT) HI, BLD	10		10
CONVULSION(S)	10		10
VOCALIZATION	9		9

**CLOMIPRAMINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
100	100	100	8
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
APPREHENSION		6	6
MYDRIASIS		6	6
SGOT/AST HI, BLD		6	6
WEIGHT LOSS		6	6
ATAXIA		5	5
GGT HI, BLD		5	5
POLYDIPSIA		5	5
ANEMIA		4	4
DEATH		4	4
INTERACTION, DRUG(S)		4	4
CONFUSION		3	3
DIARRHEA		3	3
ICTERUS, BODY		3	3
NERVOUSNESS		3	3
POLYURIA		3	3
PR-LIVER, LESION(S)		3	3
SPEC GRAVITY LO, URINE		3	3
US-LIVER ABN		3	3
ALKALINE URINE		2	2
BILIRUBIN, URINE		2	2
CHOLESTEROL HI, BLD		2	2
CREATININE HI, BLD		2	2
DEATH(EUTHANIZED)		2	2
DESTRUCTIVENESS		2	2
DIARRHEA, BLOODY		2	2
FEVER, BODY		2	2
HEMATOCHEZIA		2	2
HYPERACTIVITY		2	2
K HI, BLD		2	2
LIVER ENZYMES HI, BLD		2	2
LYMPHS LO, BLD		2	2
PALLOR, MUCOUS MEMBRAN		2	2
POLYPNEA		2	2
PR-KIDNEY(S), LESION(S)		2	2
TACHYCARDIA		2	2

**CLOMIPRAMINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
100	100	100	8
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
WBC HI, BLD		2	2
WEAKNESS		2	2
ALBUMIN LO, BLD		1	1
AMMONIA HI, BLD		1	1
AMYLASE HI, BLD		1	1
ANION GAP HI, BLD		1	1
BEHAVIOR DISORDER		1	1
BILE ACIDS HI, BLD		1	1
BITING/CHEWING		1	1
BORBORYGMI		1	1
BRADYCARDIA		1	1
BUN HI, BLD		1	1
BUN LO, BLD		1	1
CA LO, BLD		1	1
CHLORIDE HI, BLD		1	1
CHLORIDE LO, BLD		1	1
COLITIS		1	1
CONGESTION, EYE(S)/LID		1	1
CONGESTION, MUCOUS MEM		1	1
COUGHING		1	1
CPK HI, BLD		1	1
CRYSTALS, URINE		1	1
DIARRHEA, MUCOID		1	1
DISCHARGE, EYE(S)/LID(S)		1	1
DISSOCIATION		1	1
DYSPNEA		1	1
EFFUSION		1	1
ENLARGEMENT, LYMPH NOD		1	1
ESTRUS CYCLE ABNORMAL		1	1
EXERCISE INTOLERANCE		1	1
FLY BITING		1	1
GLOBULIN HI, BLD		1	1
HEPATOMEGALY		1	1
HIDING		1	1
HYPERESTHESIA		1	1

**CLOMIPRAMINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
100	100	100	8
SIGN		NUMBER	PERCENT
HYPERSALIVATION		1	1
ICTERUS		1	1
ICTERUS, SERUM		1	1
ILL		1	1
INCONTINENCE, URINARY		1	1
INEFFECT, OTHER DRUG(S		1	1
K LO, BLD		1	1
KERATOCONJUNCTIVITIS S		1	1
LAMENESS		1	1
LEUKODERMA		1	1
LIVER FAILURE		1	1
MELENA		1	1
MG HI, BLD		1	1
MONOS LO, BLD		1	1
MUCOUS MEMBR, RED		1	1
NA HI, BLD		1	1
NA LO, BLD		1	1
OLIGURIA		1	1
P HI, BLD		1	1
PARESIS		1	1
PHOTOPHOBIA		1	1
PLATELETS LO, BLD		1	1
PR-INTEST, LESION(S)		1	1
PR-LYMPH NODE(S), LESI		1	1
PR-MULT SITES, CONGEST		1	1
PROTEIN(TOT) HI, BLD		1	1
PRURITIS		1	1
RADIOGRAPH(S) ABN		1	1
RBC ABN		1	1
RECUMBENCY		1	1
SEDATION		1	1
SEGS HI, BLD		1	1
SOMNOLENCE		1	1
SPASM		1	1
TREMBLING		1	1

**CLOMIPRAMINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
100	100	100	8
SIGN		NUMBER	PERCENT
TWITCH		1	1
URINATION ABN		1	1
URINE ABN		1	1
URTICARIA		1	1
US ABN		1	1
VOMITING, BLOODY		1	1

**CLOPROSTENOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, VIAL(S)		1	100

**CLOPROSTENOL  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANEMIA		1	100
FERTILITY, LACK OF		1	100
MENSES, ABNORMAL		1	100
RESPIRATORY DISORDER		1	100
TACHYCARDIA		1	100

**CLOXACILLIN BENZATHINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN		NUMBER	PERCENT
PD-TUBE(S), ABN		4	67
PD-GEL/PASTE, ABN		1	17
PD-MISSING, CAP		1	17

**CLOXACILLIN BENZATHINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN	NUMBER		PERCENT
PD-SYRINGE, ABN	1		17

**CLOXACILLIN BENZATHINE  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
3	41	3	0
SIGN	NUMBER		PERCENT
RESIDUE, MILK	3		100

**CLOXACILLIN SODIUM  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-MISSING, CAP	1		100
PD-TUBE(S), LEAKING	1		100

**COMPETITIVE EXCLUSION PRODUCTS  
HUMAN, INHALATION**

REPORTS	TREATED	REACTED	DIED
2	7	7	0
SIGN	NUMBER		PERCENT
CONGESTION, LUNG(S)	2		100
HEADACHE	2		100
CONGESTION, MUCOUS MEM	1		50
COUGHING	1		50
EPISTAXIS	1		50
NAUSEA	1		50
PHARYNGITIS	1		50

**COPPER NAPHTHENATE  
RABBIT, TOPICAL**

**COPPER NAPHTHENATE  
RABBIT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100

---

**CYCLOSPORINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN	NUMBER		PERCENT
PD-TUBE(S), ABN	5		83
PD-UNDERFILL, TUBE(S)	2		33

---

**CYCLOSPORINE  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
7	7	7	0
SIGN	NUMBER		PERCENT
IRRITATION, EYE(S)/LID	3		43
CONGESTION, EYE(S)/LID	2		29
CONJUNCTIVITIS	2		29
AGGRESSION	1		14
ANOREXIA	1		14
BLEPHAROSPASM	1		14
BLINDNESS	1		14
DEPRESSION/LETHARGY	1		14
DISSOCIATION	1		14
EDEMA, CORNEA(S)	1		14
EPIPHORA	1		14
G-HAIR, ABN COLOR	1		14
HIDING	1		14
INEFFECT, KCS	1		14
PD-TUBE(S), ABN	1		14

---

**CYCLOSPORINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**CYCLOSPORINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
VOMITING	1		100

---

**CYCLOSPORINE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	1		100

---

**DENTAL AND ORAL CARE PRODUCTS  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
BLD, URINE	1		100
INCONTINENCE, URINARY	1		100
POLYDIPSIA	1		100
POLYURIA	1		100
PROTEIN, URINE	1		100
WBC, URINE	1		100

---

**DESLORELIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
28	0	0	0
SIGN	NUMBER		PERCENT
PD-APPLICATOR, ABN	22		79
PD-UNDERFILL, PACKAGE	4		14
PD-SYRINGE, ABN	2		7
PD-CONTAINER(S), ABN	1		4

---

**DESLORELIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**DESLORELIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
34	494	129	0
SIGN		NUMBER	PERCENT
DIESTRUS, PROLONGED		21	62
ESTRUS CYCLE ABNORMAL		7	21
INEFFECT, OVULATION		7	21
ANESTRUS		3	9
PD-SYRINGE, ABN		2	6
ABORTION		1	3
BIRTH, MULTIPLE		1	3
FERTILITY, REDUCED		1	3
INEFFECT, PREGNANCY		1	3
OVARIES, CYSTIC		1	3

---

**DESLORELIN  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	200	10	0
SIGN		NUMBER	PERCENT
ESTRUS CYCLE ABNORMAL		1	100

---

**DESOXYCORTICOSTERONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	1
SIGN		NUMBER	PERCENT
COLLAPSE		2	50
VOMITING		2	50
ANAPHYLAXIS/TOID		1	25
DEPRESSION/LETHARGY		1	25
EDEMA, LIMB(S)		1	25
FEVER, BODY		1	25
INJ SITE INFLAM		1	25
PALLOR, MUCOUS MEMBRAN		1	25
PARESIS, HIND LIMB(S)		1	25
TECH ERROR ADMINISTRAT		1	25
URTICARIA		1	25

**DESOXYCORTICOSTERONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	1
SIGN		NUMBER	PERCENT
WEAKNESS		1	25

---

**DESOXYCORTICOSTERONE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
SWELLING, HEAD/FACE		1	100

---

**DESOXYCORTICOSTERONE  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE SWELLING		1	100

---

**DETOMIDINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN		NUMBER	PERCENT
PD-VIAL(S), DAMAGED		3	50
PD-VIAL(S), LEAKING		3	50
PD-UNDERFILL, VIAL(S)		2	33

---

**DETOMIDINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
SEDATION		1	100

---

**DETOMIDINE  
DOG, PARENTERAL**

**DETOMIDINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
BLD, LUNG(S)/TRACHEA		1	100
COUGHING		1	100
DEATH		1	100

---

**DETOMIDINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	25	8	1
SIGN		NUMBER	PERCENT
HYPERPNEA		2	33
SWEATING		2	33
ATAXIA		1	17
BEHAVIOR DISORDER		1	17
COLLAPSE		1	17
DEATH		1	17
DYSPNEA		1	17
HYPERACTIVITY		1	17
INEFFECT, SEDATION		1	17
NERVOUSNESS		1	17
PD-POTENCY, LO		1	17
REARING		1	17
RECUMBENCY		1	17
SEDATION TOO DEEP		1	17
TREMBLING		1	17

---

**DETOMIDINE  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
5	21	20	0
SIGN		NUMBER	PERCENT
PD-POTENCY, LO		4	80
INEFFECT, SEDATION		3	60
PAIN, ABDOMEN		1	20
SWEATING		1	20
URTICARIA		1	20

---

**DETOMIDINE  
HORSE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
INEFFECT, SEDATION	1		100
PD-POTENCY, LO	1		100

**DEVICE: GLOVES  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-PRODUCT DEFECT	1		100

**DEVICE: SUTURE  
DOG, NOT APPLICABLE**

REPORTS	TREATED	REACTED	DIED
1	3	3	0
SIGN	NUMBER		PERCENT
INFLAM, SKIN	1		100

**DEXAMETHASONE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100
DEATH	1		100

**DEXAMETHASONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	1
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		33
BRADYCARDIA	1		33

**DEXAMETHASONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	1
SIGN		NUMBER	PERCENT
COLLAPSE		1	33
DEATH		1	33
DYSPNEA		1	33
MUCOUS MEMBR, ABN COLO		1	33
URTICARIA		1	33

**DEXAMETHASONE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100
DYSPNEA		1	100

**DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN		NUMBER	PERCENT
ATAXIA		4	100
BALANCE DISORDER		2	50
ANOREXIA		1	25
DISCHARGE, MOUTH/LIP(S		1	25
HEAD TILT		1	25
NYSTAGMUS		1	25
NYSTAGMUS, HORIZONTAL		1	25
TORTICOLLIS		1	25
VOMITING		1	25

**DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN		NUMBER	PERCENT

**DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN	NUMBER	PERCENT	
DEAFNESS, TEMP	2	50	
CONGESTION, SKIN	1	25	
DEAFNESS	1	25	
PAPULE(S)	1	25	
PRURITIS	1	25	

**DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER	PERCENT	
PD-UNDERFILL, PACKAGE	1	100	

**DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER	PERCENT	
ANESTH RECOV PROLONGED	1	100	
CONVULSION(S)	1	100	
MYDRIASIS	1	100	
PUPIL(S), AREFLEXIA	1	100	
RECUMBENCY	1	100	

**DIAZEPAM  
BUFFALO, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
INTERACTION, DRUG(S)	1	100	
SEDATION PROLONGED	1	100	
SEDATION TOO DEEP	1	100	

**DIAZEPAM  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100
LIVER FAILURE	1		100

---

**DIAZEPAM  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
ARREST, HEART	1		100
DEATH	1		100

---

**DIAZEPAM  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
BLEPHAROSPASM	1		100
CONGESTION, EYE(S)/LID	1		100
HORNER'S SYNDROME	1		100
NYSTAGMUS	1		100

---

**DICHLOROPHENE, TOLUENE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	1
SIGN	NUMBER		PERCENT
ADIPSIA	2		67
ANOREXIA	2		67
DEHYDRATION	2		67
DEPRESSION/LETHARGY	2		67
DEATH	1		33
PAIN, ABDOMEN	1		33

---

**DICHLOROPHENE, TOLUENE  
DOG, ORAL**

**DICHLOROPHENE, TOLUENE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
4	6	6	2
SIGN	NUMBER	PERCENT	
DEPRESSION/LETHARGY	2	50	
TREMBLING	2	50	
VOMITING	2	50	
ATAXIA	1	25	
BEHAVIOR DISORDER	1	25	
CIRCLING	1	25	
CONFUSION	1	25	
CONVULSION(S)	1	25	
CYANOSIS	1	25	
DEATH	1	25	
DEMENTIA	1	25	
DIARRHEA	1	25	
FEVER, BODY	1	25	
HALLUCINATION	1	25	
HEMATOCHEZIA	1	25	
HYPERPNEA	1	25	
MYDRIASIS	1	25	
ODOR, MOUTH	1	25	
REACTION, UNSPECIFIED	1	25	
STOOL ABN	1	25	
TACHYCARDIA	1	25	

**DIETHYLCARBAMAZINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN	NUMBER	PERCENT	
PD-TABLET(S), ABN	3	75	
PD-MISSING, LABEL(S)	1	25	

**DIETHYLCARBAMAZINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**DIETHYLCARBAMAZINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
VOMITING	1		100

---

**DIETHYLCARBAMAZINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
19	19	19	0
SIGN	NUMBER		PERCENT
INEFFECT, HW ADULTS	6		32
VOMITING	5		26
DEPRESSION/LETHARGY	3		16
INEFFECT, HW ANTIGEN	2		11
ALK PHOS HI, BLD	1		5
BILIRUBIN, URINE	1		5
BLD(ECCHYMOSES)	1		5
BLD, URINE	1		5
COLLAPSE	1		5
DEHYDRATION	1		5
DIARRHEA	1		5
HEMATOCHEZIA	1		5
PALLOR, MUCOUS MEMBRAN	1		5
PANCREATITIS	1		5
PLATELETS LO, BLD	1		5
PRURITIS	1		5
SEDATION	1		5
SGPT/ALT HI, BLD	1		5
SHOCK	1		5
UNPALATABLE, WON'T EAT	1		5
URTICARIA	1		5

---

**DIETHYLCARBAMAZINE, OXIBENDAZOLE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
10	0	0	0
SIGN	NUMBER		PERCENT

**DIETHYLCARBAMAZINE, OXIBENDAZOLE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
10	0	0	0
SIGN	NUMBER	PERCENT	
PD-CONTAM, INSECTS	4	40	
PD-UNKNOWN	4	40	
PD-MISSING, LABEL(S)	1	10	
PD-SEAL, ABN	1	10	

---

**DIETHYLCARBAMAZINE, OXIBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
59	66	64	1
SIGN	NUMBER	PERCENT	
ALK PHOS HI, BLD	16	27	
INEFFECT, HW LARVAE	14	24	
VOMITING	14	24	
INTERACTION, DRUG(S)	13	22	
SGPT/ALT HI, BLD	13	22	
ANOREXIA	11	19	
BILIRUBIN(TOT) HI, BLD	8	14	
DEPRESSION/LETHARGY	6	10	
DIARRHEA	6	10	
ICTERUS, BODY	5	8	
UNPALATABLE, WON'T EAT	5	8	
LIVER ENZYMES HI, BLD	4	7	
SGOT/AST HI, BLD	4	7	
FEVER, BODY	3	5	
WBC HI, BLD	3	5	
WEIGHT LOSS	3	5	
CHOLESTEROL HI, BLD	2	3	
INEFFECT, HOOKS PREVEN	2	3	
PD-COLOR, ABN	2	3	
PD-TABLET(S), ABN	2	3	
PR-LIVER, LESION(S)	2	3	
US-LIVER ABN	2	3	
AGGRESSION	1	2	
ALBUMIN HI, BLD	1	2	
ANAPHYLAXIS/TOID	1	2	
BILIRUBIN, URINE	1	2	

**DIETHYLCARBAMAZINE, OXIBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
59	66	64	1
SIGN	NUMBER	PERCENT	
CONGESTION, SKIN	1	2	
CREATININE HI, BLD	1	2	
EDEMA, HEAD/FACE	1	2	
EOSINOS HI, BLD	1	2	
HEMATOCHEZIA	1	2	
HYPERACTIVITY	1	2	
ICTERUS	1	2	
INCONTINENCE, URINARY	1	2	
INFECTION, URINARY TRA	1	2	
NERVOUSNESS	1	2	
PD-CONTAM, INSECTS	1	2	
POLYDIPSIA	1	2	
POLYURIA	1	2	
PRURITIS	1	2	
RADIOGRAPH(S) ABN	1	2	
SWELLING, EYE(S)/LID(S)	1	2	
TACHYCARDIA	1	2	
THYROID HORMONE(S) LO	1	2	

**DIFLOXACIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER	PERCENT	
PD-MISSING, LABEL(S)	1	100	

**DIFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
13	37	20	2
SIGN	NUMBER	PERCENT	
ANOREXIA	3	23	
CONVULSION(S)	3	23	
DEPRESSION/LETHARGY	2	15	

**DIFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
13	37	20	2
SIGN		NUMBER	PERCENT
KERATOCONJUNCTIVITIS S		2	15
ANEMIA, BLD LOSS		1	8
DEATH		1	8
DIARRHEA		1	8
EPISTAXIS		1	8
FEVER, BODY		1	8
INEFFECT, ANTIBIOTIC		1	8
POLYDIPSIA		1	8
POLYURIA		1	8
PT PROLONGED, BLD		1	8
SPERM ABN		1	8
VOMITING		1	8

**DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	4	4	0
SIGN		NUMBER	PERCENT
UDDER, TEAT(S) DISORDE		1	100

**DIMETHYL SULFOXIDE (DMSO)  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-SEAL, ABN		1	100
PD-VIAL(S), LEAKING		1	100

**DIMETHYL SULFOXIDE (DMSO)  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	3	3	0
SIGN		NUMBER	PERCENT

**DIMETHYL SULFOXIDE (DMSO)  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	3	3	0
SIGN	NUMBER		PERCENT
INEFFECT, ANTIINFLAM	1		100
PD-POTENCY, LO	1		100

**DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
7	0	0	0
SIGN	NUMBER		PERCENT
PD-CONTAINER(S), DAMAG	4		57
PD-VIAL(S), LEAKING	3		43
PD-SEAL, ABN	2		29
PD-UNDERFILL, VIAL(S)	2		29
PD-LABEL(S), ABN	1		14

**DINOPROST TROMETHAMINE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
7	838	479	5
SIGN	NUMBER		PERCENT
INJ SITE SWELLING	4		57
DEATH	3		43
INEFFECT, ESTRUS SYNCH	3		43
DEPRESSION/LETHARGY	1		14
INJ SITE INFECT	1		14
PD-POTENCY, LO	1		14
SWELLING, LIMB(S)	1		14

**DINOPROST TROMETHAMINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100

**DINOPROST TROMETHAMINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
ATAXIA		1	100
COLLAPSE		1	100
DEATH		1	100

---

**DINOPROST TROMETHAMINE  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	1	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	50
MACULE(S)		1	50
MENSES, ABNORMAL		1	50
PAIN, ABDOMEN		1	50
PRESSURE LO, BLD		1	50
PRURITIS		1	50
VOMITING		1	50

---

**DORAMECTIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
20	0	0	0
SIGN		NUMBER	PERCENT
PD-SOLUTION, ABN		5	25
PD-VIAL(S), LEAKING		4	20
PD-CONTAINER(S), ABN		3	15
PD-APPLICATOR, ABN		2	10
PD-COLOR, ABN		2	10
PD-TUBE(S), LEAKING		2	10
PD-UNDERFILL, PACKAGE		2	10
PD-PRODUCT DEFECT		1	5
PD-SEAL, ABN		1	5
PD-UNDERFILL, VIAL(S)		1	5

---

**DORAMECTIN  
HUMAN, OPHTHALMIC**

**DORAMECTIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
IRRITATION, EYE(S)/LID		1	100
PAIN, EYE(S)/LID(S)		1	100

---

**DORAMECTIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	23	11	0
SIGN		NUMBER	PERCENT
CONVULSION(S)		1	33
DEPRESSION/LETHARGY		1	33
ILL		1	33
NEUROLOGICAL DISORDER		1	33
UNCONSCIOUS		1	33

---

**DORAMECTIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
VOMITING		2	100
ATAXIA		1	50
HYPOTHERMIA		1	50
ILL		1	50
TREMBLING		1	50
WEAKNESS		1	50

---

**DORAMECTIN  
HUMAN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DIZZINESS		1	100
NAUSEA		1	100
PRESSURE HI, BLD		1	100
VOMITING		1	100
WEAKNESS		1	100

---

**DORAMECTIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	2644	1114	1
SIGN		NUMBER	PERCENT
INEFFECT, WORMS		2	33
POOR PERFORMANCE		2	33
ANAPHYLAXIS/TOID		1	17
DEATH		1	17
DYSPNEA		1	17
INEFFECT, LICE		1	17
INEFFECT, PARASITE(S)		1	17
LAMENESS		1	17
RECUMBENCY		1	17
STAGGERING		1	17
SWELLING, JOINT(S)		1	17

---

**DORAMECTIN  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
INJ SITE SWELLING		2	100
INJ SITE PAIN		1	50

---

**DORAMECTIN  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
34	50917	14435	0
SIGN		NUMBER	PERCENT
INEFFECT, MITES		30	88
PRURITIS		13	38
SKIN, SCAB(S)		3	9
INEFFECT, LICE		2	6
CONGESTION, SKIN		1	3
HAIR, ABN		1	3
HYPERPIGMENTATION, SKI		1	3
INJ SITE ABN		1	3
INJ SITE ABSCESS		1	3
IRRITATION, SKIN		1	3
LAMENESS		1	3

**DORAMECTIN  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
34	50917	14435	0
SIGN		NUMBER	PERCENT
LESION(S), SKIN		1	3
SCALE(S), SKIN		1	3
SKIN, CRUST(S)		1	3

---

**DORAMECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
71	13993	11164	15
SIGN		NUMBER	PERCENT
INEFFECT, LICE		28	39
INEFFECT, LICE BITING		12	17
INEFFECT, LICE SUCKING		9	13
INEFFECT, WORMS		9	13
DEATH		4	6
ALOPECIA		3	4
RECUMBENCY		3	4
ANAPHYLAXIS/TOID		2	3
INEFFECT, LUNGWORMS		2	3
INEFFECT, NEMATODES		2	3
INEFFECT, STRONGYLES		2	3
PRURITIS		2	3
ANOREXIA		1	1
APPLICATION SITE LESION(S)		1	1
BREATHING ABN		1	1
COLLAPSE		1	1
DEATH(EUTHANIZED)		1	1
DIARRHEA, BLOODY		1	1
HYPERPNEA		1	1
INEFFECT, MITES		1	1
INEFFECT, PARASITE		1	1
INEFFECT, PARASITE(S)		1	1
INFLAM, SKIN		1	1
LAMENESS		1	1
LESION(S), SKIN		1	1
PARESIS, HIND LIMB(S)		1	1
PNEUMONIA		1	1

**DORAMECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
71	13993	11164	15
SIGN		NUMBER	PERCENT
PR-LUNG(S), LESION(S)		1	1
SLOUGH, FEET/DIGIT(S)		1	1
STIFFNESS, HIND LIMB(S)		1	1
SWELLING, FEET/DIGIT(S)		1	1

---

**DORAMECTIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANOREXIA		1	100
DEHYDRATION		1	100
HEMATOCHEZIA		1	100
HYPERSALIVATION		1	100
MELENA		1	100
VOMITING		1	100

---

**DORAMECTIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
9	9	8	0
SIGN		NUMBER	PERCENT
DYSPNEA		2	22
RASH		2	22
ATAXIA		1	11
CONGESTION, SKIN		1	11
IRRITATION, EYE(S)/LID		1	11
IRRITATION, SKIN		1	11
NAUSEA		1	11
PD-APPLICATOR, ABN		1	11
PR-LYMPH NODE(S), LESI		1	11
PRURITIS		1	11
REACTION, UNSPECIFIED		1	11
STIFFNESS		1	11
SWELLING, FEET/DIGIT(S)		1	11
SWELLING, HEAD/FACE		1	11

**DORAMECTIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
9	9	8	0
SIGN		NUMBER	PERCENT
SWELLING, LIMB(S)		1	11
URTICARIA		1	11

---

**DORAMECTIN  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
13	25961	4346	4
SIGN		NUMBER	PERCENT
INEFFECT, LICE		10	77
PRURITIS		6	46
ALOPECIA		5	38
ALBUMIN HI, BLD		1	8
ANOREXIA		1	8
BLD, PASSING		1	8
BLD, URINE		1	8
CREATININE HI, BLD		1	8
DEATH(NEWBORN)		1	8
INJ SITE ABSCESS		1	8
PARTURITION, ABNORMAL		1	8
PTT PROLONGED, BLD		1	8
RECUMBENCY		1	8

---

**DORAMECTIN  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
APPLICATION SITE ERYTHEMA		1	100
CONGESTION, SKIN		1	100
PRURITIS		1	100

---

**DORAMECTIN  
CATTLE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
2	166	26	1
SIGN		NUMBER	PERCENT

**DORAMECTIN  
CATTLE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
2	166	26	1
SIGN		NUMBER	PERCENT
DEATH		1	50
INJ SITE ABSCESS		1	50

**DOXAPRAM  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-LABEL(S), ABN		2	100

**DOXYCYCLINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN		NUMBER	PERCENT
PD-GEL/PASTE, ABN		3	75
PD-APPLICATOR, ABN		1	25

**DOXYCYCLINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
IRRITATION, ESOPHAGUS		1	100
STRICTURE, ESOPHAGUS		1	100

**DOXYCYCLINE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
DYSPNEA		2	100
RADIOGRAPH(S) ABN		2	100

**DOXYCYCLINE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
EDEMA, HEAD/FACE	1	50	
SWELLING, ADM SITE	1	50	
SWELLING, HEAD/FACE	1	50	
SWELLING, MOUTH/LIP(S)	1	50	

**DOXYCYCLINE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	0
SIGN	NUMBER	PERCENT	
SWELLING, ADM SITE	2	33	
AMYLASE HI, BLD	1	17	
ANEMIA	1	17	
BUN HI, BLD	1	17	
EDEMA, HEAD/FACE	1	17	
GINGIVA, ABN	1	17	
GLOBULIN HI, BLD	1	17	
PALLOR, MUCOUS MEMBRAN	1	17	
SWELLING, MOUTH/LIP(S)	1	17	
WEAKNESS	1	17	

**EAR CLEANSERS/ASTRINGENTS  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
ATAXIA	1	50	
BILIRUBIN(TOT) HI, BLD	1	50	
HORNER'S SYNDROME	1	50	
NYSTAGMUS	1	50	

**EAR CLEANSERS/ASTRINGENTS  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**EAR CLEANSERS/ASTRINGENTS  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DEAFNESS, TEMP		1	100

**EAR DESSICANT, ISOPROPANOL, BENZOIC ACID  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ADIPSIA		1	100
ANISOCORIA		1	100
ANOREXIA		1	100
ATAXIA		1	100
DEAFNESS		1	100
DEPRESSION/LETHARGY		1	100
DISCHARGE, EAR(S)		1	100
TYMPANIC MEM, RUPTURED		1	100

**ENALAPRIL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ALOPECIA		1	100

**ENALAPRIL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
7	7	7	0
SIGN		NUMBER	PERCENT
BRADYCARDIA		2	29
ANOREXIA		1	14
BUN HI, BLD		1	14
COLLAPSE		1	14
CREATININE HI, BLD		1	14

**ENALAPRIL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
7	7	7	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	14
EDEMA, HEAD/FACE		1	14
EDEMA, NECK		1	14
FEVER, BODY		1	14
NERVOUSNESS		1	14
SOUND ABN, RESPIRATORY		1	14
THRASHING/PADDLING		1	14
VOMITING		1	14

---

**ENROFLOXACIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
51	0	0	0
SIGN		NUMBER	PERCENT
PD-SOLUTION, ABN		31	61
PD-TABLET(S), ABN		9	18
PD-LABEL(S), ABN		6	12
PD-COLOR, ABN		5	10
PD-POTENCY, LO		2	4
PD-UNDERFILL, PACKAGE		1	2
PD-UNDERFILL, VIAL(S)		1	2
PD-UNKNOWN		1	2
PD-VIAL(S), LEAKING		1	2

---

**ENROFLOXACIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	0	0
SIGN		NUMBER	PERCENT
PD-SEAL, ABN		1	100

---

**ENROFLOXACIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
23	24	24	3

**ENROFLOXACIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
23	24	24	3
SIGN	NUMBER	PERCENT	
RETINA ABN	9	39	
MYDRIASIS	8	35	
BLINDNESS	7	30	
CONVULSION(S)	5	22	
REFLEX(ES) ABN	5	22	
BLINDNESS, TEMP	4	17	
VOMITING	3	13	
ANOREXIA	2	9	
BLINDNESS, PARTIAL	2	9	
CONFUSION	2	9	
PUPIL(S), AREFLEXIA	2	9	
ACID URINE	1	4	
AGGRESSION	1	4	
ANAPHYLAXIS/TOID	1	4	
APPREHENSION	1	4	
ATAXIA	1	4	
BEHAVIOR DISORDER	1	4	
BLD, URINE	1	4	
CREATININE HI, BLD	1	4	
DEATH	1	4	
DEATH(EUTHANIZED)	1	4	
DYSPNEA	1	4	
DYSURIA	1	4	
ILL	1	4	
K LO, BLD	1	4	
NERVOUSNESS	1	4	
PALLOR, MUCOUS MEMBRAN	1	4	
PRESSURE HI, BLD	1	4	
PROTEIN, URINE	1	4	
SEDIMENT, URINE	1	4	
UNCONSCIOUS	1	4	
WBC LO, BLD	1	4	

**ENROFLOXACIN  
CHICKEN, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**ENROFLOXACIN  
CHICKEN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	96000	6000	6000
SIGN		NUMBER	PERCENT
DEATH		1	100
INEFFECT, ANTIBIOTIC		1	100

---

**ENROFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
28	39	38	10
SIGN		NUMBER	PERCENT
VOMITING		10	36
DEPRESSION/LETHARGY		9	32
CONVULSION(S)		7	25
ATAXIA		5	18
DIARRHEA		3	11
ANOREXIA		2	7
APPREHENSION		2	7
CONFUSION		2	7
CONGESTION, SKIN		2	7
DEATH		2	7
NERVOUSNESS		2	7
POLYPNEA		2	7
TREMBLING		2	7
URTICARIA		2	7
AGGRESSION		1	4
ANEMIA		1	4
BUN HI, BLD		1	4
CREATININE HI, BLD		1	4
DEATH(EUTHANIZED)		1	4
DYSPNEA		1	4
EDEMA, HEAD/FACE		1	4
FEVER, BODY		1	4
ILL		1	4
INFLAM, SKIN		1	4
LICKING		1	4
LICKING, FEET/DIGIT(S)		1	4
NAUSEA		1	4
PAIN, ABDOMEN		1	4

**ENROFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
28	39	38	10
SIGN		NUMBER	PERCENT
POLYDIPSIA		1	4
PRURITIS		1	4
RECUMBENCY		1	4
STIFFNESS, LIMB(S)		1	4
ULCER(S), MOUTH/LIP(S)		1	4
WBC LO, BLD		1	4

---

**ENROFLOXACIN  
RABBIT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
CONVULSION(S)		1	100
DEATH		1	100

---

**ENROFLOXACIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	18	17	2
SIGN		NUMBER	PERCENT
CONVULSION(S)		4	27
LAMENESS		4	27
BLINDNESS		3	20
MYDRIASIS		3	20
AGGRESSION		2	13
ATAXIA		2	13
BLINDNESS, PARTIAL		2	13
PARESIS, HIND LIMB(S)		2	13
TWITCH		2	13
VOCALIZATION		2	13
ADIPSIA		1	7
ALOPECIA		1	7
ANOREXIA		1	7
BLINDNESS, TEMP		1	7
DEATH		1	7
DISCOMFORT		1	7

**ENROFLOXACIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	18	17	2
SIGN	NUMBER	PERCENT	
INJ SITE INFLAM	1	7	
INJ SITE PAIN	1	7	
LEG DISORDER	1	7	
PRESSURE HI, BLD	1	7	
PROPRIOCEPTIVE DISORDE	1	7	
RECUMBENCY	1	7	
REFLEX(ES) ABN	1	7	
RETINA ABN	1	7	
SKIN, SCAB(S)	1	7	
TREMBLING	1	7	
ULCER(S), MOUTH/LIP(S)	1	7	
ULCER(S), SKIN	1	7	
VISION DISORDER	1	7	

---

**ENROFLOXACIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	102	32	19
SIGN	NUMBER	PERCENT	
ANAPHYLAXIS/TOID	1	33	
DEATH	1	33	
DYSPNEA	1	33	
EDEMA, NECK	1	33	
EPISTAXIS	1	33	
INEFFECT, ANTIBIOTIC	1	33	
INJ SITE SWELLING	1	33	
REFLEX(ES) ABN	1	33	

---

**ENROFLOXACIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	3
SIGN	NUMBER	PERCENT	
CONVULSION(S)	2	33	
PROPRIOCEPTIVE DISORDE	2	33	
ANAPHYLAXIS/TOID	1	17	

**ENROFLOXACIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	3
SIGN		NUMBER	PERCENT
APNEA		1	17
ARREST, HEART		1	17
ATAXIA		1	17
COLLAPSE		1	17
DEATH		1	17
DEATH(EUTHANIZED)		1	17
DYSMETRIA		1	17
INJ SITE INFLAM		1	17
INJ SITE PAIN		1	17
INJ SITE SWELLING		1	17
LAMENESS		1	17
PARALYSIS, HIND LIMB(S)		1	17
PARESIS, HIND LIMB(S)		1	17
VOCALIZATION		1	17

---

**ENROFLOXACIN  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN		NUMBER	PERCENT
DIZZINESS		1	33
INJ SITE INFLAM		1	33
INJ SITE PAIN		1	33
INJ SITE STIFFNESS		1	33
INJ SITE SWELLING		1	33
SHAKING		1	33
TASTE ABNORMALITY		1	33

---

**ENROFLOXACIN  
RABBIT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE MASS		1	100

---

**ENROFLOXACIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE ALOPECIA		1	100

---

**ENROFLOXACIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
HYPOESTHESIA		1	100
PAIN		1	100

---

**ENROFLOXACIN  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	51	4	0
SIGN		NUMBER	PERCENT
COLLAPSE		1	50
CONVULSION(S)		1	50
DEMENTIA		1	50
INCONTINENCE, FECAL		1	50
MYDRIASIS		1	50
RETINA ABN		1	50
WBC LO, BLD		1	50

---

**ENROFLOXACIN  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
5	419	186	43
SIGN		NUMBER	PERCENT
INEFFECT, ANTIBIOTIC		4	80
DEATH		3	60
ANOREXIA		1	20
DISTENTION, ABDOMEN		1	20
INJ SITE SWELLING		1	20
LAMENESS		1	20
PR-MULT SITES, EDEMA		1	20
PR-MUSCLE(S), LESION(S)		1	20

**ENROFLOXACIN  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
5	419	186	43
SIGN		NUMBER	PERCENT
STIFFNESS, LIMB(S)		1	20

---

**ENROFLOXACIN  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	7	6	6
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**EPRINOMECTIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ALK PHOS HI, BLD		1	100
ANEMIA, REGEN		1	100
ANOREXIA		1	100
ICTERUS, BODY		1	100
LIVER FAILURE		1	100
SGOT/AST HI, BLD		1	100
SGPT/ALT HI, BLD		1	100
UROBILINOGEN HI, URINE		1	100
VOMITING		1	100

---

**EPRINOMECTIN  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	10	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**EPRINOMECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
4	64	5	3

**EPRINOMECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
4	64	5	3
SIGN		NUMBER	PERCENT
DEATH		3	75
DYSPNEA		2	50
ANAPHYLAXIS/TOID		1	25
ATAXIA		1	25
COLLAPSE		1	25
DISCHARGE, NOSE		1	25
HYPERSALIVATION		1	25
INFLAM, SKIN		1	25
WEAKNESS		1	25

**EPSIPRANTEL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
4	5	4	1
SIGN		NUMBER	PERCENT
DEATH		1	25
HEMATOCHEZIA		1	25
INEFFECT, TAPES		1	25
VOMITING		1	25

**EPSIPRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
11	14	11	1
SIGN		NUMBER	PERCENT
INEFFECT, TAPES		7	64
DEPRESSION/LETHARGY		2	18
VOMITING		2	18
EDEMA, HEAD/FACE		1	9
FEVER, BODY		1	9
ICTERUS		1	9
KIDNEY VALUES HI, BLD		1	9
LIVER ENZYMES HI, BLD		1	9
MELENA		1	9

**EPSIPRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
11	14	11	1
SIGN		NUMBER	PERCENT
POLYPNEA		1	9
PROPRIOCEPTIVE DISORDE		1	9
STIFFNESS, NECK		1	9

---

**EPSIPRANTEL  
OTHER, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INEFFECT, TAPES		1	100

---

---

**ESTRADIOL, PROGESTERONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, PACKAGE		1	100

---

**ESTRADIOL, PROGESTERONE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
BLD, VAGINA		1	100

---

---

**ESTRADIOL, TESTOSTERONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN		NUMBER	PERCENT
PD-IMPLANT, ABN		2	40
PD-UNDERFILL, PACKAGE		2	40
PD-CONTAINER(S), ABN		1	20

**ESTRADIOL, TESTOSTERONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN	NUMBER		PERCENT
PD-DISPENSER, ABN	1		20

**ETODOLAC  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN	NUMBER		PERCENT
PD-MISSING, LABEL(S)	2		40
PD-SEAL, ABN	2		40
PD-CONTAINER(S), ABN	1		20
PD-LABEL(S), ABN	1		20
PD-UNDERFILL, PACKAGE	1		20

**ETODOLAC  
DOG, MISSING**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
CONFUSION	1		100
RECUMBENCY	1		100

**ETODOLAC  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
VOMITING	1		100

**ETODOLAC  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
471	570	551	40
SIGN	NUMBER		PERCENT
DIARRHEA, BLOODY	95		20
ANOREXIA	81		17

**ETODOLAC  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
471	570	551	40
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
VOMITING		81	17
DIARRHEA		72	15
DEPRESSION/LETHARGY		46	10
ALK PHOS HI, BLD		30	6
LIVER ENZYMES HI, BLD		30	6
SGPT/ALT HI, BLD		30	6
MELENA		29	6
ANEMIA		26	6
HEMATOCHEZIA		25	5
BILIRUBIN(TOT) HI, BLD		24	5
POLYDIPSIA		24	5
POLYURIA		22	5
PROTEIN(TOT) LO, BLD		19	4
VOMITING, BLOODY		18	4
DEATH		17	4
DIARRHEA, MILD		17	4
KERATOCONJUNCTIVITIS S		17	4
PLATELETS LO, BLD		14	3
ICTERUS, BODY		13	3
INEFFECT, ANALGESIA		13	3
ALBUMIN LO, BLD		12	3
WEAKNESS		12	3
WEIGHT LOSS		12	3
BUN HI, BLD		11	2
INTERACTION, DRUG(S)		10	2
CONVULSION(S)		9	2
DEATH(EUTHANIZED)		9	2
PALLOR, MUCOUS MEMBRAN		9	2
WBC HI, BLD		9	2
SGOT/AST HI, BLD		7	1
DIARRHEA, MUCOID		6	1
EPISTAXIS		6	1
FEVER, BODY		6	1
FLATULENCE		6	1
PR-LIVER, LESION(S)		6	1

**ETODOLAC  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
471	570	551	40
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
AMYLASE HI, BLD		5	1
COAGULATION DISORDER		5	1
GASTROENTERITIS		5	1
GGT HI, BLD		5	1
LIPASE HI, BLD		5	1
STOOL ABN		5	1
ALOPECIA		4	1
ANEMIA, REGEN		4	1
APPREHENSION		4	1
CREATININE HI, BLD		4	1
DIARRHEA, SEVERE		4	1
EDEMA, LIMB(S)		4	1
LIVER FAILURE		4	1
NAUSEA		4	1
POLYPNEA		4	1
PROTEIN, URINE		4	1
RADIOGRAPH(S) ABN		4	1
SEGS HI, BLD		4	1
ULCER(S), GI		4	1
ULCER(S), STOMACH		4	1
AGGRESSION		3	1
ATAXIA		3	1
BANDS HI, BLD		3	1
BLD, URINE		3	1
DIARRHEA, WATERY		3	1
DYSPNEA		3	1
GASTRITIS		3	1
ICTERUS		3	1
INCONTINENCE, URINARY		3	1
NERVOUSNESS		3	1
PARESIS, HIND LIMB(S)		3	1
PRURITIS		3	1
SPEC GRAVITY LO, URINE		3	1
STOOL, MUCOID		3	1
BILE ACIDS HI, BLD		2	

**ETODOLAC  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
471	570	551	40
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BILIRUBIN, URINE		2	
BLD, ABDOMEN		2	
BLD, SKIN		2	
CHOLESTEROL HI, BLD		2	
COLLAPSE		2	
CONFUSION		2	
CONSTIPATION		2	
DEHISCENCE		2	
DEHYDRATION		2	
DISSOCIATION		2	
EDEMA		2	
EDEMA, HEAD/FACE		2	
FLY BITING		2	
GLOBULIN LO, BLD		2	
GLUCOSE, URINE		2	
HEPATOMEGALY		2	
HYPERACTIVITY		2	
ILL		2	
INFECTION, URINARY TRA		2	
INFLAM, SKIN		2	
KIDNEY FAILURE		2	
LIVER DISORDER		2	
MASS, ABDOMEN		2	
PAIN, ABDOMEN		2	
PERITONITIS		2	
PR-STOMACH, LESION(S)		2	
PROPRIOCEPTIVE DISORDE		2	
PROTEIN(TOT) HI, BLD		2	
RBC, NUCLEATED		2	
RELUCTANT TO MOVE		2	
SEDATION		2	
SKIN DISORDER		2	
STAGGERING		2	
TACHYCARDIA		2	
TREMBLING		2	

**ETODOLAC  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
471	570	551	40
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
US-LIVER ABN		2	
ANEMIA, BLD LOSS		1	
ANEMIA, HEMOLYTIC		1	
ASCITES		1	
BEHAVIOR DISORDER		1	
BEHAVIOR DISORDER		1	
BILIRUBIN(DIR) HI, BLD		1	
BITING/CHEWING		1	
BLD		1	
BLD(ECCHYMOSES)		1	
BLD, ANUS		1	
BLD, GI		1	
BLD, RECTUM		1	
BLD, VAGINA		1	
BLINDNESS		1	
BORBORYGMI		1	
CA HI, BLD		1	
CASTS, URINE		1	
CHOLESTEROL LO, BLD		1	
COLITIS, ULCERATIVE		1	
COLON, ABN		1	
CONGESTION, SKIN		1	
COPROPHAGIA		1	
CPK HI, BLD		1	
DEAFNESS		1	
DEFECATION		1	
DERMATITIS, MOIST		1	
DISCHARGE, EYE(S)/LID(		1	
DISCOMFORT		1	
DISTENTION, ABDOMEN		1	
EDEMA, BRISKET/CHEST		1	
EDEMA, VENTRAL		1	
EFFUSION, PLEURAL		1	
ENTERITIS		1	
GLUCOSE HI, BLD		1	

**ETODOLAC  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
471	570	551	40
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
HAIR, SHEDDING		1	
HEAD TILT		1	
HEPATITIS		1	
HIDING		1	
HYPERSALIVATION		1	
HYPOMOTILITY		1	
INEFFECT, ANTIINFLAM		1	
INFECTION, EYE(S)		1	
INFECTION, SKIN		1	
INSOMNIA		1	
K LO, BLD		1	
KIDNEY DISORDER		1	
KIDNEY VALUES HI, BLD		1	
LESION(S), SKIN		1	
LICKING		1	
LIVER PROFILE HI		1	
MONOS HI, BLD		1	
NA LO, BLD		1	
NYSTAGMUS		1	
ODOR, MOUTH		1	
P LO, BLD		1	
PAIN, BACK		1	
PERFORATION, GI		1	
PERFORATION, STOMACH		1	
PHOTOPHOBIA		1	
PR-ADRENAL(S), LESION(S)		1	
PR-COLON, LESION(S)		1	
PR-MULT SITES, BLD		1	
PR-SM INTEST, LESION(S)		1	
PT PROLONGED, BLD		1	
REFLEX(ES) ABN		1	
RETICULOCYTES LO, BLD		1	
SALIVA, ABN		1	
SHAKING		1	
SNEEZING		1	

**ETODOLAC  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
471	570	551	40
SIGN		NUMBER	PERCENT
SORE(S)		1	
SOUND ABN, VOICE		1	
SPLENOMEGALY		1	
SQUINTING		1	
STIFFNESS, HIND LIMB(S)		1	
SWELLING, EYE(S)/LID(S)		1	
TECH ERROR ADMINISTRAT		1	
THYROID HORMONE(S) LO		1	
TOX		1	
TRIGLYCERIDES HI, BLD		1	
URINATION		1	
URINATION ABN		1	
URTICARIA		1	
US ABN		1	
VOMITING, SEVERE		1	
WBC LO, BLD		1	

---

**FAMPHUR  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
1	300	300	300
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**FAMPHUR  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
3	1180	1	1
SIGN		NUMBER	PERCENT
DEATH		1	33
INEFFECT, GRUBS		1	33
INEFFECT, LICE		1	33

---

**FAMPHUR  
HUMAN, TOPICAL**

**FAMPHUR  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
5	5	4	0
SIGN	NUMBER	PERCENT	
IRRITATION, EYE(S)/LID	3	60	
CONFUSION	1	20	
DIZZINESS	1	20	
IRRITATION, SKIN	1	20	
RASH	1	20	
SWEATING	1	20	
VOMITING	1	20	

**FEBANTEL, PRAZIQUANTEL, PYRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
5	8	5	2
SIGN	NUMBER	PERCENT	
ANOREXIA	2	40	
INEFFECT, TAPES	2	40	
VOMITING	2	40	
ALK PHOS HI, BLD	1	20	
ATAXIA	1	20	
DEATH	1	20	
DEATH(EUTHANIZED)	1	20	
DEFECATION ABN	1	20	
DEPRESSION/LETHARGY	1	20	
DIARRHEA	1	20	
HYPERACTIVITY	1	20	
PACING	1	20	
SGOT/AST HI, BLD	1	20	
VOCALIZATION	1	20	
VOMITING, UNPRODUCTIVE	1	20	
WEAKNESS	1	20	
WEIGHT LOSS	1	20	

**FENBENDAZOLE  
BIRD, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**FENBENDAZOLE  
BIRD, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	2
SIGN		NUMBER	PERCENT
ANOREXIA		2	100
DEATH		2	100
DEPRESSION/LETHARGY		2	100
CACHEXIA		1	50
WEIGHT LOSS		1	50

---

**FENBENDAZOLE  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
3	96	6	2
SIGN		NUMBER	PERCENT
ABORTION		1	33
DEATH		1	33
PR-LIVER, LESION(S)		1	33
PR-MUSCLE(S), LESION(S)		1	33
RECUMBENCY		1	33
STOOL ABN		1	33
STOOL, MUCOID		1	33

---

**FENBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	1
SIGN		NUMBER	PERCENT
VOMITING		4	100
ANOREXIA		2	50
DEPRESSION/LETHARGY		2	50
CAPILLARY REFILL PROLO		1	25
CRYSTALS, URINE		1	25
DEATH(EUTHANIZED)		1	25
DIC		1	25
HEMATOCHEZIA		1	25
ICTERUS		1	25
MELENA		1	25
WEAKNESS		1	25

---

**FENBENDAZOLE  
GOAT, ORAL**

REPORTS	TREATED	REACTED	DIED
4	18	8	8
SIGN		NUMBER	PERCENT
DEATH		4	100
ILL		1	25
INEFFECT, WORMS		1	25

**FENBENDAZOLE  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
DIARRHEA, SEVERE		1	100

**FENTHION  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
8	0	0	0
SIGN		NUMBER	PERCENT
PD-CONTAINER(S), ABN		8	100

**FENTHION  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
3	580	292	0
SIGN		NUMBER	PERCENT
INEFFECT, GRUBS		2	67
INEFFECT, LICE		1	33

**FLORFENICOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-COLOR, ABN		1	100

**FLORFENICOL  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	63	13	9
SIGN		NUMBER	PERCENT
DEATH		3	75
ANAPHYLAXIS/TOID		1	25
DIARRHEA		1	25
DISCOMFORT		1	25
HYPERSALIVATION		1	25
NERVOUSNESS		1	25
RECUMBENCY		1	25
RELUCTANT TO MOVE		1	25
STAGGERING		1	25
SWEATING		1	25

---

**FLORFENICOL  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
DEATH		1	100

---

**FLORFENICOL  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	6	3	3
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**FLUNIXIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
7	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, TUBE(S)		3	43
PD-COLOR, ABN		2	29
PD-GEL/PASTE, ABN		1	14

**FLUNIXIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
7	0	0	0
SIGN	NUMBER		PERCENT
PD-SEAL, ABN	1		14
PD-SUSPENSION, ABN	1		14

---

**FLUNIXIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
ANOREXIA	1		50
DEPRESSION/LETHARGY	1		50
FEVER, BODY	1		50
HYPERPNEA	1		50
HYPERSALIVATION	1		50
HYPERTONIA	1		50
SPASM	1		50
TREMBLING	1		50
VOMITING	1		50

---

**FLUNIXIN  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
HYPERSALIVATION	1		100
TASTE ABNORMALITY	1		100
UNPALATABLE	1		100

---

**FLUNIXIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN	NUMBER		PERCENT
BLD, URINE	1		50
COLLAPSE	1		50
DEATH	1		50
INTERACTION, DRUG(S)	1		50

**FLUNIXIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN		NUMBER	PERCENT
PAIN, HIND LIMB(S)		1	50
PARALYSIS, HIND LIMB(S)		1	50

---

**FLUNIXIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
24	33	32	5
SIGN		NUMBER	PERCENT
INJ SITE SWELLING		9	38
COLLAPSE		8	33
SWELLING, NECK		7	29
THRASHING/PADDLING		4	17
CONVULSION(S)		3	13
RECUMBENCY		3	13
STIFFNESS, NECK		3	13
ATAXIA		2	8
DEATH		2	8
DEATH(EUTHANIZED)		2	8
INJ SITE EDEMA		2	8
INJ SITE PAIN		2	8
KICKING		2	8
TREMBLING		2	8
URTICARIA		2	8
ANAPHYLAXIS/TOID		1	4
ANOREXIA		1	4
APNEA		1	4
CONFUSION		1	4
DEPRESSION/LETHARGY		1	4
EDEMA, BRISKET/CHEST		1	4
EDEMA, NECK		1	4
HYPERPNEA		1	4
INJ SITE ABSCESS		1	4
INJ SITE MASS		1	4
INJ SITE SEROMA		1	4
INJ SITE SLOUGH		1	4
INJ SITE STIFFNESS		1	4

**FLUNIXIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
24	33	32	5
SIGN		NUMBER	PERCENT
PAIN, ABDOMEN		1	4
PAIN, NECK		1	4
PALLOR		1	4
PR-LUNG(S), EDEMA		1	4
SHOCK		1	4
SLOUGH, SKIN		1	4
SPASM		1	4
SWEATING		1	4
SWELLING, BRISKET/CHES		1	4

**FLUNIXIN  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
SWEATING		1	100

**FURAZOLIDONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
7	0	0	0
SIGN		NUMBER	PERCENT
PD-DISPENSER, ABN		4	57
PD-CONTAINER(S), ABN		2	29
PD-SEAL, ABN		1	14

**FUROSEMIDE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
6	8	7	0
SIGN		NUMBER	PERCENT
POLYURIA		2	33
DEPRESSION/LETHARGY		1	17

**FUROSEMIDE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
6	8	7	0
SIGN		NUMBER	PERCENT
HYPERACTIVITY		1	17
VOMITING		1	17
WEAKNESS		1	17

---

**GENTAMICIN  
HORSE, INTRAUTERINE**

REPORTS	TREATED	REACTED	DIED
3	10	6	0
SIGN		NUMBER	PERCENT
LEUKODERMA		3	100
DISCHARGE, VULVA		2	67
IRRITATION, PERINEUM		2	67
SWELLING, VAGINA/VULVA		2	67
FERTILITY, REDUCED		1	33
ULCER(S), MUCOCUTANEOU		1	33
VAGINITIS		1	33

---

**GENTAMICIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
PAIN, EYE(S)/LID(S)		1	100

---

**GENTAMICIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DIARRHEA		1	100

---

**GENTAMICIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	3

**GENTAMICIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	3
SIGN		NUMBER	PERCENT
DEATH		2	67
KIDNEY FAILURE		2	67
ANOREXIA		1	33
BUN HI, BLD		1	33
CREATININE HI, BLD		1	33
DEATH(EUTHANIZED)		1	33
K LO, BLD		1	33
PR-LUNG(S), LESION(S)		1	33
VOMITING		1	33
WEIGHT LOSS		1	33

**GENTAMICIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	11	3	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	50
INJ SITE PAIN		1	50
MUCOUS MEMBR, MUDDY		1	50
SHAKING, HEAD/FACE		1	50
TREMBLING		1	50

**GENTAMICIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
URTICARIA		1	100

**GLYCOPYRROLATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT

**GLYCOPYRROLATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-LABEL(S), ABN	1		100

**GLYCOSAMINOGLYCAN POLYSULFATE  
DOG, MISSING**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
VOMITING	2		100

**GLYCOSAMINOGLYCAN POLYSULFATE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	2		100
VOMITING	2		100

**GLYCOSAMINOGLYCAN POLYSULFATE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	15	15	4
SIGN	NUMBER		PERCENT
DEATH	3		20
DEPRESSION/LETHARGY	3		20
FEVER, BODY	3		20
ANOREXIA	2		13
BLD, MOUTH/LIP(S)	2		13
BLINDNESS	2		13
CONVULSION(S)	2		13
DIC	2		13
INJ SITE MASS	2		13
PAIN	2		13
PLATELETS LO, BLD	2		13
PR-INJ SITE, LESION(S)	2		13

**GLYCOSAMINOGLYCAN POLYSULFATE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	15	15	4
SIGN		NUMBER	PERCENT
RECUMBENCY		2	13
STIFFNESS		2	13
US ABN		2	13
VOMITING, BLOODY		2	13
ANAPHYLAXIS/TOID		1	7
BLD(HEMATOMA)		1	7
DEATH(EUTHANIZED)		1	7
DERMATITIS, MOIST		1	7
EDEMA, LIMB(S)		1	7
GLOBULIN LO, BLD		1	7
INJ SITE NEOPLASM		1	7
INJ SITE STERILE ABSCE		1	7
INJ SITE SWELLING		1	7
NEOPLASM		1	7
PARESIS, HIND LIMB(S)		1	7
POLYPNEA		1	7
PR-MUSCLE(S), LESION(S)		1	7
PR-NERVE(S), LESION(S)		1	7
SPASM		1	7
STUPOR		1	7
VOCALIZATION		1	7
VOMITING		1	7

**GLYCOSAMINOGLYCAN POLYSULFATE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	5	5	0
SIGN		NUMBER	PERCENT
INJ SITE SWELLING		2	50
ANOREXIA		1	25
INJ SITE ABSCESS		1	25
INJ SITE PAIN		1	25
PAIN, ABDOMEN		1	25
PAWING		1	25
SYNOVITIS		1	25
URTICARIA		1	25

**GLYCOSAMINOGLYCAN POLYSULFATE  
HORSE, PARENTERAL**

**GLYCOSAMINOGLYCAN POLYSULFATE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
5	5	5	0
SIGN	NUMBER		PERCENT
ANEMIA	2		40
ANOREXIA	2		40
BLD, URINE	2		40
DEPRESSION/LETHARGY	2		40
FEVER, BODY	2		40
ANEMIA, AUTOIMMUNE HEM	1		20
BLD(HEMATOMA)	1		20
GLOBULIN LO, BLD	1		20

**GLYCOSAMINOGLYCAN POLYSULFATE  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100
DIARRHEA	1		100
VOMITING	1		100

**GONADORELIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
8	0	0	0
SIGN	NUMBER		PERCENT
PD-VIAL(S), LEAKING	6		75
PD-SEAL, ABN	2		25
PD-LABEL(S), ABN	1		13

**GRISEOFULVIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	3

**GRISEOFULVIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	3
SIGN		NUMBER	PERCENT
DEATH		3	50
DEPRESSION/LETHARGY		2	33
ANEMIA		1	17
ANOREXIA		1	17
BLD, THORAX		1	17
BLINDNESS		1	17
CATARACT(S)		1	17
DIARRHEA		1	17
EDEMA, LUNG(S)/TRACHEA		1	17
NEUROLOGICAL DISORDER		1	17
PARALYSIS, HIND LIMB(S)		1	17
TOX		1	17
VOMITING		1	17
WBC LO, BLD		1	17

**GUAIFENSIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-SEAL, ABN		1	50
PD-SOLUTION, ABN		1	50
PD-VIAL(S), LEAKING		1	50

**HALOTHANE  
DOG, INHALATION**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
CONVULSION(S)		1	100

**HEMOGLOBIN GLUTAMER  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
BUN HI, BLD		1	100
CREATININE HI, BLD		1	100

---

**HEMOGLOBIN GLUTAMER  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	6	6	3
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		2	33
PRURITIS		2	33
ASCITES		1	17
BLD(ECCHYMOSES)		1	17
BLD(PETECHIAE)		1	17
BLD, RECTUM		1	17
COAGULATION DISORDER		1	17
CONGESTION		1	17
DEATH		1	17
EDEMA, LIMB(S)		1	17
FEVER, BODY		1	17
INJ SITE BLD		1	17
INJ SITE PRURITIS		1	17
MACULE(S)		1	17
MUCOUS MEMBR, ABN COLO		1	17
POLYPNEA		1	17
SWELLING, ADM SITE		1	17
SWELLING, MOUTH/LIP(S)		1	17

---

**HYALURONATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, VIAL(S)		2	40
PD-MISSING, CAP		1	20

**HYALURONATE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN		NUMBER	PERCENT
PD-SOLUTION, ABN		1	20
PD-VIAL(S), DAMAGED		1	20

---

**HYALURONATE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	8	1
SIGN		NUMBER	PERCENT
EFFUSION, JOINT(S)		2	67
ANOREXIA		1	33
DEATH(EUTHANIZED)		1	33
ENLARGEMENT, JOINT(S)		1	33
FEVER, JOINT(S)		1	33
INFECTION, JOINT(S)		1	33
LAMENESS		1	33
PAIN, ABDOMEN		1	33
PAIN, JOINT(S)		1	33
SWELLING, JOINT(S)		1	33

---

**HYALURONATE  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
URTICARIA		1	100

---

**IMIDOCARB  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
COLLAPSE		1	50
DIARRHEA, PROJECTILE		1	50
DIARRHEA, SEVERE		1	50

**IMIDOCARB  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
PROSTRATION		1	50
VOMITING, PROJECTILE		1	50
VOMITING, SEVERE		1	50
WEAKNESS		1	50

---

**IMIDOCARB  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
LIVER ENZYMES HI, BLD		1	100

---

**IRON DEXTRAN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	129	13	2
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
DEATH		1	100

---

**IRON DEXTRAN  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	300	12	12
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**ISOFLUPREDONE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	8	7
SIGN		NUMBER	PERCENT
DEATH		3	100

**ISOFLUPREDONE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	8	7
SIGN	NUMBER	PERCENT	
K LO, BLD	2	67	
COLLAPSE	1	33	
P LO, BLD	1	33	
RECUMBENCY	1	33	

**ISOFLUPREDONE, NEOMYCIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	8	7
SIGN	NUMBER	PERCENT	
DEATH	3	100	
K LO, BLD	2	67	
COLLAPSE	1	33	
P LO, BLD	1	33	
RECUMBENCY	1	33	

**ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYRISTYL-GAMMA-  
PICOLINIUM CHLORIDE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
POLYDIPSIA	2	100	
POLYURIA	2	100	
DEPRESSION/LETHARGY	1	50	
SPEC GRAVITY LO, URINE	1	50	

**ISOFLURANE  
CAT, INHALATION**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER	PERCENT	

**ISOFLURANE  
CAT, INHALATION**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
APNEA		1	100
ARREST, HEART		1	100
DEATH		1	100

---

**ISOFLURANE  
DOG, INHALATION**

REPORTS	TREATED	REACTED	DIED
14	108	108	5
SIGN		NUMBER	PERCENT
INEFFECT, ANESTHESIA		8	57
DEATH		3	21
APNEA		2	14
ARREST, HEART		2	14
BRADYCARDIA		2	14
CONGESTION		1	7
DEAFNESS		1	7
HYPERPNEA		1	7
INTERACTION, DRUG(S)		1	7

---

**ISOFLURANE  
VARIOUS, INHALATION**

REPORTS	TREATED	REACTED	DIED
6	134	123	1
SIGN		NUMBER	PERCENT
INEFFECT, ANESTHESIA		5	83
ANESTH RECOV PROLONGED		1	17
APNEA		1	17
ARREST, HEART		1	17
DEATH		1	17

---

**IVERMECTIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
13	16	16	4
SIGN		NUMBER	PERCENT

**IVERMECTIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
13	16	16	4
SIGN		NUMBER	PERCENT
ATAXIA		6	46
DEATH		3	23
DEPRESSION/LETHARGY		3	23
MYDRIASIS		2	15
VOMITING, PROJECTILE		2	15
WEAKNESS		2	15
ANAPHYLAXIS/TOID		1	8
ASCITES		1	8
BILIRUBIN(TOT) HI, BLD		1	8
BLINDNESS		1	8
COLLAPSE		1	8
CONVULSION(S)		1	8
DEATH(EUTHANIZED)		1	8
DIARRHEA		1	8
EDEMA, LUNG(S)/TRACHEA		1	8
HYPERACTIVITY		1	8
HYPERSALIVATION		1	8
RECUMBENCY		1	8
STAGGERING		1	8
TREMBLING		1	8
TREMBLING, FACE		1	8
UNCONSCIOUS		1	8

---

**IVERMECTIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
38	51	45	11
SIGN		NUMBER	PERCENT
ATAXIA		18	47
DEPRESSION/LETHARGY		14	37
MYDRIASIS		10	26
TREMBLING		9	24
DEATH		7	18
HYPERSALIVATION		6	16
UNCONSCIOUS		5	13
VOMITING		4	11

**IVERMECTIN  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
38	51	45	11
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ANOREXIA		3	8
APPREHENSION		3	8
STUPOR		3	8
WEAKNESS		3	8
BLINDNESS		2	5
CONFUSION		2	5
CONVULSION(S)		2	5
DIARRHEA		2	5
HYPERPNEA		2	5
NERVOUSNESS		2	5
POLYPNEA		2	5
PROLAPSE, THIRD EYELID		2	5
TACHYCARDIA		2	5
VOCALIZATION		2	5
ACCIDENTAL EXPOSURE		1	3
ADIPSIA		1	3
BLINDNESS, TEMP		1	3
BORBORYGMI		1	3
BRADYCARDIA		1	3
DIARRHEA, MILD		1	3
DISCOMFORT		1	3
EDEMA, LUNG(S)/TRACHEA		1	3
HEAD BOBBING		1	3
HEAD TILT		1	3
HEART DISORDER		1	3
HYPERACTIVITY		1	3
HYPOTHERMIA, BODY		1	3
INEFFECT, HW ADULTS		1	3
INEFFECT, HW LARVAE		1	3
LIVER ENZYMES HI, BLD		1	3
NAUSEA		1	3
NYSTAGMUS		1	3
PALLOR		1	3
PARESIS		1	3
PR-LIVER, LESION(S)		1	3

**IVERMECTIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
38	51	45	11
SIGN		NUMBER	PERCENT
PUPIL(S), AREFLEXIA		1	3

---

**IVERMECTIN  
DONKEY, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
BLINDNESS		1	100

---

**IVERMECTIN  
GUINEA PIG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	6	4	4
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		2	100
DEATH		1	50
DEATH(NEWBORN)		1	50
DEPRESSION/LETHARGY		1	50
DIARRHEA		1	50

---

**IVERMECTIN  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
4	9	5	2
SIGN		NUMBER	PERCENT
ATAXIA		1	25
DEATH		1	25
PAIN, ABDOMEN		1	25
POLYURIA		1	25
PR-COLON, LESION(S)		1	25
TOX		1	25

---

**IVERMECTIN  
SHEEP, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**IVERMECTIN  
SHEEP, ORAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**IVERMECTIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
8	8	8	4
SIGN		NUMBER	PERCENT
VOMITING		4	50
DEATH		3	38
DEPRESSION/LETHARGY		3	38
WEAKNESS		3	38
ANAPHYLAXIS/TOID		2	25
ATAXIA		2	25
BRADYCARDIA		2	25
PALLOR		2	25
STUPOR		2	25
TWITCH		2	25
UNCONSCIOUS		2	25
ANOREXIA		1	13
BLINDNESS		1	13
BUN HI, BLD		1	13
CONVULSION(S)		1	13
CREATININE HI, BLD		1	13
DEATH(EUTHANIZED)		1	13
DIARRHEA		1	13
INJ SITE MASS		1	13
NECK, VENTROFLEXION		1	13
P HI, BLD		1	13
PR-INJ SITE, LESION(S)		1	13
PRURITIS		1	13
RECUMBENCY		1	13
REFLEX(ES) ABN		1	13
SGOT/AST HI, BLD		1	13
SGPT/ALT HI, BLD		1	13
SPASM		1	13

---

**IVERMECTIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	240	50	0
SIGN		NUMBER	PERCENT
INJ SITE INFLAM		1	100
INJ SITE SWELLING		1	100

---

**IVERMECTIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	1
SIGN		NUMBER	PERCENT
ATAXIA		4	80
WEAKNESS		4	80
CONVULSION(S)		2	40
NYSTAGMUS		2	40
TREMBLING		2	40
CONFUSION		1	20
DEATH		1	20
DEPRESSION/LETHARGY		1	20
HEAD BOBBING		1	20
HYPERACTIVITY		1	20
HYPERPNEA		1	20
HYPERSALIVATION		1	20
REGURGITATION		1	20
UNCONSCIOUS		1	20
VOMITING		1	20

---

**IVERMECTIN  
GOAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DEPRESSION/LETHARGY		1	100
MYDRIASIS		1	100
WEAKNESS		1	100

---

**IVERMECTIN  
CAT, TOPICAL**

**IVERMECTIN  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DEPRESSION/LETHARGY		1	100

---

**IVERMECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
REGURGITATION, FOOD		1	100
SWELLING, EYE(S)/LID(S)		1	100
SWELLING, HEAD/FACE		1	100

---

**IVERMECTIN  
HORSE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ALOPECIA		1	100

---

**IVERMECTIN, PYRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
51	53	52	6
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		10	20
DIARRHEA		9	18
VOMITING		9	18
DEATH		6	12
INEFFECT, ASCARIDS PRE		5	10
INEFFECT, HOOKS PREVEN		5	10
ANOREXIA		4	8
DIARRHEA, BLOODY		4	8
INEFFECT, HW ANTIGEN		4	8

**IVERMECTIN, PYRANTEL  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
51	53	52	6
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
CONVULSION(S)		3	6
INEFFECT, HOOKS		3	6
VOMITING ROUNDWORMS		3	6
FEVER, BODY		2	4
HYPERSALIVATION		2	4
HYPOTHERMIA		2	4
INEFFECT, ASCARIDS		2	4
INEFFECT, HW LARVAE		2	4
INEFFECT, NEMATODES		2	4
MIOSIS		2	4
POLYPNEA		2	4
RECUMBENCY		2	4
URTICARIA		2	4
WEAKNESS		2	4
WEIGHT LOSS		2	4
ANAPHYLAXIS/TOID		1	2
ANEMIA		1	2
ANEMIA, AUTOIMMUNE HEM		1	2
ANEMIA, REGEN		1	2
ARRHYTHMIA		1	2
ATAXIA		1	2
BANDS HI, BLD		1	2
BREATHING ABN		1	2
COOMBS TEST POS		1	2
CRYSTALS, URINE		1	2
CYANOSIS, MUCOUS MEMBR		1	2
DEFECATION ABN		1	2
DEHYDRATION		1	2
DIARRHEA, SEVERE		1	2
DIZZINESS		1	2
DYSPNEA		1	2
EDEMA, LUNG(S)/TRACHEA		1	2
HEPATOMEGALY		1	2
ICTERUS, BODY		1	2
INEFFECT, STRONGYLES		1	2

**IVERMECTIN, PYRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
51	53	52	6
SIGN		NUMBER	PERCENT
INEFFECT, WHIPS		1	2
INEFFECT, WHIPS PREVEN		1	2
INEFFECT, WORMS		1	2
LIVER ENZYMES HI, BLD		1	2
MELENA		1	2
MUCOUS MEMBR, RED		1	2
MYDRIASIS		1	2
OPISTHOTONOS		1	2
PALLOR, MUCOUS MEMBRAN		1	2
PR-LUNG(S), EDEMA		1	2
PR-LUNG(S), LESION(S)		1	2
PROTEIN, URINE		1	2
RETINA ABN		1	2
SEGS HI, BLD		1	2
SHOCK		1	2
SOUND ABN, RESPIRATORY		1	2
SWELLING, HEAD/FACE		1	2
TACHYCARDIA		1	2
TREMBLING		1	2
URINATION ABN		1	2
VOCALIZATION		1	2
VOLVULUS, STOMACH		1	2
VOMITING, BLOODY		1	2
WBC HI, BLD		1	2

**KETAMINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
41	0	0	0
SIGN		NUMBER	PERCENT
PD-VIAL(S), LEAKING		20	49
PD-SEAL, ABN		13	32
PD-UNDERFILL, VIAL(S)		11	27
PD-MISSING, LABEL(S)		8	20

**KETAMINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
41	0	0	0
SIGN	NUMBER	PERCENT	
PD-VIAL(S), ABN	8	20	
PD-CONTAINER(S), DAMAG	4	10	
PD-POTENCY, LO	3	7	
PD-SOLUTION, ABN	3	7	
PD-CAP(S), ABN	1	2	
PD-COLOR, ABN	1	2	
PD-LABEL(S), ABN	1	2	
PD-MISSING, CAP	1	2	
PD-UNDERFILL, PACKAGE	1	2	
PD-VIAL(S), DAMAGED	1	2	

---

**KETAMINE  
HUMAN, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
DISSOCIATION	1	100	
HALLUCINATION	1	100	

---

**KETAMINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
39	220	185	20
SIGN	NUMBER	PERCENT	
DEATH	13	33	
INEFFECT, ANESTHESIA	12	31	
APNEA	6	15	
INEFFECT, SEDATION	5	13	
ANESTH RECOV PROLONGED	4	10	
ARREST, HEART	4	10	
ANESTH RECOV TURBULENT	3	8	
ANOREXIA	3	8	
ATAXIA	3	8	
DYSPNEA	3	8	
BLINDNESS	2	5	
BREATHING ABN	2	5	

**KETAMINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
39	220	185	20
SIGN		NUMBER	PERCENT
CONVULSION(S)		2	5
DEPRESSION/LETHARGY		2	5
DISTRESS, RESP		2	5
EDEMA, LUNG(S)/TRACHEA		2	5
FEVER, BODY		2	5
PR-HEART, LESION(S)		2	5
ANAPHYLAXIS/TOID		1	3
BLD, LUNG(S)/TRACHEA		1	3
CONFUSION		1	3
DEHYDRATION		1	3
EFFUSION, PLEURAL		1	3
HYPERESTHESIA		1	3
PD-POTENCY, LO		1	3
PROLAPSE, THIRD EYELID		1	3
STIFFNESS		1	3
TWITCH		1	3

---

**KETAMINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
12	70	41	1
SIGN		NUMBER	PERCENT
INEFFECT, ANESTHESIA		4	33
CONVULSION(S)		3	25
ANESTH RECOV TURBULENT		2	17
HYPERACTIVITY		2	17
INEFFECT, SEDATION		2	17
TREMBLING		2	17
AGGRESSION		1	8
ANESTH RECOV PROLONGED		1	8
APNEA		1	8
ATAXIA		1	8
BITING/CHEWING		1	8
BLINDNESS, TEMP		1	8
BRADYCARDIA		1	8
DEATH		1	8

**KETAMINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
12	70	41	1
SIGN		NUMBER	PERCENT
FEVER, BODY		1	8
FIBRILLATION, VENTRICU		1	8
NEUROLOGICAL DISORDER		1	8
VOCALIZATION		1	8
VOMITING		1	8

---

**KETAMINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
11	68	62	1
SIGN		NUMBER	PERCENT
INEFFECT, ANESTHESIA		9	82
COLLAPSE		1	9
CONVULSION(S)		1	9
DEATH		1	9
INEFFECT, SEDATION		1	9

---

**KETAMINE  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	17	14	0
SIGN		NUMBER	PERCENT
INEFFECT, SEDATION		2	67
INEFFECT, ANESTHESIA		1	33

---

**KETAMINE  
VARIOUS, SUPPOSITORY**

REPORTS	TREATED	REACTED	DIED
1	5	5	0
SIGN		NUMBER	PERCENT
ANESTH RECOV TURBULENT		1	100
INEFFECT, ANESTHESIA		1	100

---

**KETAMINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**KETAMINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
7	71	71	0
SIGN	NUMBER		PERCENT
INEFFECT, ANESTHESIA	4		57
ANESTH RECOV TURBULENT	1		14
ANOREXIA	1		14
BLINDNESS	1		14
CIRCLING	1		14
DEAFNESS	1		14
DEPRESSION/LETHARGY	1		14
INEFFECT, SEDATION	1		14

**KETAMINE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
3	13	6	0
SIGN	NUMBER		PERCENT
ANESTH RECOV PROLONGED	1		33
ANESTH RECOV TURBULENT	1		33
FEVER, BODY	1		33
INEFFECT, ANESTHESIA	1		33

**KETAMINE  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	4	3	0
SIGN	NUMBER		PERCENT
INEFFECT, ANESTHESIA	1		100

**KETAMINE  
VARIOUS, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
INEFFECT, ANESTHESIA	1		100

**KETOPROFEN  
NOT APPLICABLE, DEFECT**

**KETOPROFEN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-DISPENSER, ABN	1		100

---

**KETOPROFEN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
BLD(ECCHYMOSES)	1		100
BLD, INCISION SITE	1		100

---

**KETOPROFEN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
5	16	11	1
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	4		80
TACHYCARDIA	3		60
ANESTH RECOV PROLONGED	2		40
FEVER, BODY	2		40
ALBUMIN HI, BLD	1		20
ANOREXIA	1		20
ANURIA	1		20
BILIRUBIN(TOT) HI, BLD	1		20
BLD	1		20
BLD, INCISION SITE	1		20
BUN HI, BLD	1		20
CA HI, BLD	1		20
COAGULATION DISORDER	1		20
CONGESTION, MUCOUS MEM	1		20
CREATININE HI, BLD	1		20
DEATH	1		20
DEHYDRATION	1		20
GLOBULIN HI, BLD	1		20
KIDNEY FAILURE	1		20
LIVER FAILURE	1		20
POLYCYTHEMIA(RELATIVE)	1		20

**KETOPROFEN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
5	16	11	1
SIGN		NUMBER	PERCENT
PROTEIN(TOT) HI, BLD		1	20
VOMITING		1	20
WBC HI, BLD		1	20

---

**LASALOCID  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**LEVAMISOLE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	135	5	5
SIGN		NUMBER	PERCENT
DEATH		1	100
FROTH, MOUTH/LIP(S)		1	100
TREMBLING		1	100

---

**LEVAMISOLE  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	21	12	3
SIGN		NUMBER	PERCENT
DEATH		1	100
DEPRESSION/LETHARGY		1	100
HYPOPNEA		1	100

---

**LEVAMISOLE  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	130	1	1

**LEVAMISOLE  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	130	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100
INEFFECT, WORMS		1	100

---

**LUFENURON  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
12	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, PACKAGE		9	75
PD-LABEL(S), ABN		3	25
PD-MISSING, LABEL(S)		3	25

---

**LUFENURON  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	0
SIGN		NUMBER	PERCENT
ANOREXIA		3	60
DEPRESSION/LETHARGY		2	40
BEHAVIOR DISORDER		1	20
DEHYDRATION		1	20
FEVER, BODY		1	20
INFLAM, SKIN		1	20
LICKING		1	20
POLYPHAGIA		1	20
PRURITIS		1	20

---

**LUFENURON  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
21	22	22	0
SIGN		NUMBER	PERCENT
VOMITING		7	33
DEPRESSION/LETHARGY		5	24

**LUFENURON  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
21	22	22	0
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
DIARRHEA		4	19
PRURITIS		4	19
ANOREXIA		3	14
CONGESTION, SKIN		2	10
TREMBLING		2	10
CA/P RATIO LO, BLD		1	5
DIARRHEA, BLOODY		1	5
DIARRHEA, MILD		1	5
HIDING		1	5
HYPERESTHESIA		1	5
HYPERSALIVATION		1	5
INFECTION, SKIN		1	5
INFLAM, SKIN		1	5
ODOR		1	5
PAIN, ABDOMEN		1	5
PAIN, BACK		1	5
PICA		1	5
PRURITIS, EAR(S)		1	5
PUSTULE(S)		1	5
SHOCK		1	5
STUMBLING		1	5
SWELLING, EYE(S)/LID(S)		1	5
SWELLING, MOUTH/LIP(S)		1	5
URTICARIA		1	5
VESICLE(S)/BULLAE, SKI		1	5
VOMITING, BLOODY		1	5

---

**LUFENURON  
CAT, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
86	93	90	4
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
INJ SITE MASS		27	31
DEPRESSION/LETHARGY		15	17
ANOREXIA		14	16
INJ SITE ABSCESS		13	15

**LUFENURON  
CAT, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
86	93	90	4
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
PR-INJ SITE, LESION(S)		10	12
VOMITING		9	10
INJ SITE INFLAM		8	9
INJ SITE SWELLING		8	9
INJ SITE ALOPECIA		7	8
FEVER, BODY		6	7
INJ SITE PAIN		5	6
INJ SITE NEOPLASM		4	5
INJ SITE ULCER(S)		4	5
VOCALIZATION		4	5
INJ SITE PRURITIS		3	3
MASS, SKIN		3	3
TECH ERROR ADMINISTRAT		3	3
ALOPECIA		2	2
CONVULSION(S)		2	2
DEHYDRATION		2	2
DIARRHEA		2	2
HIDING		2	2
INJ SITE SLOUGH		2	2
PLATELETS LO, BLD		2	2
RECUMBENCY		2	2
APPREHENSION		1	1
BEHAVIOR DISORDER		1	1
BILIRUBIN(TOT) HI, BLD		1	1
BILIRUBIN, URINE		1	1
BLINDNESS		1	1
BRADYCARDIA		1	1
COLLAPSE		1	1
CONFUSION		1	1
CPK HI, BLD		1	1
CULTURE/TITER DATA ABN		1	1
DEATH		1	1
ENLARGEMENT(S)		1	1
GLOBULIN HI, BLD		1	1
GRANULOMA		1	1

**LUFENURON  
CAT, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
86	93	90	4
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
HYPERESTHESIA		1	1
HYPERSALIVATION		1	1
ICTERUS		1	1
INJ SITE ABN		1	1
INJ SITE EFFUSION		1	1
INJ SITE INFECT		1	1
INJ SITE STERILE ABSCE		1	1
IRRITATION, SKIN		1	1
LESION(S), SKIN		1	1
LICKING		1	1
LYMPHS LO, BLD		1	1
MYDRIASIS		1	1
NEOPLASM, SKIN		1	1
P LO, BLD		1	1
PAIN		1	1
PAIN, HEAD/FACE		1	1
PAIN, LIMB(S)		1	1
POLYDIPSIA		1	1
POLYPHAGIA		1	1
POLYURIA		1	1
PR-SKIN, LESION(S)		1	1
PRESSURE LO, BLD		1	1
PROTEIN(TOT) HI, BLD		1	1
PRURITIS		1	1
RBC, ANISO		1	1
SKIN, SCAB(S)		1	1
SORE(S)		1	1
TACHYCARDIA		1	1
TREMBLING		1	1
TWITCH		1	1
ULCER(S), SKIN		1	1
URINE ABN		1	1
US-LIVER ABN		1	1
WEAKNESS		1	1
WEIGHT LOSS		1	1

**MARBOFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN	NUMBER	PERCENT	
VOMITING	2	50	
ANOREXIA	1	25	
CONGESTION, EYE(S)/LID	1	25	
DEPRESSION/LETHARGY	1	25	
DIARRHEA, MILD	1	25	
ENLARGEMENT, LYMPH NOD	1	25	
OPACITY, CORNEA(S)	1	25	
POLYDIPSIA	1	25	
POLYURIA	1	25	
PRURITIS, EYE(S)	1	25	
SWELLING, EYE(S)/LID(S)	1	25	

**MECLOFENAMIC ACID  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
VOMITING	2	100	
ANOREXIA	1	50	
BILIRUBIN(TOT) HI, BLD	1	50	
CHOLESTEROL HI, BLD	1	50	
DIARRHEA, BLOODY	1	50	
ICTERUS	1	50	
LIVER ENZYMES HI, BLD	1	50	
PR-PANCREAS, LESION(S)	1	50	
US-LIVER ABN	1	50	

**MEDETOMIDINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER	PERCENT	
PD-PRODUCT DEFECT	1	50	

**MEDETOMIDINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER		PERCENT
PD-UNDERFILL, VIAL(S)	1		50

---

**MEDETOMIDINE  
DOG, MISSING**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ANESTH RECOV PROLONGED	1		100
SOMNOLENCE	1		100

---

**MEDETOMIDINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
8	8	8	5
SIGN	NUMBER		PERCENT
DEATH	5		63
APNEA	2		25
ANAPHYLAXIS/TOID	1		13
ANESTH RECOV PROLONGED	1		13
ANESTH RECOV TURBULENT	1		13
ANOREXIA	1		13
ARREST, HEART	1		13
ATAXIA	1		13
COLLAPSE	1		13
CONVULSION(S)	1		13
EDEMA, LUNG(S)/TRACHEA	1		13
GLUCOSE HI, BLD	1		13
PR-HEART, LESION(S)	1		13
PR-MULT SITES, CONGEST	1		13
PROLAPSE, THIRD EYELID	1		13
SEDATION PROLONGED	1		13

---

**MEDETOMIDINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
106	115	111	20

**MEDETOMIDINE  
DOG, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
106	115	111	20
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
INEFFECT, SEDATION	31	29	
DEATH	14	13	
ANESTH RECOV PROLONGED	9	8	
ARREST, HEART	9	8	
BRADYCARDIA	9	8	
INEFFECT, ANESTHESIA	7	7	
EDEMA, LUNG(S)/TRACHEA	6	6	
APNEA	4	4	
COLLAPSE	4	4	
CONVULSION(S)	4	4	
DEPRESSION/LETHARGY	4	4	
DYSPNEA	4	4	
FEVER, BODY	4	4	
HYPERACTIVITY	4	4	
ANAPHYLAXIS/TOID	3	3	
HYPERSALIVATION	3	3	
INEFFECT, REVERSAL	3	3	
VOMITING	3	3	
AGGRESSION	2	2	
ANESTH RECOV TURBULENT	2	2	
ARRHYTHMIA	2	2	
ATAXIA	2	2	
CYANOSIS	2	2	
EPISTAXIS	2	2	
FROTH, MOUTH/LIP(S)	2	2	
GLUCOSE HI, BLD	2	2	
HYPERESTHESIA	2	2	
HYPERPNEA	2	2	
PLATELETS LO, BLD	2	2	
PRESSURE LO, BLD	2	2	
SEDATION	2	2	
SEDATION PROLONGED	2	2	
SEDATION RELAPSE	2	2	
SHOCK	2	2	
TACHYCARDIA	2	2	

**MEDETOMIDINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
106	115	111	20
SIGN		NUMBER	PERCENT
TACHYCARDIA, VENTRICUL		2	2
TREMBLING		2	2
UNCONSCIOUS		2	2
VOCALIZATION		2	2
ALK PHOS HI, BLD		1	1
AMYLASE HI, BLD		1	1
ANEMIA		1	1
ANOREXIA		1	1
APPREHENSION		1	1
BITING/CHEWING		1	1
BLD(PETECHIAE)		1	1
BLD, LUNG(S)/TRACHEA		1	1
BLD, MOUTH/LIP(S)		1	1
BLOAT		1	1
BREATHING ABN		1	1
CA HI, BLD		1	1
COAGULATION DISORDER		1	1
CONGESTION, LUNG(S)		1	1
COUGHING		1	1
DEATH(EUTHANIZED)		1	1
DEATH(NEWBORN)		1	1
DEFECATION		1	1
DISTRESS, RESP		1	1
DYSURIA		1	1
ECG, ABN		1	1
EDEMA, HEAD/FACE		1	1
EOSINOS HI, BLD		1	1
FIBRILLATION, VENTRICU		1	1
FROTH		1	1
HYPOPNEA		1	1
HYPOTHERMIA		1	1
INCONTINENCE, URINARY		1	1
K HI, BLD		1	1
LIPASE HI, BLD		1	1
MUCOUS MEMBR, ABN COLO		1	1

**MEDETOMIDINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
106	115	111	20
SIGN		NUMBER	PERCENT
MUCOUS MEMBR, MUDDY		1	1
MURMUR, HEART		1	1
MYDRIASIS		1	1
NYSTAGMUS		1	1
OPISTHOTONOS		1	1
PALLOR, MUCOUS MEMBRAN		1	1
POLYCYTHEMIA		1	1
POLYPNEA		1	1
POLYURIA		1	1
PR-LUNG(S), LESION(S)		1	1
PRURITIS		1	1
RADIOGRAPH(S) ABN		1	1
RECUMBENCY		1	1
SEDATION TOO DEEP		1	1
SGPT/ALT HI, BLD		1	1
SOUND ABN, RESPIRATORY		1	1
SWELLING, HEAD/FACE		1	1
TECH ERROR ADMINISTRAT		1	1
TWITCH		1	1
URINATION		1	1
URTICARIA		1	1
US ABN		1	1
VOLVULUS, STOMACH		1	1
VOMITING, UNPRODUCTIVE		1	1
WBC HI, BLD		1	1

**MEDETOMIDINE  
OTHER, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INEFFECT, SEDATION		1	100

**MEDETOMIDINE  
RABBIT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**MEDETOMIDINE  
RABBIT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
ARREST, HEART	1		100
DEATH	1		100

---

**MEDETOMIDINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
12	46	36	6
SIGN	NUMBER		PERCENT
DEATH	4		33
ANESTH RECOV PROLONGED	2		17
ANOREXIA	2		17
DEPRESSION/LETHARGY	2		17
HYPOTHERMIA, BODY	2		17
VOCALIZATION	2		17
ALBUMIN LO, BLD	1		8
ANESTH INDUC TURBULENT	1		8
ANESTH RECOV TURBULENT	1		8
APNEA	1		8
ATAXIA	1		8
BILIRUBIN(TOT) HI, BLD	1		8
BUN HI, BLD	1		8
BUN LO, BLD	1		8
CHLORIDE LO, BLD	1		8
CONVULSION(S)	1		8
CREATININE HI, BLD	1		8
DEHYDRATION	1		8
DYSPNEA	1		8
EDEMA, LUNG(S)/TRACHEA	1		8
HYPERSALIVATION	1		8
ICTERUS, BODY	1		8
INEFFECT, SEDATION	1		8
K HI, BLD	1		8
KIDNEY FAILURE	1		8
NA LO, BLD	1		8
P HI, BLD	1		8
PARALYSIS, HIND LIMB(S)	1		8

**MEDETOMIDINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
12	46	36	6
SIGN		NUMBER	PERCENT
PD-POTENCY, LO		1	8
POLYDIPSIA		1	8
POLYPNEA		1	8
PR-HEART, LESION(S)		1	8
PRESSURE LO, BLD		1	8
PROPRIOCEPTIVE DISORDE		1	8
RECUMBENCY		1	8
SEGS HI, BLD		1	8
SGOT/AST HI, BLD		1	8
SGPT/ALT HI, BLD		1	8
VOMITING		1	8
WBC HI, BLD		1	8
WEIGHT LOSS		1	8

---

**MEDETOMIDINE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
24	28	28	5
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		5	21
INEFFECT, ANESTHESIA		5	21
DEATH		4	17
ANESTH RECOV PROLONGED		3	13
BRADYCARDIA		3	13
ATAXIA		2	8
CONVULSION(S)		2	8
DYSPNEA		2	8
INEFFECT, SEDATION		2	8
TACHYCARDIA		2	8
VOMITING		2	8
ANOREXIA		1	4
APNEA		1	4
ARREST, HEART		1	4
BILIRUBIN(TOT) HI, BLD		1	4
BLINDNESS		1	4
BUN HI, BLD		1	4

**MEDETOMIDINE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
24	28	28	5
SIGN	NUMBER	PERCENT	
COLLAPSE	1	4	
COUGHING	1	4	
CPK HI, BLD	1	4	
DEATH(EUTHANIZED)	1	4	
HEAD BOBBING	1	4	
HYPOTHERMIA	1	4	
MUCOUS MEMBR, ABN COLO	1	4	
MUCOUS MEMBR, MUDDY	1	4	
MURMUR, HEART	1	4	
OPISTHOTONOS	1	4	
SEDATION RELAPSE	1	4	
SEGS HI, BLD	1	4	
SGPT/ALT HI, BLD	1	4	
SOUND ABN, RESPIRATORY	1	4	
SYNCOPE	1	4	
TREMBLING	1	4	
VOCALIZATION	1	4	
WBC HI, BLD	1	4	
WEAKNESS	1	4	
WEIGHT LOSS	1	4	

---

**MEDETOMIDINE  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
BRADYCARDIA	1	100	
PRESSURE LO, BLD	1	100	
SUICIDE ATTEMPT	1	100	
UNCONSCIOUS	1	100	

---

**MEDETOMIDINE  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
5	10	10	0
SIGN	NUMBER	PERCENT	

**MEDETOMIDINE  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
5	10	10	0
SIGN		NUMBER	PERCENT
INEFFECT, SEDATION		4	80
INEFFECT, ANESTHESIA		1	20

**MEGESTROL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	0
SIGN		NUMBER	PERCENT
DIABETES MELLITUS		3	60
NEOPLASM, MAMMARY		1	20
SWELLING		1	20

**MELARSOMINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
150	151	151	32
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		26	17
ANOREXIA		25	17
VOMITING		25	17
DEATH		24	16
FEVER, BODY		20	13
HYPERSALIVATION		18	12
POLYPNEA		16	11
INJ SITE PAIN		15	10
DIARRHEA, BLOODY		14	9
PROPRIOCEPTIVE DISORDE		12	8
ATAXIA		11	7
PARESIS, HIND LIMB(S)		11	7
INJ SITE SWELLING		10	7
COUGHING		9	6
DIARRHEA		9	6
DYSPNEA		9	6

**MELARSOMINE  
DOG, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
150	151	151	32
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
RECUMBENCY		9	6
SGPT/ALT HI, BLD		9	6
PAIN		8	5
WEAKNESS		8	5
ANAPHYLAXIS/TOID		7	5
INJ SITE MASS		7	5
TACHYCARDIA		7	5
VOMITING, BLOODY		7	5
WEIGHT LOSS		7	5
BLD, URINE		6	4
EDEMA, LUNG(S)/TRACHEA		6	4
TREMBLING		6	4
WBC HI, BLD		6	4
ALK PHOS HI, BLD		5	3
URTICARIA		5	3
VOCALIZATION		5	3
ANEMIA		4	3
CONGESTION, LUNG(S)		4	3
CONVULSION(S)		4	3
DEATH(EUTHANIZED)		4	3
DISTRESS, RESP		4	3
HYPERPNEA		4	3
ICTERUS, BODY		4	3
PARALYSIS		4	3
POLYDIPSIA		4	3
SGOT/AST HI, BLD		4	3
SHOCK		4	3
SOUND ABN, RESPIRATORY		4	3
SWELLING, HEAD/FACE		4	3
ALBUMIN LO, BLD		3	2
ARREST, HEART		3	2
BLD, MOUTH/LIP(S)		3	2
BUN HI, BLD		3	2
COLLAPSE		3	2
CREATININE HI, BLD		3	2

**MELARSOMINE  
DOG, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
150	151	151	32
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
DIARRHEA, SEVERE		3	2
HEMATOCHEZIA		3	2
INJ SITE ABSCESS		3	2
INJ SITE SEROMA		3	2
LIVER ENZYMES HI, BLD		3	2
NERVOUSNESS		3	2
PARALYSIS, HIND LIMB(S)		3	2
PARESIS		3	2
PULSE THREADY		3	2
RADIOGRAPH(S) ABN		3	2
RELUCTANT TO MOVE		3	2
STIFFNESS		3	2
VOMITING, SEVERE		3	2
APPREHENSION		2	1
ARRHYTHMIA		2	1
ASCITES		2	1
BILIRUBIN(TOT) HI, BLD		2	1
BLD, RECTUM		2	1
CONFUSION		2	1
CPK HI, BLD		2	1
EDEMA, HEAD/FACE		2	1
EDEMA, LIMB(S)		2	1
EPISTAXIS		2	1
HYPERACTIVITY		2	1
INCONTINENCE, URINARY		2	1
KIDNEY FAILURE		2	1
LAMENESS		2	1
MURMUR, HEART		2	1
PALLOR		2	1
PALLOR, MUCOUS MEMBRAN		2	1
PROTEIN(TOT) LO, BLD		2	1
REFLEX(ES) ABN		2	1
RESPIRATORY DISORDER		2	1
SEGS HI, BLD		2	1
SORE(S)		2	1

**MELARSOMINE  
DOG, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
150	151	151	32
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
SPASM		2	1
SWELLING, LIMB(S)		2	1
TECH ERROR ADMINISTRAT		2	1
UNCONSCIOUS		2	1
ABN COLOR, URINE		1	1
ADIPSIA		1	1
AGGRESSION		1	1
ANEMIA, APLASTIC		1	1
ANEMIA, HEMOLYTIC		1	1
ATROPHY, MUSCLE(S)		1	1
BEHAVIOR DISORDER		1	1
BITING/CHEWING		1	1
BLADDER, PARALYSIS		1	1
BLD		1	1
BLD(PURPURA)		1	1
BLD, ABN		1	1
BLD, GI		1	1
BLD, LUNG(S)/TRACHEA		1	1
BLINDNESS		1	1
BRADYCARDIA		1	1
CARDIOMEGALY		1	1
CHOLESTEROL HI, BLD		1	1
CONGESTION		1	1
CONGESTION, MUCOUS MEM		1	1
CRYSTALS, URINE		1	1
CYANOSIS		1	1
CYANOSIS, MUCOUS MEMBR		1	1
DEHYDRATION		1	1
DIARRHEA, PROJECTILE		1	1
DIARRHEA, WATERY		1	1
DIC		1	1
DISCOMFORT		1	1
DYSURIA		1	1
EDEMA, FEET/DIGIT(S)		1	1
EDEMA, VENTRAL		1	1

**MELARSOMINE  
DOG, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
150	151	151	32
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ENTERITIS		1	1
GAGGING		1	1
GASTROENTERITIS		1	1
GGT HI, BLD		1	1
GLOBULIN LO, BLD		1	1
GLUCOSE LO, BLD		1	1
HEART DISORDER		1	1
HEPATITIS		1	1
HYPERTONIA		1	1
HYPOESTHESIA, FEET/DIG		1	1
ICTERUS		1	1
ILL		1	1
INCONTINENCE, FECAL		1	1
INEFFECT, HW ADULTS		1	1
INJ SITE EDEMA		1	1
INJ SITE INFLAM		1	1
INJ SITE NECROSIS		1	1
INJ SITE STERILE ABSCE		1	1
INJ SITE ULCER(S)		1	1
LIVER DISORDER		1	1
MELENA		1	1
MUCOUS MEMBR, RED		1	1
MYDRIASIS		1	1
NEUROLOGICAL DISORDER		1	1
NYSTAGMUS		1	1
P HI, BLD		1	1
PAIN, ABDOMEN		1	1
PAIN, MUSCLE(S)		1	1
PANCREATITIS		1	1
PARALYSIS, ALL LIMBS		1	1
PLATELETS LO, BLD		1	1
POLYCYTHEMIA		1	1
POLYURIA		1	1
PR-HEARTWORM DISEASE		1	1
PR-KIDNEY(S), LESION(S)		1	1

**MELARSOMINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
150	151	151	32
SIGN		NUMBER	PERCENT
PR-LIVER, LESION(S)		1	1
PRESSURE LO, BLD		1	1
PROTEIN, URINE		1	1
PTT PROLONGED, BLD		1	1
SEGS LO, BLD		1	1
SKIN, NECROSIS		1	1
SLOUGH, SKIN		1	1
SPEC GRAVITY LO, URINE		1	1
STAGGERING		1	1
STIFFNESS, FRONT LIMB(		1	1
STIFFNESS, LIMB(S)		1	1
STOOL ABN		1	1
STUMBLING		1	1
STUPOR		1	1
SWELLING, BRISKET/CHES		1	1
SWELLING, VENTRUM		1	1
SYNCOPE		1	1
TEETH, ABN		1	1
TETANY		1	1
TOX		1	1
TRIGLYCERIDES HI, BLD		1	1
URINE ABN		1	1
US-LIVER ABN		1	1
WBC, URINE		1	1

**MELENGESTROL  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
3	450	105	0
SIGN		NUMBER	PERCENT
INEFFECT, ESTRUS SUPPR		3	100

**METHOCARBAMOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
9	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	9		100

**METHOCARBAMOL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
TOX	1		100

**METHOXYFLURANE  
MOUSE, INHALATION**

REPORTS	TREATED	REACTED	DIED
1	48	16	16
SIGN	NUMBER		PERCENT
DEATH	1		100

**METHYLPREDNISOLONE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
5	7	7	4
SIGN	NUMBER		PERCENT
CONVULSION(S)	2		40
DIABETES MELLITUS	2		40
HYPERSALIVATION	2		40
ANAPHYLAXIS/TOID	1		20
ATAXIA	1		20
DEATH	1		20
DEPRESSION/LETHARGY	1		20
KETONES, URINE	1		20
NECK, VENTROFLEXION	1		20

**METHYLPREDNISOLONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**METHYLPREDNISOLONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DIABETES MELLITUS		1	100
GLUCOSE HI, BLD		1	100
KETOSIS		1	100
POLYDIPSIA		1	100
POLYURIA		1	100

---

**METHYLPREDNISOLONE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE MASS		1	100
INJ SITE NEOPLASM		1	100

---

**METRONIDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
CIRCLING		1	100
CNS DISORDER		1	100
CONFUSION		1	100
DEPRESSION/LETHARGY		1	100
GAGGING		1	100
HYPERSALIVATION		1	100
NYSTAGMUS		1	100
POLYPNEA		1	100
PROLAPSE, TONGUE		1	100
WEAKNESS		1	100

---

**MICONAZOLE  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**MICONAZOLE  
DOG, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
BLEPHAROSPASM		1	100

---

**MICONAZOLE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
BUN LO, BLD		1	50
CONVULSION(S)		1	50
HYPERSALIVATION		1	50
LIVER ENZYMES HI, BLD		1	50

---

**MICONAZOLE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
CONGESTION, SKIN		1	100
PAIN		1	100
PRURITIS		1	100

---

**MILBEMYCIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	100
TREMBLING		1	100

---

**MILBEMYCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
60	66	61	4
SIGN		NUMBER	PERCENT
VOMITING		17	28

**MILBEMYCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
60	66	61	4
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		16	27
CONVULSION(S)		9	15
DIARRHEA		9	15
ANOREXIA		8	13
WEAKNESS		6	10
ATAXIA		5	8
DYSPNEA		5	8
POLYPNEA		5	8
DEATH		4	7
CONFUSION		3	5
HYPERSALIVATION		3	5
PALLOR		3	5
TREMBLING		3	5
ALK PHOS HI, BLD		2	3
ANAPHYLAXIS/TOID		2	3
BLD(PETECHIAE)		2	3
COLLAPSE		2	3
DIARRHEA, MILD		2	3
FEVER, BODY		2	3
HEAD TILT		2	3
LIVER ENZYMES HI, BLD		2	3
LOCOMOTION DISORDER		2	3
PLATELETS LO, BLD		2	3
PR-LIVER, LESION(S)		2	3
RADIOGRAPH(S) ABN		2	3
SHOCK		2	3
STIFFNESS		2	3
ACCIDENTAL EXPOSURE		1	2
AMYLASE HI, BLD		1	2
APPREHENSION		1	2
BILIRUBIN(TOT) HI, BLD		1	2
BLD(ECCHYMOSES)		1	2
BLD, LUNG(S)/TRACHEA		1	2
BLD, MOUTH/LIP(S)		1	2
BLD, SCLERA		1	2

**MILBEMYCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
60	66	61	4
SIGN		NUMBER	PERCENT
BLOAT		1	2
CAPILLARY REFILL PROLO		1	2
COLITIS		1	2
CONGESTION, LUNG(S)		1	2
CONGESTION, SKIN		1	2
COUGHING		1	2
CREATININE HI, BLD		1	2
DERMATITIS, MOIST		1	2
DIARRHEA, BLOODY		1	2
DIARRHEA, SEVERE		1	2
DIARRHEA, WATERY		1	2
EPISTAXIS		1	2
GLOBULIN HI, BLD		1	2
GLUCOSE HI, BLD		1	2
HEAD BOBBING		1	2
HIDING		1	2
HYPERACTIVITY		1	2
HYPERPNEA		1	2
K HI, BLD		1	2
LIVER DISORDER		1	2
MYDRIASIS		1	2
NERVOUSNESS		1	2
NYSTAGMUS		1	2
NYSTAGMUS, HORIZONTAL		1	2
PACING		1	2
PAIN, ABDOMEN		1	2
PALLOR, MUCOUS MEMBRAN		1	2
PR-BLD VESSEL(S), LESI		1	2
PR-BRAIN, LESION(S)		1	2
PR-HEART, LESION(S)		1	2
PR-HEARTWORM DISEASE		1	2
PR-KIDNEY(S), LESION(S)		1	2
PR-STOMACH, LESION(S)		1	2
PRURITIS		1	2
RBC, ANISO		1	2

**MILBEMYCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
60	66	61	4
SIGN		NUMBER	PERCENT
RBC, NUCLEATED		1	2
RBC, POLYCHROM		1	2
RECUMBENCY		1	2
REFLEX(ES) ABN		1	2
SEGS HI, BLD		1	2
SHAKING		1	2
STOOL, MUCOID		1	2
TACHYCARDIA		1	2
TREMBLING, FACE		1	2
URINATION ABN		1	2
VESTIBULAR DISORDER		1	2
WBC HI, BLD		1	2

**MILBEMYCIN, LUFENURON  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DEPRESSION/LETHARGY		1	100
STAGGERING		1	100

**MILBEMYCIN, LUFENURON  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
176	214	188	5
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		41	23
VOMITING		39	22
PRURITIS		36	20
DIARRHEA		22	13
CONVULSION(S)		19	11
ANOREXIA		15	9
ATAXIA		9	5

**MILBEMYCIN, LUFENURON  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
176	214	188	5
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
DIARRHEA, BLOODY		9	5
INFLAM, SKIN		8	5
FEVER, BODY		7	4
CONGESTION, SKIN		6	3
DIARRHEA, MILD		6	3
PARESIS, HIND LIMB(S)		6	3
ALOPECIA		5	3
CONFUSION		4	2
POLYPNEA		4	2
POLYURIA		4	2
URTICARIA		4	2
WBC HI, BLD		4	2
WEAKNESS		4	2
APPREHENSION		3	2
DEATH		3	2
DIARRHEA, SEVERE		3	2
DYSMETRIA		3	2
HYPERSALIVATION		3	2
INEFFECT, FLEAS		3	2
LOCOMOTION DISORDER		3	2
MYDRIASIS		3	2
NERVOUSNESS		3	2
POLYDIPSIA		3	2
PUSTULE(S)		3	2
WEIGHT LOSS		3	2
AGGRESSION		2	1
ALK PHOS HI, BLD		2	1
ANAPHYLAXIS/TOID		2	1
ANEMIA, AUTOIMMUNE HEM		2	1
BEHAVIOR DISORDER		2	1
BILIRUBIN(TOT) HI, BLD		2	1
BITING/CHEWING		2	1
BRADYCARDIA		2	1
BUN HI, BLD		2	1
COLLAPSE		2	1

**MILBEMYCIN, LUFENURON  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
176	214	188	5
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
CONGESTION		2	1
CREATININE HI, BLD		2	1
DERMATITIS, MOIST		2	1
DIARRHEA, MUCOID		2	1
HEMATOCHEZIA		2	1
INCONTINENCE, URINARY		2	1
INFECTION, SKIN		2	1
LAMENESS		2	1
LYMPHS LO, BLD		2	1
PAIN, ABDOMEN		2	1
PLATELETS LO, BLD		2	1
POLYCYTHEMIA		2	1
RASH		2	1
SCALE(S), SKIN		2	1
SEGS HI, BLD		2	1
SGOT/AST HI, BLD		2	1
SKIN, CRUST(S)		2	1
SORE(S)		2	1
STIFFNESS		2	1
STUPOR		2	1
SWELLING, FEET/DIGIT(S)		2	1
VOCALIZATION		2	1
ADIPSIA		1	1
AMYLASE HI, BLD		1	1
ANEMIA		1	1
ANEMIA, SPHERO		1	1
ARREST, HEART		1	1
ARTHRITIS		1	1
BLD, EAR(S)		1	1
BLD, URINE		1	1
BLINDNESS		1	1
CA HI, BLD		1	1
CONGESTION, EYE(S)/LID		1	1
COOMBS TEST POS		1	1
COUGHING		1	1

**MILBEMYCIN, LUFENURON  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
176	214	188	5
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
CPK HI, BLD	1	1	
DEATH(EUTHANIZED)	1	1	
DEFECATION ABN	1	1	
DEHYDRATION	1	1	
DEMENTIA	1	1	
DIARRHEA, WATERY	1	1	
DISCHARGE, EYE(S)/LID(S)	1	1	
DISCOMFORT	1	1	
DYSPNEA	1	1	
EDEMA, LUNG(S)/TRACHEA	1	1	
ENLARGEMENT(S), SKIN	1	1	
ENLARGEMENT, LYMPH NOD	1	1	
ERUPTION(S)	1	1	
EXERCISE INTOLERANCE	1	1	
GASTROENTERITIS	1	1	
HAIR, ABN	1	1	
HAIR, SHEDDING	1	1	
HEMOGLOBIN, URINE	1	1	
HIDING	1	1	
HYPERACTIVITY	1	1	
HYPERKERATOSIS	1	1	
HYPERPNEA	1	1	
HYPOSALIVATION	1	1	
HYPOTHERMIA, BODY	1	1	
ICTERUS	1	1	
IRRITATION, MOUTH/LIP(	1	1	
K HI, BLD	1	1	
LESION(S), MOUTH/LIP(S	1	1	
LESION(S), SKIN	1	1	
LICKING	1	1	
LIPASE HI, BLD	1	1	
MELENA	1	1	
MONOS HI, BLD	1	1	
NA HI, BLD	1	1	
NOSE ABN	1	1	

**MILBEMYCIN, LUFENURON  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
176	214	188	5
SIGN		NUMBER	PERCENT
OTITIS		1	1
PAIN, FEET/DIGIT(S)		1	1
PAIN, LIMB(S)		1	1
PALLOR, MUCOUS MEMBRAN		1	1
PANCREAS DISORDER		1	1
POLYCYTHEMIA(RELATIVE)		1	1
PR-SKIN, LESION(S)		1	1
PROTEIN(TOT) HI, BLD		1	1
PRURITIS, EAR(S)		1	1
PRURITIS, EYE(S)		1	1
RADIOGRAPH(S) ABN		1	1
RBC, NUCLEATED		1	1
SGPT/ALT HI, BLD		1	1
SHAKING, HEAD/FACE		1	1
SLEEP ABN		1	1
STAGGERING		1	1
STARING		1	1
STIFFNESS, HIND LIMB(S)		1	1
STOMATITIS		1	1
STOOL ABN		1	1
SWELLING, EAR(S)		1	1
SWELLING, HEAD/FACE		1	1
SWELLING, JOINT(S)		1	1
SWELLING, MOUTH/LIP(S)		1	1
SWELLING, VENTRUM		1	1
TENESMUS, RECTAL		1	1
TREMBLING		1	1
TWITCH		1	1
ULCER(S), CORNEA(S)		1	1
ULCER(S), EAR(S)		1	1
VESICLE(S)/BULLAE, MOU		1	1
VESICLE(S)/BULLAE, SKI		1	1
VOMITING, BLOODY		1	1
VOMITING, SEVERE		1	1
WHEEZING		1	1

---

**MILBEMYCIN, LUFENURON  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DIARRHEA, MILD	1		100

---

**MILBEMYCIN, LUFENURON  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DEPRESSION/LETHARGY	1		100
DERMATITIS, MOIST	1		100
DISCHARGE, EYE(S)/LID(S)	1		100
ILL	1		100
PAIN, EYE(S)/LID(S)	1		100
PAIN, JOINT(S)	1		100
PRURITIS, EYE(S)	1		100
SWELLING, EYE(S)/LID(S)	1		100
URTICARIA	1		100

---

**MITOTANE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
HYPOADRENOCORTICISM	1		100
PD-POTENCY, HI	1		100

---

**MONENSIN  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
14	3411	574	87
SIGN	NUMBER		PERCENT
DEATH	11		79
RECUMBENCY	5		36
DIARRHEA	4		29

**MONENSIN  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
14	3411	574	87
SIGN		NUMBER	PERCENT
ANOREXIA		3	21
DEPRESSION/LETHARGY		2	14
DYSPNEA		2	14
ATAXIA		1	7
CONVULSION(S)		1	7
DEATH(EUTHANIZED)		1	7
DIARRHEA, SEVERE		1	7
FEVER, BODY		1	7
HYPERSALIVATION		1	7
KETOSIS		1	7
MELENA		1	7
PARESIS, HIND LIMB(S)		1	7
POSTURE ABN		1	7
PR-HEART, LESION(S)		1	7
PR-KIDNEY(S), LESION(S)		1	7
PR-LUNG(S), LESION(S)		1	7
PRESSURE HI, BLD		1	7
RELUCTANT TO MOVE		1	7
RESPIRATORY DISORDER		1	7
STUPOR		1	7
TECH ERROR, MIXING		1	7
UDDER, HYPOGALACTIA		1	7
UNPALATABLE, WON'T EAT		1	7
WEAKNESS		1	7

---

**MONENSIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANOREXIA		1	100
PAIN, ABDOMEN		1	100
PARESIS, HIND LIMB(S)		1	100
POLYDIPSIA		1	100

---

**MONENSIN  
GOAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	100	70	31
SIGN		NUMBER	PERCENT
ANOREXIA		1	100
DEATH		1	100
PR-HEART, LESION(S)		1	100

---

**MONENSIN  
PIG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	700	75	18
SIGN		NUMBER	PERCENT
DEATH		1	100

---

**MONENSIN  
SHEEP, ORAL**

REPORTS	TREATED	REACTED	DIED
2	380	27	5
SIGN		NUMBER	PERCENT
ABORTION		1	50
DEATH		1	50
DEPRESSION/LETHARGY		1	50
DIARRHEA		1	50
LOCOMOTION DISORDER		1	50
STIFFNESS, FRONT LIMB(		1	50
STIFFNESS, HIND LIMB(S		1	50

---

**MONENSIN  
TURKEY, ORAL**

REPORTS	TREATED	REACTED	DIED
2	15000	1500	1056
SIGN		NUMBER	PERCENT
DEATH		2	100
ATAXIA		1	50
DEPRESSION/LETHARGY		1	50
STAGGERING		1	50
WEAKNESS		1	50

---

**MONENSIN  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
1	10	5	5
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DEATH		1	100
STAGGERING		1	100
WEAKNESS		1	100

---

**MONENSIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	3	3	0
SIGN		NUMBER	PERCENT
CONGESTION, SKIN		1	50
DISCHARGE, EYE(S)/LID(S)		1	50
PRURITIS		1	50
RASH		1	50
SWELLING, EYE(S)/LID(S)		1	50
URTICARIA		1	50

---

**MORANTEL  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	12	6	1
SIGN		NUMBER	PERCENT
DEATH		1	100
DIARRHEA		1	100
FEVER, BODY		1	100

---

**MOXIDECTIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
135	0	0	0
SIGN		NUMBER	PERCENT
PD-VIAL(S), LEAKING		66	49
PD-CAP(S), ABN		26	19

**MOXIDECTIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
135	0	0	0
SIGN		NUMBER	PERCENT
PD-LOCK, ABN		21	16
PD-SEAL, ABN		21	16
PD-SYRINGE, ABN		14	10
PD-TUBE(S), ABN		10	7
PD-UNDERFILL, PACKAGE		10	7
PD-TUBE(S), LEAKING		6	4
PD-GEL/PASTE, ABN		5	4
PD-MISSING, CAP		5	4
PD-UNDERFILL, TUBE(S)		5	4
PD-APPLICATOR, ABN		3	2
PD-TUBE(S), DAMAGED		2	1
PD-DISPENSER, ABN		1	1
PD-ODOR, ABN		1	1
PD-PRODUCT DEFECT		1	1
PD-VIAL(S), ABN		1	1

**MOXIDECTIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
SKIN DISORDER		1	100

**MOXIDECTIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
PARESIS, HIND LIMB(S)		1	100

**MOXIDECTIN  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	42	1	1
SIGN		NUMBER	PERCENT

**MOXIDECTIN  
CATTLE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	42	1	1
SIGN		NUMBER	PERCENT
ANOREXIA		1	100

---

**MOXIDECTIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
68	105	101	13
SIGN		NUMBER	PERCENT
ATAXIA		38	56
CONVULSION(S)		15	22
TREMBLING		13	19
DEPRESSION/LETHARGY		11	16
RECUMBENCY		11	16
STUPOR		7	10
UNCONSCIOUS		7	10
HYPERSALIVATION		5	7
NEUROLOGICAL DISORDER		5	7
CONFUSION		4	6
TWITCH		4	6
DEATH		3	4
HALLUCINATION		3	4
HYPERACTIVITY		3	4
REACTION, UNSPECIFIED		3	4
STAGGERING		3	4
VOMITING		3	4
BEHAVIOR DISORDER		2	3
BLINDNESS		2	3
CNS DISORDER		2	3
DEATH(EUTHANIZED)		2	3
DIARRHEA		1	1
DIARRHEA, SEVERE		1	1
DYSPHAGIA		1	1
FEVER, BODY		1	1
HEAD PRESSING		1	1
HYPERSENSITIVE, SOUND		1	1
HYPERTONIA		1	1
INEFFECT, HW LARVAE		1	1

**MOXIDECTIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
68	105	101	13
SIGN		NUMBER	PERCENT
MUCOUS MEMBR, RED		1	1
NERVOUSNESS		1	1
POLYPNEA		1	1
PUPIL(S), AREFLEXIA		1	1
SEDATION		1	1
SHAKING		1	1
SOMNOLENCE		1	1
SPASM		1	1
STUMBLING		1	1
TOX		1	1
VOMITING ROUNDWORMS		1	1
WEIGHT LOSS		1	1

---

**MOXIDECTIN  
GOAT, ORAL**

REPORTS	TREATED	REACTED	DIED
2	37	9	5
SIGN		NUMBER	PERCENT
DEATH		2	100
RECUMBENCY		2	100
ANOREXIA		1	50
DEPRESSION/LETHARGY		1	50
FEVER, BODY		1	50

---

**MOXIDECTIN  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
183	359	147	17
SIGN		NUMBER	PERCENT
PD-LOCK, ABN		71	39
ATAXIA		46	25
DEPRESSION/LETHARGY		26	14
PAIN, ABDOMEN		21	11
RECUMBENCY		21	11
DEATH		13	7
UNCONSCIOUS		9	5

**MOXIDECTIN  
HORSE, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
183	359	147	17
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ANOREXIA		8	4
URTICARIA		8	4
PD-SYRINGE, ABN		6	3
STUPOR		6	3
WEAKNESS		6	3
DIARRHEA		4	2
FEVER, BODY		4	2
PRURITIS, TAIL		4	2
TREMBLING		4	2
ALOPECIA		3	2
ANOREXIA(NOT NURSING)		3	2
DEATH(EUTHANIZED)		3	2
INEFFECT, WORMS		3	2
SOMNOLENCE		3	2
TACHYCARDIA		3	2
APPREHENSION		2	1
BRADYCARDIA		2	1
COLLAPSE		2	1
CONFUSION		2	1
DEHYDRATION		2	1
HYPERESTHESIA		2	1
HYPOTHERMIA, BODY		2	1
LAMINITIS		2	1
MURMUR, HEART		2	1
NERVOUSNESS		2	1
PRURITIS		2	1
SKIN, SCAB(S)		2	1
SWELLING, EYE(S)/LID(S)		2	1
SWELLING, HEAD/FACE		2	1
SWELLING, PHARYNX/THRO		2	1
VISION DISORDER		2	1
WEIGHT LOSS		2	1
ABORTION		1	1
ANEMIA		1	1
BEHAVIOR DISORDER		1	1

**MOXIDECTIN  
HORSE, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
183	359	147	17
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BREATHING, DIFFICULT		1	1
CATARACT(S)		1	1
CIRCLING		1	1
COLITIS		1	1
COLON, ABN		1	1
CONVULSION(S)		1	1
CYANOSIS, MUCOUS MEMBR		1	1
DEATH(STILLBORN)		1	1
DIARRHEA, SEVERE		1	1
DIARRHEA, WATERY		1	1
EDEMA, HEAD/FACE		1	1
EDEMA, VENTRAL		1	1
ENLARGEMENT(S), SKIN		1	1
ERUPTION(S)		1	1
GGT HI, BLD		1	1
GRINDING TEETH		1	1
HAIR, ABN		1	1
HYPERACTIVITY		1	1
HYPERPNEA		1	1
HYPOMOTILITY		1	1
HYPOPNEA		1	1
INEFFECT, PINWORMS		1	1
INFLAM, SKIN		1	1
IRRITATION, MOUTH/LIP(		1	1
LAMENESS		1	1
LIVER ENZYMES HI, BLD		1	1
LOSS OF CONDITION		1	1
MYDRIASIS		1	1
NEUROLOGICAL DISORDER		1	1
NYSTAGMUS		1	1
PACING		1	1
PARALYSIS, FACIAL NERV		1	1
PD-TUBE(S), ABN		1	1
POLYCYTHEMIA		1	1
PR-COLON, LESION(S)		1	1

**MOXIDECTIN  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
183	359	147	17
SIGN	NUMBER	PERCENT	
PR-SKIN, LESION(S)	1	1	
PROLAPSE, THIRD EYELID	1	1	
PROLAPSE, TONGUE	1	1	
PROPRIOCEPTIVE DISORDE	1	1	
PROTEIN(TOT) LO, BLD	1	1	
PUSTULE(S)	1	1	
REACTION, UNSPECIFIED	1	1	
REFLUX, STOMACH	1	1	
RETINA ABN	1	1	
SCALE(S), SKIN	1	1	
SGOT/AST HI, BLD	1	1	
SHOCK, ENDOTOXEMIA	1	1	
SKIN, CRUST(S)	1	1	
SPASM	1	1	
STAGGERING	1	1	
STOOL, MUCOID	1	1	
SWEATING	1	1	
SWELLING, NECK	1	1	
SWELLING, VENTRUM	1	1	
SYRINGE, LOCKING RING	1	1	
VESICLE(S)/BULLAE, SKI	1	1	
VOLVULUS, INTESTINE	1	1	
WHEEZING	1	1	

**MOXIDECTIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN	NUMBER	PERCENT	
ARRHYTHMIA	1	100	
DEATH	1	100	

**MOXIDECTIN  
CATTLE, TOPICAL**

REPORTS	TREATED	REACTED	DIED
33	4433	1011	31

**MOXIDECTIN  
CATTLE, TOPICAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
33	4433	1011	31
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
INEFFECT, GRUBS	7	21	
ALOPECIA	5	15	
INEFFECT, LICE	5	15	
DEATH	4	12	
DIARRHEA, WATERY	4	12	
INEFFECT, WORMS	3	9	
RECUMBENCY	3	9	
ANOREXIA	2	6	
HAIR, ABN	2	6	
INEFFECT, PARASITE(S)	2	6	
INEFFECT, STRONGYLE LA	2	6	
INFLAM, SKIN	2	6	
POOR PERFORMANCE	2	6	
PRURITIS	2	6	
ABORTION	1	3	
ANAPHYLAXIS/TOID	1	3	
ATAXIA	1	3	
BIRTH, PREMATURE	1	3	
DEATH(NEWBORN)	1	3	
DEATH(STILLBORN)	1	3	
DEPRESSION/LETHARGY	1	3	
FROTH, NOSE	1	3	
INEFFECT, NEMATODES	1	3	
INEFFECT, STRONGYLES	1	3	
PR-LIVER, LESION(S)	1	3	
PR-SKIN, LESION(S)	1	3	
PR-TRACHEA, LESION(S)	1	3	
RASH	1	3	
SKIN, CRUST(S)	1	3	
SKIN, SCAB(S)	1	3	
SLOUGH, SKIN	1	3	
SWELLING, BRISKET/CHES	1	3	
URTICARIA	1	3	
WEAKNESS	1	3	
WEIGHT LOSS	1	3	

---

**MOXIDECTIN  
GOAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	8	8	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DIARRHEA		1	100

---

**MOXIDECTIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
6	6	5	0
SIGN		NUMBER	PERCENT
INFLAM, SKIN		2	33
PARESTHESIA		2	33
VOMITING		2	33
HYPOESTHESIA		1	17
NAUSEA		1	17
PAIN, HEAD/FACE		1	17
PAIN, MUSCLE(S)		1	17
PARAESTHESIA		1	17
PD-APPLICATOR, ABN		1	17
PD-DISPENSER, ABN		1	17
SWELLING, FEET/DIGIT(S)		1	17

---



---

**MUPIROCIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
3	0	0	0
SIGN		NUMBER	PERCENT
PD-UNDERFILL, PACKAGE		2	67
PD-COLOR, ABN		1	33
PD-GEL/PASTE, ABN		1	33

---

**MUPIROCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT

**MUPIROCIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
DIARRHEA, MILD	1	50	
HYPERSALIVATION	1	50	
SOUND ABN, RESPIRATORY	1	50	
VOMITING	1	50	

**NARASIN  
SHEEP, ORAL**

REPORTS	TREATED	REACTED	DIED
1	7	7	0
SIGN	NUMBER	PERCENT	
ANOREXIA	1	100	
FEVER, BODY	1	100	
ILL	1	100	

**NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
6	0	0	0
SIGN	NUMBER	PERCENT	
PD-TUBE(S), LEAKING	4	67	
PD-APPLICATOR, ABN	1	17	
PD-UNDERFILL, PACKAGE	1	17	
PD-UNDERFILL, TUBE(S)	1	17	

**NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE  
BIRD, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	1
SIGN	NUMBER	PERCENT	
DEATH	1	100	
LOCOMOTION DISORDER	1	100	

**NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE  
CAT, TOPICAL**

**NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
NYSTAGMUS	1		100

---

**NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
DEAFNESS	2		100

---

**NITRASONE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
ALBUMIN HI, BLD	1		100
ALK PHOS HI, BLD	1		100
BILIRUBIN(TOT) HI, BLD	1		100
BLD, URINE	1		100
BUN HI, BLD	1		100
CA HI, BLD	1		100
CREATININE HI, BLD	1		100
DEATH	1		100
DIARRHEA, BLOODY	1		100
GLOBULIN HI, BLD	1		100
GLUCOSE HI, BLD	1		100
K HI, BLD	1		100
P HI, BLD	1		100
PR-KIDNEY(S), LESION(S)	1		100
PR-LIVER, LESION(S)	1		100
PR-MULT SITES, BLD	1		100
SEGS HI, BLD	1		100
SGOT/AST HI, BLD	1		100
SGPT/ALT HI, BLD	1		100
VOMITING, BLOODY	1		100

**NITRASONE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
WBC HI, BLD	1		100

**ORBIFLOXACIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN	NUMBER		PERCENT
PD-TABLET(S), ABN	3		75
PD-UNDERFILL, VIAL(S)	1		25

**ORBIFLOXACIN  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
4	6	6	0
SIGN	NUMBER		PERCENT
BLINDNESS, TEMP	1		25
BUN HI, BLD	1		25
CONVULSION(S)	1		25
HYPERSALIVATION	1		25
INEFFECT, ANTIBIOTIC	1		25
PANCREAS ENZYMES HI, B	1		25
POLYPNEA	1		25
TWITCH	1		25

**ORBIFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
22	29	29	2
SIGN	NUMBER		PERCENT
CONVULSION(S)	5		23
VOMITING	4		18
ATAXIA	3		14
SWELLING, HEAD/FACE	3		14
DEATH(EUTHANIZED)	2		9

**ORBIFLOXACIN  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
22	29	29	2
SIGN		NUMBER	PERCENT
FEVER, BODY		2	9
LAMENESS		2	9
PLATELETS LO, BLD		2	9
ALBUMIN HI, BLD		1	5
ALK PHOS HI, BLD		1	5
ANAPHYLAXIS/TOID		1	5
ANEMIA, AUTOIMMUNE HEM		1	5
BASOS HI, BLD		1	5
BILIRUBIN(TOT) HI, BLD		1	5
BUN HI, BLD		1	5
CA HI, BLD		1	5
CONFUSION		1	5
CONGESTION, SKIN		1	5
DEPRESSION/LETHARGY		1	5
DRY MOUTH SYNDROME		1	5
DYSPNEA		1	5
ICTERUS, BODY		1	5
INEFFECT, ANTIBIOTIC		1	5
LIVER FAILURE		1	5
P HI, BLD		1	5
PAIN, JOINT(S)		1	5
PAIN, MUSCLE(S)		1	5
PR-LIVER, LESION(S)		1	5
SGOT/AST HI, BLD		1	5
SGPT/ALT HI, BLD		1	5
SKIN, SCAB(S)		1	5
SLOUGH		1	5
SORE(S)		1	5
URTICARIA		1	5
WBC LO, BLD		1	5

---

**ORBIFLOXACIN  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
2	30	30	0
SIGN		NUMBER	PERCENT

**ORBIFLOXACIN  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
2	30	30	0
SIGN	NUMBER		PERCENT
INEFFECT, ANTIBIOTIC	2		100
INTERACTION, DRUG(S)	1		50

---

**ORMETOPRIM, SULFADIMETHOXINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
3	0	0	0
SIGN	NUMBER		PERCENT
PD-UNKNOWN	2		67
PD-TABLET(S), ABN	1		33

---

**ORMETOPRIM, SULFADIMETHOXINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
ATAXIA	1		50
CONFUSION	1		50
DEPRESSION/LETHARGY	1		50
HYPERACTIVITY	1		50
NYSTAGMUS	1		50
PROPRIOCEPTIVE DISORDE	1		50

---

**ORMETOPRIM, SULFADIMETHOXINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
58	58	57	6
SIGN	NUMBER		PERCENT
VOMITING	13		22
ATAXIA	12		21
ANOREXIA	9		16
DEPRESSION/LETHARGY	9		16
FEVER, BODY	8		14
TREMBLING	7		12

**ORMETOPRIM, SULFADIMETHOXINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
58	58	57	6
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BEHAVIOR DISORDER		6	10
NERVOUSNESS		6	10
CONVULSION(S)		5	9
SGPT/ALT HI, BLD		5	9
AGGRESSION		4	7
ANEMIA, AUTOIMMUNE HEM		4	7
APPREHENSION		4	7
BILIRUBIN(TOT) HI, BLD		4	7
KERATOCONJUNCTIVITIS S		4	7
ALK PHOS HI, BLD		3	5
BUN HI, BLD		3	5
CONFUSION		3	5
CREATININE HI, BLD		3	5
POLYPNEA		3	5
SGOT/AST HI, BLD		3	5
VOCALIZATION		3	5
WEAKNESS		3	5
ALBUMIN LO, BLD		2	3
CHOLESTEROL HI, BLD		2	3
DEATH		2	3
EDEMA, HEAD/FACE		2	3
HYPERACTIVITY		2	3
HYPERSALIVATION		2	3
ICTERUS		2	3
PAIN, JOINT(S)		2	3
POLYDIPSIA		2	3
RECUMBENCY		2	3
SWELLING, JOINT(S)		2	3
THYROID HORMONE(S) LO		2	3
WEIGHT LOSS		2	3
ACCIDENTAL EXPOSURE		1	2
ANEMIA		1	2
ANURIA		1	2
ARTHRITIS		1	2
BILE ACIDS HI, BLD		1	2

**ORMETOPRIM, SULFADIMETHOXINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
58	58	57	6
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BITING/CHEWING		1	2
BLD		1	2
BLD(ECCHYMOSES)		1	2
BLD(PETECHIAE)		1	2
BLINDNESS		1	2
BUN LO, BLD		1	2
CA LO, BLD		1	2
CHOLESTEROL LO, BLD		1	2
COLLAPSE		1	2
COOMBS TEST POS		1	2
CPK HI, BLD		1	2
DEATH(EUTHANIZED)		1	2
DEMENTIA		1	2
DIARRHEA		1	2
DYSPNEA		1	2
ECG ABN		1	2
FLY BITING		1	2
GLUCOSE, URINE		1	2
HYPERESTHESIA		1	2
HYPOTHERMIA		1	2
ICTERUS, BODY		1	2
INCONTINENCE, URINARY		1	2
INEFFECT, ANTIBIOTIC		1	2
INEFFECT, COCCIDIA		1	2
K LO, BLD		1	2
LAMENESS		1	2
LDH HI, BLD		1	2
MASS, SKIN		1	2
MUCOUS MEMBR, RED		1	2
MYDRIASIS		1	2
NYSTAGMUS		1	2
PALLOR, MUCOUS MEMBRAN		1	2
PARESIS, HIND LIMB(S)		1	2
PLATELETS LO, BLD		1	2
POLYCYTHEMIA		1	2

**ORMETOPRIM, SULFADIMETHOXINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
58	58	57	6
SIGN	NUMBER	PERCENT	
POLYURIA	1	2	
PR-KIDNEY(S), LESION(S)	1	2	
PR-LIVER, LESION(S)	1	2	
PR-SPLEEN, LESION(S)	1	2	
PROTEIN(TOT) LO, BLD	1	2	
PRURITIS	1	2	
RETINA ABN	1	2	
SEGS HI, BLD	1	2	
SHAKING, HEAD/FACE	1	2	
SLOUGH, FEET/DIGIT(S)	1	2	
SNEEZING	1	2	
SPEC GRAVITY LO, URINE	1	2	
STIFFNESS, LIMB(S)	1	2	
STOMATITIS	1	2	
SWELLING, LIMB(S)	1	2	
TRIGLYCERIDES HI, BLD	1	2	
ULCER(S), MOUTH/LIP(S)	1	2	
US ABN	1	2	
US-LIVER ABN	1	2	
WBC HI, BLD	1	2	
WBC LO, BLD	1	2	

**OXFENDAZOLE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN	NUMBER	PERCENT	
PD-VIAL(S), LEAKING	2	50	
PD-CAP(S), ABN	1	25	
PD-LABEL(S), ABN	1	25	
PD-MISSING, CAP	1	25	
PD-SEAL, ABN	1	25	

**OXIBENDAZOLE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-MISSING, CAP		1	50
PD-UNDERFILL, PACKAGE		1	50

---

**OXIBENDAZOLE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
3	36	31	2
SIGN		NUMBER	PERCENT
PAIN, ABDOMEN		2	67
ANOREXIA		1	33
DEATH		1	33
DEPRESSION/LETHARGY		1	33
DIARRHEA, BLOODY		1	33
ULCER(S), TONGUE		1	33
VOMITING		1	33

---

**OXIBENDAZOLE  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
4	19	11	0
SIGN		NUMBER	PERCENT
ATAXIA		1	25
DIARRHEA		1	25
DIARRHEA, WATERY		1	25
DYSPHAGIA		1	25
PAIN, ABDOMEN		1	25
STAGGERING		1	25

---



---

**OXYMORPHONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	6	6	2
SIGN		NUMBER	PERCENT
CONVULSION(S)		1	100

**OXYMORPHONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	6	6	2
SIGN	NUMBER		PERCENT
DEATH	1		100
HYPOPNEA	1		100

---

**OXYTETRACYCLINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
18	0	0	0
SIGN	NUMBER		PERCENT
PD-COLOR, ABN	10		56
PD-SOLUTION, ABN	5		28
PD-ODOR, ABN	2		11
PD-UNDERFILL, PACKAGE	2		11
PD-VIAL(S), LEAKING	2		11

---

**OXYTETRACYCLINE  
RABBIT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	3	3	0
SIGN	NUMBER		PERCENT
RESIDUE, MEAT	1		100

---

**OXYTETRACYCLINE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	148	64	7
SIGN	NUMBER		PERCENT
INJ SITE SWELLING	5		33
DEATH	4		27
RECUMBENCY	4		27
COLLAPSE	3		20
RESIDUE, MILK	3		20
SHAKING	3		20
ANAPHYLAXIS/TOID	2		13
ANOREXIA	1		7

**OXYTETRACYCLINE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
15	148	64	7
SIGN		NUMBER	PERCENT
CONFUSION		1	7
DEPRESSION/LETHARGY		1	7
DYSPNEA		1	7
FEVER, BODY		1	7
LAMENESS		1	7
RELUCTANT TO MOVE		1	7
STIFFNESS		1	7
STUMBLING		1	7
TWITCH		1	7

---

**OXYTETRACYCLINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	100
FEVER, BODY		1	100
INJ SITE PAIN		1	100

---

**OXYTETRACYCLINE  
GOAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
INJ SITE SWELLING		1	100

---

**OXYTETRACYCLINE  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ACCIDENTAL EXPOSURE		1	100
HUMAN EXPOSURE, INJ		1	100
INJ SITE INFLAM		1	100
INJ SITE SWELLING		1	100

---

**OXYTETRACYCLINE  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	120	40	0
SIGN		NUMBER	PERCENT
LAMENESS		1	100

---

**OXYTETRACYCLINE  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
LIVER DISORDER		1	100
LIVER ENZYMES HI, BLD		1	100

---

**OXYTETRACYCLINE  
CATTLE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
DEATH		1	100

---

**OXYTETRACYCLINE, NEOMYCIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-GRANULES, ABN		2	100

---

**OXYTETRACYCLINE, POLYMYXIN B  
CAT, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
EDEMA, EYE(S)/LID(S)		1	100
PRURITIS, EYE(S)		1	100

---

**OXYTOCIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	71	71	1
SIGN	NUMBER		PERCENT
COUGHING	1		50
DEATH(TX FAILURE)	1		50
EDEMA, LUNG(S)/TRACHEA	1		50
INEFFECT, MILK LETDOWN	1		50
KICKING	1		50
PR-LUNG(S), EDEMA	1		50

**OXYTOCIN  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
INEFFECT, MILK LETDOWN	1		100

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	2		100

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN	NUMBER		PERCENT
CONVULSION(S)	2		67
DYSPNEA	2		67
ANAPHYLAXIS/TOID	1		33
HYPERPNEA	1		33
VOMITING	1		33

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	54	26	0
SIGN	NUMBER	PERCENT	
CONVULSION(S)	2	33	
HEMATOCHEZIA	2	33	
INJ SITE ABSCESS	2	33	
NYSTAGMUS	2	33	
SWELLING, HEAD/FACE	2	33	
SWELLING, NECK	2	33	
TWITCH	2	33	

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
GOAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	2
SIGN	NUMBER	PERCENT	
ANAPHYLAXIS/TOID	2	100	
CONVULSION(S)	2	100	
DEATH	2	100	

**PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	4	4	2
SIGN	NUMBER	PERCENT	
ANAPHYLAXIS/TOID	2	67	
ATAXIA	2	67	
COLLAPSE	2	67	
DEATH	2	67	
DISTRESS, RESP	2	67	
INJ SITE MASS	1	33	
INJ SITE SWELLING	1	33	
PALLOR	1	33	
PALLOR, MUCOUS MEMBRAN	1	33	
SWELLING, ADM SITE	1	33	
SWELLING, NECK	1	33	

**PENICILLIN G PROCAINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	2		100

---

**PENICILLIN G PROCAINE  
CATTLE, INTRAMAMMARY**

REPORTS	TREATED	REACTED	DIED
1	200	4	4
SIGN	NUMBER		PERCENT
DEATH	1		100

---

**PENICILLIN G PROCAINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ANOREXIA	1		100
VOMITING	1		100

---

**PENICILLIN G PROCAINE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	59	12	6
SIGN	NUMBER		PERCENT
DEATH	4		67
ANAPHYLAXIS/TOID	3		50
COLLAPSE	2		33
RESIDUE, MILK	2		33
CONVULSION(S)	1		17
DYSPNEA	1		17
RECUMBENCY	1		17

---

**PENICILLIN G PROCAINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	5	0
SIGN	NUMBER		PERCENT
CONFUSION	1		33

**PENICILLIN G PROCAINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	12	5	0
SIGN	NUMBER		PERCENT
CONVULSION(S)	1		33
INJ SITE SEROMA	1		33
INJ SITE SWELLING	1		33

---

**PENICILLIN G PROCAINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	5	5	3
SIGN	NUMBER		PERCENT
COLLAPSE	3		75
DEATH	3		75
ANAPHYLAXIS/TOID	1		25
ANOREXIA	1		25
CONVULSION(S)	1		25
EDEMA, LIMB(S)	1		25
SWELLING, SCROTUM	1		25
URTICARIA	1		25

---

**PENICILLIN G PROCAINE  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	233	217	28
SIGN	NUMBER		PERCENT
DEATH	2		67
VOMITING	2		67
ANAPHYLAXIS/TOID	1		33
DIARRHEA	1		33
DISTRESS, RESP	1		33

---

**PENICILLIN G PROCAINE  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100
INJ SITE SWELLING	1		100

---

**PENICILLIN G PROCAINE  
PIG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	40	40	6
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100
DEATH	1		100

---

**PENTOBARBITAL  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	15	15	15
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	1		100

---

**PENTOBARBITAL, PHENYTOIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	1		100

---

**PENTOBARBITAL, PHENYTOIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN	NUMBER		PERCENT
IRRITATION, EYE(S)/LID	4		100
DIZZINESS	1		25

---

**PENTOBARBITAL, PHENYTOIN  
LION, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ATAXIA	1		100
DEPRESSION/LETHARGY	1		100

---

**PENTOBARBITAL, PHENYTOIN  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	2
SIGN	NUMBER		PERCENT
APNEA	1		50
DEATH(EUTHANIZED)	1		50
DEPRESSION/LETHARGY	1		50
INEFFECT, EUTHANASIA	1		50

**PENTOBARBITAL, PHENYTOIN  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
14	74	72	64
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	13		93
VOCALIZATION	2		14
HYPERACTIVITY	1		7
INJ SITE PAIN	1		7

**PENTOBARBITAL, PHENYTOIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	7	7	6
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	3		100

**PENTOBARBITAL, PHENYTOIN  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
HYPOESTHESIA	1		100
INJ SITE INFLAM	1		100

**PENTOBARBITAL, PHENYTOIN  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	3	3	3
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	1		100

**PENTOBARBITAL, PHENYTOIN  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	1		100

---

**PENTOBARBITAL, PHENYTOIN  
VARIOUS, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	4	4	4
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	1		100

---

**PENTOBARBITAL, PHENYTOIN  
DOG, VARIOUS**

REPORTS	TREATED	REACTED	DIED
2	3	3	3
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	2		100

---

**PENTOBARBITAL, PHENYTOIN  
HORSE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	2	2	2
SIGN	NUMBER		PERCENT
INEFFECT, EUTHANASIA	1		100

---

**PENTOBARBITAL, PHENYTOIN  
HUMAN, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
IRRITATION, EYE(S)/LID	1		100

---

---

**PHENOBARBITAL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT

**PHENOBARBITAL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
LYMPHS LO, BLD		1	100
PLATELETS LO, BLD		1	100
SEGS LO, BLD		1	100

**PHENYLBUTAZONE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	2
SIGN		NUMBER	PERCENT
KIDNEY DISORDER		2	100
COAGULATION DISORDER		1	50
DEATH		1	50
PLATELETS LO, BLD		1	50

**PHENYLBUTAZONE  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
URTICARIA		1	100

**PHENYLPROPANOLAMINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANEMIA, HEMOLYTIC		1	100

**PIPERAZINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**PIPERAZINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
TWITCH	1		100

**PIPERAZINE, ARECOLINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
BLOAT	1		100
DEATH	1		100

**PIPERONYL BUTOXIDE, PYRETHRINS, SQUALANE  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	48	6	0
SIGN	NUMBER		PERCENT
CONGESTION, EAR(S)	1		100
IRRITATION, EAR(S)	1		100

**PIROXICAM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
DERMATITIS, MOIST	1		100
LICKING	1		100

**POLOXALENE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT

**POLOXALENE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-UNDERFILL, PACKAGE	1		100

---

**PRAZIQUANTEL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN	NUMBER		PERCENT
PD-COLOR, ABN	3		75
PD-CONTAINER(S), ABN	1		25
PD-SOLUTION, ABN	1		25

---

**PRAZIQUANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
5	6	6	0
SIGN	NUMBER		PERCENT
INEFFECT, TAPES	4		80
ALBUMIN LO, BLD	1		20
ANEMIA	1		20
DIARRHEA	1		20
HEMATOCHEZIA	1		20
STOOL, MUCOID	1		20

---

**PRAZIQUANTEL  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
7	9	7	1
SIGN	NUMBER		PERCENT
INFLAM, SKIN	2		29
INJ SITE ALOPECIA	2		29
INJ SITE INFECT	2		29
INJ SITE INFLAM	2		29
INJ SITE SWELLING	2		29
ATAXIA	1		14

**PRAZIQUANTEL  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
7	9	7	1
SIGN		NUMBER	PERCENT
DEATH		1	14
DEPRESSION/LETHARGY		1	14
ENLARGEMENT(S), SKIN		1	14
INJ SITE ABN		1	14
INJ SITE ABSCESS		1	14
INJ SITE NECROSIS		1	14
INJ SITE PRURITIS		1	14
INJ SITE ULCER(S)		1	14
LAMENESS		1	14
LOCOMOTION DISORDER		1	14
NEURITIS		1	14
PARALYSIS, HIND LIMB(S)		1	14
PARESIS, HIND LIMB(S)		1	14
SKIN, CRUST(S)		1	14
SKIN, SCAB(S)		1	14
VOMITING		1	14

---

**PRAZIQUANTEL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	6	6	0
SIGN		NUMBER	PERCENT
INJ SITE PAIN		2	50
ANOREXIA		1	25
DEPRESSION/LETHARGY		1	25
FEVER, BODY		1	25
INJ SITE ALOPECIA		1	25
INJ SITE EDEMA		1	25
INJ SITE INFLAM		1	25
INJ SITE MASS		1	25
INJ SITE ULCER(S)		1	25
PR-INJ SITE, LESION(S)		1	25
SKIN, SCAB(S)		1	25
VOCALIZATION		1	25

---

**PRAZIQUANTEL  
SNAKE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100
PARALYSIS	1		100

---

**PRAZIQUANTEL  
DOG, SUPPOSITORY**

REPORTS	TREATED	REACTED	DIED
1	6	4	0
SIGN	NUMBER		PERCENT
INJ SITE PAIN	1		100

---

**PRAZIQUANTEL  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
PR-INJ SITE, LESION(S)	1		100

---

**PRAZIQUANTEL  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
INEFFECT, TAPES	1		50
INJ SITE ABSCESS	1		50
INJ SITE SWELLING	1		50

---

**PRAZIQUANTEL, PYRANTEL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
14	37	20	3
SIGN	NUMBER		PERCENT
ATAXIA	6		43
HYPERSALIVATION	4		29
STAGGERING	4		29
ANOREXIA	3		21

**PRAZIQUANTEL, PYRANTEL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
14	37	20	3
SIGN	NUMBER	PERCENT	
DEPRESSION/LETHARGY	3	21	
MYDRIASIS	3	21	
DEATH	2	14	
DEHYDRATION	2	14	
FEVER, BODY	2	14	
BALANCE DISORDER	1	7	
BUN HI, BLD	1	7	
CREATININE HI, BLD	1	7	
DIARRHEA, MILD	1	7	
HIDING	1	7	
INEFFECT, STRONGYLES	1	7	
LOCOMOTION DISORDER	1	7	
PROLAPSE, THIRD EYELID	1	7	
RECUMBENCY	1	7	
ULCER(S), TONGUE	1	7	
VOCALIZATION	1	7	
VOMITING	1	7	

**PREDNISOLONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER	PERCENT	
ANAPHYLAXIS/TOID	1	50	
COLLAPSE	1	50	
HYPOPNEA	1	50	
MUCOUS MEMBR, MUDDY	1	50	
NERVOUSNESS	1	50	
SWELLING, HEAD/FACE	1	50	
UNCONSCIOUS	1	50	

**PREDNISOLONE, TRIMEPRAZINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**PREDNISOLONE, TRIMEPAZINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	0
SIGN		NUMBER	PERCENT
AGGRESSION		1	20
ALK PHOS HI, BLD		1	20
AMYLASE HI, BLD		1	20
LIPASE HI, BLD		1	20
NERVOUSNESS		1	20
PERFORATION, STOMACH		1	20
PERITONITIS		1	20
POLYPNEA		1	20
SGPT/ALT HI, BLD		1	20
ULCER(S), PYLORUS		1	20

**PRIMIDONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-TABLET(S), ABN		2	100

**PRIMIDONE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN		NUMBER	PERCENT
APPREHENSION		1	33
HALLUCINATION		1	33
HYPERACTIVITY		1	33
INEFFECT, SEIZURES		1	33
POLYCYTHEMIA(RELATIVE)		1	33
POLYDIPSIA		1	33
POLYURIA		1	33
PROTEIN(TOT) HI, BLD		1	33

**PROMAZINE  
NOT APPLICABLE, DEFECT**

**PROMAZINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN	NUMBER		PERCENT
PD-MISSING, LABEL(S)	1		50
PD-TABLET(S), ABN	1		50

---

**PROMAZINE  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
INEFFECT, SEDATION	1		100

---

**PROPOFOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN	NUMBER		PERCENT
PD-SOLUTION, ABN	1		100

---

**PROPOFOL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
8	19	19	4
SIGN	NUMBER		PERCENT
ARREST, HEART	3		38
DEATH	3		38
APNEA	2		25
INEFFECT, ANESTHESIA	2		25
VOCALIZATION	2		25
HYPERACTIVITY	1		13
MUCOUS MEMBR, MUDDY	1		13
TECH ERROR ADMINISTRAT	1		13
TREMBLING	1		13

---

**PYRANTEL  
NOT APPLICABLE, DEFECT**

**PYRANTEL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
17	0	0	0
SIGN		NUMBER	PERCENT
PD-SOLUTION, ABN		4	24
PD-VIAL(S), LEAKING		4	24
PD-CONTAINER(S), ABN		3	18
PD-SEAL, ABN		3	18
PD-CONTAM, MOLD		2	12
PD-ODOR, ABN		2	12
PD-PRODUCT DEFECT		2	12
PD-COLOR, ABN		1	6
PD-CONTAINER(S), DAMAG		1	6
PD-LABEL(S), ABN		1	6

---

**PYRANTEL  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		2	50
ATAXIA		1	25
CONVULSION(S)		1	25
DIARRHEA		1	25
FEVER, BODY		1	25
MYDRIASIS		1	25
UNCONSCIOUS		1	25
VOMITING		1	25
WEAKNESS		1	25

---

**PYRANTEL  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
29	80	43	10
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		5	17
INEFFECT, HOOKS		5	17
DEATH		4	14
INEFFECT, ASCARIDS		4	14
WEAKNESS		4	14

**PYRANTEL  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
29	80	43	10
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ANOREXIA		3	10
ATAXIA		3	10
CONVULSION(S)		3	10
DIARRHEA		3	10
VOMITING		3	10
DIARRHEA, BLOODY		2	7
DIARRHEA, MILD		2	7
RECUMBENCY		2	7
AGGRESSION		1	3
ALBUMIN HI, BLD		1	3
ALBUMIN LO, BLD		1	3
ANEMIA		1	3
BILE ACIDS HI, BLD		1	3
BLD, MOUTH/LIP(S)		1	3
BLINDNESS		1	3
BLOAT		1	3
DISCOMFORT		1	3
GLOBULIN LO, BLD		1	3
GLUCOSE LO, BLD		1	3
HEMOGLOBIN, URINE		1	3
INCONTINENCE, URINARY		1	3
INEFFECT		1	3
INEFFECT, WORMS		1	3
ODOR, MOUTH		1	3
PALLOR		1	3
STOOL ABN		1	3
TREMBLING		1	3
VOMITING, BLOODY		1	3
VOMITING, SEVERE		1	3

**PYRANTEL  
HORSE, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
15	97	42	0
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
INEFFECT, WORMS		4	27

**PYRANTEL  
HORSE, ORAL**

REPORTS	TREATED	REACTED	DIED
15	97	42	0
SIGN		NUMBER	PERCENT
ANOREXIA		2	13
BLOAT		2	13
PAIN, ABDOMEN		2	13
WEIGHT LOSS		2	13
AGGRESSION		1	7
ANEMIA		1	7
APPREHENSION		1	7
BEHAVIOR DISORDER		1	7
DEPRESSION/LETHARGY		1	7
DISTENTION, ABDOMEN		1	7
ESTRUS BEHAVIOR		1	7
HAIR, ABN		1	7
HYPERACTIVITY		1	7
ILL		1	7
INEFFECT, LARGE STRONG		1	7
INEFFECT, PINWORMS		1	7
LOSS OF CONDITION		1	7
NERVOUSNESS		1	7
ULCER(S), GI		1	7

---

**PYRANTEL  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
1	60	22	0
SIGN		NUMBER	PERCENT
INEFFECT, ASCARIDS		1	100

---

**PYRANTEL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	7	7	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		2	67
INJ SITE SWELLING		2	67
INJ SITE ABSCESS		1	33
PAIN		1	33

**PYRANTEL  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	7	7	0
SIGN	NUMBER		PERCENT
TECH ERROR ADMINISTRAT	1		33

---

**PYRANTEL  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	5	5	5
SIGN	NUMBER		PERCENT
INEFFECT, WORMS	1		100

---

**SELAMECTIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
5	0	0	0
SIGN	NUMBER		PERCENT
PD-UNDERFILL, PACKAGE	2		40
PD-ODOR, ABN	1		20
PD-UNDERFILL, TUBE(S)	1		20
PD-UNDERFILL, VIAL(S)	1		20

---

**SELAMECTIN  
HUMAN, INHALATION**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
DISTRESS, RESP	1		50
IRRITATION, EYE(S)/LID	1		50
NAUSEA	1		50
PARAESTHESIA	1		50
RESPIRATORY DISORDER	1		50
WHEEZING	1		50

---

**SELAMECTIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0

**SELAMECTIN  
HUMAN, OPHTHALMIC**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
IRRITATION, EYE(S)/LID		1	100
VISION DISORDER		1	100

---

**SELAMECTIN  
BOBCAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ATAXIA		1	100
DEPRESSION/LETHARGY		1	100
DIARRHEA		1	100
REFLEX(ES) ABN		1	100
WEAKNESS		1	100

---

**SELAMECTIN  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
57	88	65	9
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		18	32
ANOREXIA		13	23
VOMITING		13	23
DIARRHEA		7	12
FEVER, BODY		7	12
DEATH		6	11
TREMBLING		5	9
ALOPECIA		4	7
APPLICATION SITE ALOPECIA		4	7
BILIRUBIN(TOT) HI, BLD		4	7
BLD, URINE		3	5
HIDING		3	5
HYPERSALIVATION		3	5
ILL		3	5
LESION(S), SKIN		3	5
MYDRIASIS		3	5
SGPT/ALT HI, BLD		3	5

**SELAMECTIN  
CAT, TOPICAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
57	88	65	9
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ALK PHOS HI, BLD		2	4
ANEMIA		2	4
APPLICATION SITE ERYTHEMA		2	4
ATAXIA		2	4
HEAD TILT		2	4
HYPOTHERMIA, BODY		2	4
NYSTAGMUS		2	4
PR-LIVER, LESION(S)		2	4
PRURITIS		2	4
RESPIRATORY DISORDER		2	4
SEGS HI, BLD		2	4
URINATION ABN		2	4
WBC HI, BLD		2	4
ALBUMIN LO, BLD		1	2
AMYLASE HI, BLD		1	2
APPLICATION SITE PRURITIS		1	2
ASCITES		1	2
BEHAVIOR DISORDER		1	2
BLD(HEMATOMA)		1	2
BLD, ABDOMEN		1	2
BUN HI, BLD		1	2
CIRCLING		1	2
CO2 LO, BLD		1	2
CONGESTION, LUNG(S)		1	2
CONJUNCTIVITIS		1	2
CONVULSION(S)		1	2
COUGHING		1	2
CPK HI, BLD		1	2
CYANOSIS		1	2
DEAFNESS		1	2
DEATH(EUTHANIZED)		1	2
DEHYDRATION		1	2
DIARRHEA, SEVERE		1	2
DIARRHEA, WATERY		1	2
DISCHARGE, NOSE		1	2

**SELAMECTIN  
CAT, TOPICAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
57	88	65	9
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
DISTRESS		1	2
DISTRESS, RESP		1	2
DYSPNEA		1	2
DYSURIA		1	2
EDEMA, LUNG(S)/TRACHEA		1	2
ELIMINATION ABN		1	2
EOSINOS HI, BLD		1	2
ERUPTION(S)		1	2
GGT HI, BLD		1	2
GLOBULIN HI, BLD		1	2
GLUCOSE HI, BLD		1	2
HEPATOMEGALY		1	2
HYPERESTHESIA		1	2
ICTERUS, BODY		1	2
INEFFECT, ASCARIDS		1	2
INEFFECT, FLEAS		1	2
INEFFECT, HOOKS		1	2
INEFFECT, STRONGYLES		1	2
INFLAM, SKIN		1	2
INJ SITE PRURITIS		1	2
KIDNEY DISORDER		1	2
LICKING		1	2
LIPASE HI, BLD		1	2
LYMPHS LO, BLD		1	2
NA LO, BLD		1	2
OTITIS		1	2
P LO, BLD		1	2
PAIN		1	2
POLYDIPSIA		1	2
POLYURIA		1	2
PR-KIDNEY(S), LESION(S)		1	2
PR-MULT SITES, CONGEST		1	2
PR-SPLEEN, LESION(S)		1	2
PROTEIN(TOT) LO, BLD		1	2
RADIOGRAPH(S) ABN		1	2

**SELAMECTIN  
CAT, TOPICAL**

REPORTS	TREATED	REACTED	DIED
57	88	65	9
SIGN		NUMBER	PERCENT
RECUMBENCY		1	2
ROLLING		1	2
SEGS LO, BLD		1	2
SGOT/AST HI, BLD		1	2
SHAKING		1	2
SKIN, SCAB(S)		1	2
SNEEZING		1	2
SPLENOMEGALY		1	2
STUPOR		1	2
SWELLING, EYE(S)/LID(S)		1	2
SWELLING, NECK		1	2
TACHYCARDIA		1	2
TOX		1	2
TWITCH		1	2
US-LIVER ABN		1	2
WBC LO, BLD		1	2
WEAKNESS		1	2
WEIGHT LOSS		1	2
WHEEZING		1	2

---

**SELAMECTIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
95	146	115	8
SIGN		NUMBER	PERCENT
PRURITIS		16	17
VOMITING		12	13
DIARRHEA		8	8
ALOPECIA		7	7
ANOREXIA		7	7
INEFFECT, FLEAS		7	7
DEPRESSION/LETHARGY		6	6
INEFFECT, ECTOPARASITE		6	6
INFLAM, SKIN		6	6
WEIGHT INCREASE		6	6
DEATH		5	5

**SELAMECTIN  
DOG, TOPICAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
95	146	115	8
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BLD, URINE		3	3
BUN HI, BLD		3	3
CONGESTION, SKIN		3	3
CONVULSION(S)		3	3
COUGHING		3	3
DIARRHEA, MILD		3	3
HYPERSALIVATION		3	3
RASH		3	3
SEBORRHEA		3	3
TREMBLING		3	3
VOMITING, UNPRODUCTIVE		3	3
ANEMIA		2	2
APPLICATION SITE PRURITIS		2	2
CA LO, BLD		2	2
CONGESTION, EYE(S)/LID		2	2
DERMATITIS, MOIST		2	2
FEVER, BODY		2	2
HAIR, SHEDDING		2	2
INEFFECT, EAR MITES		2	2
INEFFECT, PARASITE		2	2
INFECTION, SKIN		2	2
MASS, SKIN		2	2
MICROORANISMS, URINE		2	2
NEOPLASM		2	2
P HI, BLD		2	2
PROTEIN(TOT) LO, BLD		2	2
SCALE(S), SKIN		2	2
SGPT/ALT HI, BLD		2	2
SORE(S)		2	2
SWELLING, HEAD/FACE		2	2
URTICARIA		2	2
VOCALIZATION		2	2
ADIPSIA		1	1
ALBUMIN LO, BLD		1	1
ALK PHOS HI, BLD		1	1

**SELAMECTIN  
DOG, TOPICAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
95	146	115	8
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
ANEMIA, AUTOIMMUNE HEM		1	1
ANEMIA, HEMOLYTIC		1	1
ANEMIA, SPHERO		1	1
APPLICATION SITE ALOPECIA		1	1
APPREHENSION		1	1
ATAXIA		1	1
BILIRUBIN(TOT) HI, BLD		1	1
BILIRUBIN, URINE		1	1
CHLORIDE LO, BLD		1	1
CO2 HI, BLD		1	1
COLITIS		1	1
CONJUNCTIVITIS		1	1
CPK HI, BLD		1	1
CREATININE HI, BLD		1	1
DIARRHEA, BLOODY		1	1
DIARRHEA, MUCOID		1	1
DYSPNEA		1	1
EOSINOS HI, BLD		1	1
FROTH, MOUTH/LIP(S)		1	1
GLOBULIN LO, BLD		1	1
GLUCOSE LO, BLD		1	1
GLUCOSE, URINE		1	1
HAIR, ABN		1	1
HYPERPIGMENTATION, SKI		1	1
HYPOTHERMIA, BODY		1	1
INCONTINENCE, URINARY		1	1
IRRITATION		1	1
K LO, BLD		1	1
KIDNEY FAILURE		1	1
LESION(S), SKIN		1	1
LYMPHS LO, BLD		1	1
MELENA		1	1
MIOSIS		1	1
NA LO, BLD		1	1
NAUSEA		1	1

**SELAMECTIN  
DOG, TOPICAL**

REPORTS	TREATED	REACTED	DIED
95	146	115	8
SIGN		NUMBER	PERCENT
OTITIS		1	1
PAIN		1	1
PALLOR, MUCOUS MEMBRAN		1	1
PAPULE(S)		1	1
PARALYSIS, ALL LIMBS		1	1
PLATELETS LO, BLD		1	1
PROPRIOCEPTIVE DISORDE		1	1
PROTEIN, URINE		1	1
PRURITIS, EAR(S)		1	1
PUPIL(S), AREFLEXIA		1	1
RECUMBENCY		1	1
SHAKING		1	1
SNEEZING		1	1
SOUND ABN, RESPIRATORY		1	1
SPEC GRAVITY LO, URINE		1	1
SWELLING, FEET/DIGIT(S)		1	1
SWELLING, NECK		1	1
THYROID HORMONE(S) LO		1	1
TWITCH		1	1
VESICLE(S)/BULLAE, SKI		1	1
VOMITING, BLOODY		1	1
WEIGHT LOSS		1	1
WHEEZING		1	1

---

**SELAMECTIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
9	9	7	0
SIGN		NUMBER	PERCENT
URTICARIA		4	44
DIZZINESS		1	11
INFLAM, SKIN		1	11
IRRITATION, PHARYNX/TH		1	11
IRRITATION, SKIN		1	11
LESION(S), SKIN		1	11
NAUSEA		1	11

**SELAMECTIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
9	9	7	0
SIGN		NUMBER	PERCENT
PARAESTHESIA		1	11
RASH		1	11
RESPIRATORY DISORDER		1	11
SWELLING, EYE(S)/LID(S)		1	11
SWELLING, MOUTH/LIP(S)		1	11
TASTE ABNORMALITY		1	11
VOMITING		1	11

---

**SELAMECTIN  
VARIOUS, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	3	1	0
SIGN		NUMBER	PERCENT
OTITIS		1	100
SHAKING, HEAD/FACE		1	100

---

**SELAMECTIN  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN		NUMBER	PERCENT
CONGESTION, SKIN		1	33
INEFFECT, ECTOPARASITE		1	33
INFLAM, SKIN		1	33
LESION(S), SKIN		1	33
PRURITIS		1	33
VOMITING		1	33

---

**SELAMECTIN  
HUMAN, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
VOMITING		1	100

---



---

**SELEGILINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
38	0	0	0
SIGN		NUMBER	PERCENT
PD-TABLET(S), ABN		28	74
PD-UNKNOWN		8	21
PD-CONTAINER(S), DAMAG		1	3
PD-PRODUCT DEFECT		1	3
PD-UNDERFILL, VIAL(S)		1	3

**SELEGILINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
ANOREXIA		1	100
SEGS HI, BLD		1	100
WBC HI, BLD		1	100

**SELEGILINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
635	635	634	70
SIGN		NUMBER	PERCENT
VOMITING		88	14
DEPRESSION/LETHARGY		68	11
DIARRHEA		65	10
ANOREXIA		60	9
INEFFECT, LOSS OF EFPE		51	8
POLYDIPSIA		51	8
POLYPNEA		49	8
NERVOUSNESS		48	8
CONVULSION(S)		39	6
POLYURIA		39	6
CONFUSION		37	6
INEFFECT		29	5
WEAKNESS		28	4
HYPERACTIVITY		27	4
PACING		26	4
VOCALIZATION		26	4

**SELEGILINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
635	635	634	70
SIGN		NUMBER	PERCENT
DEATH(EUTHANIZED)		24	4
INEFFECT, CDS		23	4
ATAXIA		21	3
WEIGHT LOSS		19	3
TREMBLING		18	3
AGGRESSION		17	3
DEATH		16	3
INTERACTION, DRUG(S)		15	2
ALK PHOS HI, BLD		13	2
APPREHENSION		12	2
HYPERSALIVATION		12	2
BUN HI, BLD		11	2
CIRCLING		11	2
CREATININE HI, BLD		11	2
POLYPHAGIA		11	2
PROPRIOCEPTIVE DISORDE		10	2
PRURITIS		10	2
DYSPNEA		9	1
STUPOR		9	1
ANEMIA		8	1
BEHAVIOR DISORDER		8	1
COLLAPSE		8	1
DEAFNESS		8	1
HEAD TILT		8	1
PAIN, ABDOMEN		8	1
RECUMBENCY		7	1
SGPT/ALT HI, BLD		7	1
BLINDNESS		6	1
DIARRHEA, BLOODY		6	1
DIARRHEA, MILD		6	1
INFECTION, URINARY TRA		6	1
ALOPECIA		5	1
DEFECATION		5	1
DISSOCIATION		5	1
HIDING		5	1

**SELEGILINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
635	635	634	70
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
K HI, BLD		5	1
KIDNEY FAILURE		5	1
LICKING		5	1
MELENA		5	1
PARESIS, HIND LIMB(S)		5	1
SHAKING		5	1
SYNCOPE		5	1
BILIRUBIN(TOT) HI, BLD		4	1
BITING/CHEWING		4	1
BLD, URINE		4	1
EPISTAXIS		4	1
LIVER ENZYMES HI, BLD		4	1
PALLOR		4	1
PARESIS		4	1
RELUCTANT TO MOVE		4	1
SEDATION		4	1
SPASM		4	1
URINATION		4	1
WEIGHT INCREASE		4	1
BORBORYGMI		3	
DIABETES MELLITUS		3	
DIARRHEA, MUCOID		3	
HEMATOCHEZIA		3	
INFECTION, SKIN		3	
PALLOR, MUCOUS MEMBRAN		3	
PROTEIN, URINE		3	
SOMNOLENCE		3	
SPEC GRAVITY LO, URINE		3	
SWELLING, PHARYNX/THRO		3	
VESTIBULAR DISORDER		3	
WBC HI, BLD		3	
ADIPSIA		2	
AMYLASE HI, BLD		2	
ANESTH RECOV PROLONGED		2	
ARRHYTHMIA		2	

**SELEGILINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
635	635	634	70
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
BILIRUBIN, URINE		2	
CHLORIDE LO, BLD		2	
CONGESTION, SKIN		2	
CONSTIPATION		2	
DEAFNESS, PARTIAL		2	
DEFECATION ABN		2	
DIABETES		2	
DIABETES M, POOR REGUL		2	
DIARRHEA, PROJECTILE		2	
DIGESTION DISORDER		2	
DILITATION, ESOPHAGUS		2	
DISTENTION, ABDOMEN		2	
DYSMETRIA		2	
FEVER, BODY		2	
GAGGING		2	
GLAUCOMA		2	
GLUCOSE HI, BLD		2	
HAIR, ABN		2	
HEART DISORDER		2	
HEART FAILURE		2	
ICTERUS, BODY		2	
INSOMNIA		2	
LICKING, FEET/DIGIT(S)		2	
MYDRIASIS		2	
NA LO, BLD		2	
NEUROLOGICAL DISORDER		2	
NOCTURIA		2	
P HI, BLD		2	
PARALYSIS, FACIAL NERV		2	
PARALYSIS, HIND LIMB(S)		2	
PLATELETS LO, BLD		2	
RASH		2	
REFLEX(ES) ABN		2	
SEBORRHEA		2	
SORE(S)		2	

**SELEGILINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
635	635	634	70
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
SOUND ABN, RESPIRATORY		2	
STIFFNESS		2	
SWELLING, HEAD/FACE		2	
TACHYCARDIA		2	
TORTICOLLIS		2	
TRIGLYCERIDES HI, BLD		2	
TWITCH		2	
URTICARIA		2	
ABN COLOR, URINE		1	
ABSCESS, SKIN		1	
ALKALINE URINE		1	
ANEMIA, AUTOIMMUNE HEM		1	
ANEMIA, REGEN		1	
ANURIA		1	
ATROPHY, MUSCLE(S)		1	
BANDS HI, BLD		1	
BASOS HI, BLD		1	
BLD		1	
BLD, MOUTH/LIP(S)		1	
BLD, RECTUM		1	
BLINDNESS, PARTIAL		1	
BLINDNESS, TEMP		1	
BLOAT		1	
BRADYCARDIA		1	
BREATHING, DIFFICULT		1	
CHOLESTEROL HI, BLD		1	
COAGULATION DISORDER		1	
COLITIS		1	
CONGESTION, EYE(S)/LID		1	
CONGESTION, LUNG(S)		1	
CONGESTION, TONGUE		1	
COOMBS TEST POS		1	
CRYSTALS, URINE		1	
CULTURE/TITER DATA ABN		1	
CYANOSIS		1	

**SELEGILINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
635	635	634	70
SIGN		NUMBER	PERCENT
CYSTITIS		1	
DEAFNESS, TEMP		1	
DIARRHEA, WATERY		1	
DIC		1	
DISCHARGE, EYE(S)/LID(S)		1	
DISCOMFORT		1	
DYSPHAGIA		1	
ECG, ABN		1	
ELECTROLYTE DISORDER		1	
ENLARGEMENT(S)		1	
ENLARGEMENT(S), SKIN		1	
ENLARGEMENT, LYMPH NOD		1	
EOSINOS HI, BLD		1	
EXERCISE INTOLERANCE		1	
FLATULENCE		1	
FROTH, MOUTH/LIP(S)		1	
GASTROENTERITIS		1	
GGT HI, BLD		1	
GLUCOSE LO, BLD		1	
GLUCOSE, URINE		1	
HAIR, SHEDDING		1	
HEMOGLOBIN, URINE		1	
HYPERKERATOSIS		1	
HYPERMOTILITY		1	
HYPERPNEA		1	
HYPOTHERMIA, BODY		1	
ILL		1	
INCONTINENCE, URINARY		1	
KERATOCONJUNCTIVITIS S		1	
KIDNEY DISORDER		1	
KIDNEY VALUES HI, BLD		1	
LESION(S), SKIN		1	
MASS, ABDOMEN		1	
MASS, SKIN		1	
MURMUR, HEART		1	

**SELEGILINE  
DOG, ORAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
635	635	634	70
<b>SIGN</b>		<b>NUMBER</b>	<b>PERCENT</b>
MYOSITIS		1	
NAUSEA		1	
NECROSIS		1	
NYSTAGMUS		1	
NYSTAGMUS, HORIZONTAL		1	
OPISTHOTONOS		1	
PAIN		1	
PAIN, LIMB(S)		1	
PANCREATITIS		1	
PNEUMONIA, ASPIRATION		1	
POLLAKIURIA		1	
PR-LUNG(S), LESION(S)		1	
PR-SKIN, LESION(S)		1	
PRESSURE HI, BLD		1	
PRIAPISM		1	
PUPIL(S), AREFLEXIA		1	
RADIOGRAPH(S) ABN		1	
REPETITIVE MOVEMENTS		1	
RESPIRATORY DISORDER		1	
RETINA ABN		1	
SEGS HI, BLD		1	
SGOT/AST HI, BLD		1	
SHOCK		1	
SKIN DISORDER		1	
SKIN, CRUST(S)		1	
SLOUGH		1	
SLOUGH, FEET/DIGIT(S)		1	
SNEEZING		1	
SPEC GRAVITY HI, URINE		1	
STAGGERING		1	
STARING		1	
STOOL ABN		1	
STUMBLING		1	
SWELLING, MOUTH/LIP(S)		1	
TAIL DISORDER		1	

**SELEGILINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
635	635	634	70
SIGN		NUMBER	PERCENT
TENESMUS, RECTAL		1	
TETANY		1	
THYROID HORMONE(S) LO		1	
TREMBLING, FACE		1	
ULCER(S), FEET/DIGIT(S)		1	
ULCER(S), MOUTH/LIP(S)		1	
ULCER(S), TONGUE		1	
URINE ABN		1	
VOMITING, BLOODY		1	
VOMITING, UNPRODUCTIVE		1	

---

**SELEGILINE  
NOT REVIEWED, ZZ**

REPORTS	TREATED	REACTED	DIED
1			
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	100

---

**SELENIUM, VITAMIN E  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
3	0	0	0
SIGN		NUMBER	PERCENT
PD-VIAL(S), LEAKING		2	67
PD-CONTAINER(S), ABN		1	33
PD-MISSING, CAP		1	33
PD-SEAL, ABN		1	33

---

**SELENIUM, VITAMIN E  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
7	20	11	3
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		6	86

**SELENIUM, VITAMIN E  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
7	20	11	3
SIGN		NUMBER	PERCENT
DEATH		3	43
BLOAT		1	14
COLLAPSE		1	14
HYPERPNEA		1	14
HYPERSALIVATION		1	14
HYPERTONIA		1	14
SHOCK		1	14
STAGGERING		1	14
SWEATING		1	14
TREMBLING		1	14

---

**SELENIUM, VITAMIN E  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	19	10	4
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		5	83
DEATH		4	67
COLLAPSE		2	33
INJ SITE BLD		1	17
INJ SITE STERILE ABSCE		1	17
INJ SITE SWELLING		1	17
NERVOUSNESS		1	17
PAIN, ABDOMEN		1	17
PALLOR, MUCOUS MEMBRAN		1	17
SHAKING		1	17
SHOCK		1	17

---

**SELENIUM, VITAMIN E  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
PAIN, FEET/DIGIT(S)		1	100

---

**SELENIUM, VITAMIN E  
SHEEP, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	11	11	4
SIGN		NUMBER	PERCENT
DEATH		1	100
INJ SITE PAIN		1	100
LAMENESS		1	100

---

**SELENIUM, VITAMIN E  
CATTLE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	131	21	0
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		2	100
RECUMBENCY		2	100
ANOREXIA		1	50
ATAXIA		1	50
DYSPNEA		1	50
FROTH, MOUTH/LIP(S)		1	50
HYPERSALIVATION		1	50

---

**SELENIUM, VITAMIN E  
CATTLE, VARIOUS**

REPORTS	TREATED	REACTED	DIED
2	287	10	0
SIGN		NUMBER	PERCENT
ATAXIA		1	50
INJ SITE ABSCESS		1	50
INJ SITE SWELLING		1	50
STAGGERING		1	50

---

**SOMETRIBOVE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
117	15096	5254	107
SIGN		NUMBER	PERCENT
UDDER, MASTITIS		24	21
FERTILITY, REDUCED		21	18

**SOMETRIBOVE  
CATTLE, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
117	15096	5254	107
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
WBC HI, MILK	21	18	
INEFFECT, MILK PROD	20	17	
INJ SITE SWELLING	11	9	
BIRTH, MULTIPLE	10	9	
DEATH	8	7	
HOOF DISORDER	8	7	
LAMENESS	7	6	
UDDER, SWELLING	7	6	
WEIGHT LOSS	7	6	
INJ SITE ABSCESS	5	4	
UDDER, HYPOGALACTIA	5	4	
ABORTION	4	3	
ACIDOSIS	4	3	
LAMINITIS	4	3	
SWELLING, JOINT(S)	4	3	
SWELLING, LIMB(S)	4	3	
UDDER, ABN	4	3	
DEATH(SLAUGHTERED)	3	3	
ILL	3	3	
LOSS OF CONDITION	3	3	
REPRODUCTION DISORDER	3	3	
UDDER, MILK ABN	3	3	
ANOREXIA	2	2	
DEATH(STILLBORN)	2	2	
OVARIES, CYSTIC	2	2	
PLACENTA, RETAINED	2	2	
URTICARIA	2	2	
ANESTRUS	1	1	
CACHEXIA	1	1	
DISPLACED ABOMASUM	1	1	
DYSPNEA	1	1	
EPIPHORA	1	1	
INJ SITE FIBROSIS	1	1	
INJ SITE STERILE ABSCE	1	1	
KETOSIS	1	1	

**SOMETRIBOVE  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
117	15096	5254	107
SIGN	NUMBER	PERCENT	
LESION(S), SKIN	1	1	
LIVER ENZYMES HI, BLD	1	1	
METRITIS	1	1	
OVERIES, CYSTIC	1	1	
PAIN, FEET/DIGIT(S)	1	1	
PD-COLOR, ABN	1	1	
PD-POTENCY, LO	1	1	
PR-BLD VESSEL(S), LESI	1	1	
REACTION, UNSPECIFIED	1	1	
RECUMBENCY	1	1	
RESPIRATORY DISORDER	1	1	
SWELLING, BRISKET/CHES	1	1	
UDDER, HARD	1	1	
ULCER(S), SKIN	1	1	
WEAKNESS	1	1	

**SOMETRIBOVE  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN	NUMBER	PERCENT	
INJ SITE INFLAM	3	75	
INJ SITE EDEMA	2	50	
INJ SITE PAIN	2	50	
INJ SITE INFECT	1	25	

**SOMETRIBOVE  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER	PERCENT	
LESION(S), SKIN	1	100	

**STANOZOLOL  
HORSE, PARENTERAL**

**STANOZOLOL  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
ANAPHYLAXIS/TOID		1	100
COLLAPSE		1	100
CONVULSION(S)		1	100
DEATH		1	100
HEART FAILURE		1	100

**STANOZOLOL  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
CARDIOMEGALY		1	100
KIDNEY FAILURE		1	100
LIVER FAILURE		1	100

**SULFADIAZINE, TRIMETHOPRIM  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
PRURITIS		1	100

**SULFADIAZINE, TRIMETHOPRIM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN		NUMBER	PERCENT
FEVER, BODY		3	75
ANEMIA		1	25
ANOREXIA		1	25
BILIRUBIN(TOT) HI, BLD		1	25
BLD, URINE		1	25
DEPRESSION/LETHARGY		1	25
DISCHARGE, EYE(S)/LID(S)		1	25

**SULFADIAZINE, TRIMETHOPRIM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
4	4	4	0
SIGN			PERCENT
SGPT/ALT HI, BLD			25

**SULFADIAZINE, TRIMETHOPRIM  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN			PERCENT
DEATH			100
DIARRHEA, WATERY			100
PAIN, ABDOMEN			100
SHOCK, ENDOTOXEMIA			100
SWEATING			100
TREMBLING			100
TREMBLING, FACE			100

**SULFADIMETHOXINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
16	0	0	0
SIGN			PERCENT
PD-TABLET(S), ABN			50
PD-VIAL(S), LEAKING			25
PD-UNDERFILL, VIAL(S)			13
PD-CAP(S), ABN			6
PD-SEAL, ABN			6
PD-TUBE(S), LEAKING			6

**SULFADIMETHOXINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	22	7	0
SIGN			PERCENT
INEFFECT, COCCIDIA			67
ANEMIA			33

**SULFADIMETHOXINE  
CAT, ORAL**

REPORTS	TREATED	REACTED	DIED
3	22	7	0
SIGN		NUMBER	PERCENT
ANOREXIA		1	33
DIARRHEA		1	33
DIARRHEA, MILD		1	33
WEIGHT LOSS		1	33

---

**SULFADIMETHOXINE  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
7	67	8	3
SIGN		NUMBER	PERCENT
INEFFECT, COCCIDIA		3	43
ALBUMIN LO, BLD		1	14
ALK PHOS HI, BLD		1	14
CONVULSION(S)		1	14
DEATH(EUTHANIZED)		1	14
FEVER, BODY		1	14
FROTH, MOUTH/LIP(S)		1	14
MELENA		1	14
PAIN		1	14
PALLOR		1	14
PRURITIS		1	14
SWELLING, EYE(S)/LID(S)		1	14
SWELLING, HEAD/FACE		1	14
WBC LO, BLD		1	14
WEAKNESS		1	14

---

**SULFADIMETHOXINE  
FERRET, ORAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
IRRITATION, PERINEUM		1	100
PRURITIS		1	100

---

**SULFADIMETHOXINE  
VARIOUS, ORAL**

**SULFADIMETHOXINE  
VARIOUS, ORAL**

REPORTS	TREATED	REACTED	DIED
1	200	40	0
SIGN		NUMBER	PERCENT
INEFFECT, COCCIDIA		1	100

---

**SULFADIMETHOXINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE ABSCESS		1	100

---

**SULFAMETHOXAZOLE, TRIMETHOPRIM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	1
SIGN		NUMBER	PERCENT
ANOREXIA		3	60
DEPRESSION/LETHARGY		2	40
ICTERUS		2	40
KERATOCONJUNCTIVITIS S		2	40
ALK PHOS HI, BLD		1	20
ANEMIA		1	20
ARTHRITIS		1	20
BILIRUBIN(TOT) HI, BLD		1	20
BLD(PETECHIAE)		1	20
CA LO, BLD		1	20
DEATH(EUTHANIZED)		1	20
EFFUSION, JOINT(S)		1	20
ENLARGEMENT, LYMPH NOD		1	20
GLOBULIN HI, BLD		1	20
LAMENESS		1	20
LYMPHS LO, BLD		1	20
MELENA		1	20
MONOS HI, BLD		1	20
PANCYTOPENIA		1	20
PLATELETS LO, BLD		1	20

**SULFAMETHOXAZOLE, TRIMETHOPRIM  
DOG, ORAL**

REPORTS	TREATED	REACTED	DIED
5	5	5	1
SIGN		NUMBER	PERCENT
PR-BONE MARROW, LESION		1	20
PR-LIVER, LESION(S)		1	20
SEGS HI, BLD		1	20
SEGS LO, BLD		1	20
SGPT/ALT HI, BLD		1	20
STIFFNESS, LIMB(S)		1	20
WBC HI, BLD		1	20

**TETRACYCLINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
4	0	0	0
SIGN		NUMBER	PERCENT
PD-CONTAINER(S), DAMAG		3	75
PD-VIAL(S), ABN		1	25

**TILETAMINE, ZOLAZEPAM  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
8	0	0	0
SIGN		NUMBER	PERCENT
PD-SOLUTION, ABN		4	50
PD-COLOR, ABN		3	38
PD-VIAL(S), ABN		2	25
PD-POTENCY, LO		1	13
PD-VIAL(S), DAMAGED		1	13

**TILETAMINE, ZOLAZEPAM  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
42	446	198	9
SIGN		NUMBER	PERCENT
ANESTH RECOV PROLONGED		10	24

**TILETAMINE, ZOLAZEPAM  
CAT, PARENTERAL**

<b>REPORTS</b>	<b>TREATED</b>	<b>REACTED</b>	<b>DIED</b>
42	446	198	9
<b>SIGN</b>	<b>NUMBER</b>	<b>PERCENT</b>	
EDEMA, LUNG(S)/TRACHEA	8	19	
INEFFECT, ANESTHESIA	8	19	
DEATH	7	17	
DYSPNEA	7	17	
ATAXIA	5	12	
HYPOTHERMIA, BODY	5	12	
DEPRESSION/LETHARGY	4	10	
MYDRIASIS	3	7	
POLYPNEA	3	7	
RECUMBENCY	3	7	
ANOREXIA	2	5	
APNEA	2	5	
BREATHING ABN	2	5	
BREATHING, PERIODIC	2	5	
CARDIOMEGALY	2	5	
DISTRESS, RESP	2	5	
FEVER, BODY	2	5	
NEUROLOGICAL DISORDER	2	5	
RADIOGRAPH(S) ABN	2	5	
SOUND ABN, RESPIRATORY	2	5	
STUPOR	2	5	
TWITCH	2	5	
ANESTH RECOV TURBULENT	1	2	
ANESTH TOO DEEP	1	2	
BLD, LUNG(S)/TRACHEA	1	2	
BLINDNESS	1	2	
BRADYCARDIA	1	2	
CIRCLING	1	2	
CONFUSION	1	2	
CONGESTION, LUNG(S)	1	2	
DEATH(EUTHANIZED)	1	2	
DEHYDRATION	1	2	
DYSMETRIA	1	2	
EYE DISORDER	1	2	
HEAD BOBBING	1	2	

**TILETAMINE, ZOLAZEPAM  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
42	446	198	9
SIGN	NUMBER	PERCENT	
HYPOPNEA	1	2	
HYPOTHERMIA	1	2	
INEFFECT, SEDATION	1	2	
MIOSIS	1	2	
MUCOUS MEMBR, ABN COLO	1	2	
NERVOUSNESS	1	2	
NYSTAGMUS, VERTICAL	1	2	
OPISTHOTONOS	1	2	
PALLOR, MUCOUS MEMBRAN	1	2	
PR-MULT SITES, BLD	1	2	
PROLAPSE, THIRD EYELID	1	2	
PRURITIS	1	2	
PUPIL(S), AREFLEXIA	1	2	
REFLEX(ES) ABN	1	2	
SHAKING, HEAD/FACE	1	2	
SHOCK	1	2	
SORE(S)	1	2	
STRABISMUS	1	2	
URTICARIA	1	2	
VESTIBULAR DISORDER	1	2	
VOCALIZATION	1	2	

---

**TILETAMINE, ZOLAZEPAM  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
23	83	82	9
SIGN	NUMBER	PERCENT	
INEFFECT, ANESTHESIA	5	22	
DEATH	4	17	
FEVER, BODY	4	17	
ANESTH RECOV PROLONGED	3	13	
ANESTH RECOV TURBULENT	3	13	
APNEA	3	13	
ARREST, HEART	2	9	
ATAXIA	1	4	
BLOAT	1	4	

**TILETAMINE, ZOLAZEPAM  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
23	83	82	9
SIGN	NUMBER		PERCENT
BRADYCARDIA	1		4
CONVULSION(S)	1		4
CYANOSIS	1		4
DEAFNESS	1		4
EDEMA, LUNG(S)/TRACHEA	1		4
POLYPNEA	1		4
PR-HEART, LESION(S)	1		4
PR-LUNG(S), LESION(S)	1		4

---

**TILETAMINE, ZOLAZEPAM  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
HYPOESTHESIA, FEET/DIG	1		50
INJ SITE ABN	1		50
INJ SITE SWELLING	1		50
NAUSEA	1		50
UNCONSCIOUS	1		50

---

**TILETAMINE, ZOLAZEPAM  
PRIMATE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	8	1	1
SIGN	NUMBER		PERCENT
ALK PHOS HI, BLD	1		100
ANEMIA	1		100
DEATH	1		100
LIVER ENZYMES HI, BLD	1		100
PLATELETS LO, BLD	1		100
PR-SM INTEST, LESION(S)	1		100
PROTEIN(TOT) HI, BLD	1		100
WBC HI, BLD	1		100

---

**TILETAMINE, ZOLAZEPAM  
VARIOUS, PARENTERAL**

**TILETAMINE, ZOLAZEPAM  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	102	22	2
SIGN	NUMBER		PERCENT
DEATH	1		50
INEFFECT, ANESTHESIA	1		50

---

**TILETAMINE, ZOLAZEPAM  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
8	18	15	3
SIGN	NUMBER		PERCENT
DEATH	2		25
DYSPNEA	2		25
EDEMA, LUNG(S)/TRACHEA	2		25
INEFFECT, ANESTHESIA	2		25
ANOREXIA	1		13
APNEA	1		13
ATAXIA	1		13
BUN HI, BLD	1		13
CONVULSION(S)	1		13
HEAD BOBBING	1		13
NEUROLOGICAL DISORDER	1		13
PD-SOLUTION, ABN	1		13
RECUMBENCY	1		13
TACHYCARDIA	1		13
VOMITING	1		13
WBC HI, BLD	1		13
WEAKNESS	1		13

---

**TILETAMINE, ZOLAZEPAM  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	3	3	0
SIGN	NUMBER		PERCENT
VOMITING	1		100

---

**TILETAMINE, ZOLAZEPAM  
VARIOUS, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**TILETAMINE, ZOLAZEPAM  
VARIOUS, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	4	4	0
SIGN	NUMBER		PERCENT
INEFFECT, ANESTHESIA	1		100

---

**TILETAMINE, ZOLAZEPAM  
VARIOUS, VARIOUS**

REPORTS	TREATED	REACTED	DIED
1	30	30	0
SIGN	NUMBER		PERCENT
INEFFECT, ANESTHESIA	1		100

---

**TILMICOSIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
17	899	213	32
SIGN	NUMBER		PERCENT
DEATH	10		59
INJ SITE SWELLING	5		29
RECUMBENCY	5		29
DYSPNEA	3		18
ATAXIA	2		12
RELUCTANT TO MOVE	2		12
ANAPHYLAXIS/TOID	1		6
COLLAPSE	1		6
DEATH(EUTHANIZED)	1		6
DEATH(NEWBORN)	1		6
DEATH(STILLBORN)	1		6
DEPRESSION/LETHARGY	1		6
DIARRHEA	1		6
ENLARGEMENT, LYMPH NOD	1		6
HYPERACTIVITY	1		6
HYPERESTHESIA	1		6
INJ SITE ABSCESS	1		6
JOINT DISORDER	1		6
LAMENESS	1		6
PAIN	1		6

**TILMICOSIN  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
17	899	213	32
SIGN		NUMBER	PERCENT
PR-SM INTEST, LESION(S)		1	6
PROTRUSION, EYE(S)		1	6
STAGGERING		1	6
STIFFNESS		1	6
SWELLING, NECK		1	6
WEAKNESS		1	6
WEAKNESS, NEWBORN		1	6

**TILMICOSIN  
GOAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	3	3	3
SIGN		NUMBER	PERCENT
BLOAT		1	100
DEATH		1	100
DISTRESS		1	100
RECUMBENCY		1	100

**TILMICOSIN  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
DIZZINESS		1	50
DYSPNEA		1	50
INJ SITE ABN		1	50
INJ SITE PAIN		1	50
PAIN, BRISKET/CHEST		1	50

**TILMICOSIN  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN		NUMBER	PERCENT
DEATH		1	100

**TILMICOSIN  
SHEEP, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	1
SIGN			PERCENT
DEATH			50
DISTRESS, RESP			50
HYPERACTIVITY			50
HYPERPNEA			50

**TILMICOSIN  
GOAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN			PERCENT
DEATH			100

**TOLAZOLINE  
DEER, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN			PERCENT
BRADYCARDIA			100
COLLAPSE			100

**TOLAZOLINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN			PERCENT
ATAXIA			100
COLLAPSE			100
COUGHING			100
DEATH			100
THRASHING/PADDLING			100

**TRENBOLONE  
CATTLE, SUPPOSITORY**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**TRENBOLONE  
CATTLE, SUPPOSITORY**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN	NUMBER		PERCENT
AGGRESSION	1		100

---

**TRIAMCINOLONE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
10	0	0	0
SIGN	NUMBER		PERCENT
PD-SUSPENSION, ABN	10		100

---

**TRIAMCINOLONE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100
MYDRIASIS	1		100
PARESIS, HIND LIMB(S)	1		100

---

**TRIAMCINOLONE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
6	14	14	0
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	3		50
SHOCK	3		50
CONFUSION	1		17
DIARRHEA, BLOODY	1		17
DYSPNEA	1		17
EDEMA, LARYNX	1		17
INEFFECT, ANTIINFLAM	1		17
PALLOR	1		17
PALLOR, MUCOUS MEMBRAN	1		17
RECUMBENCY	1		17
WEAKNESS	1		17

---

**TRIAMCINOLONE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
LAMINITIS	1		100

**TRIAMCINOLONE  
DOG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ANAPHYLAXIS/TOID	1		100

**TRIPLENNAMINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER		PERCENT
DEATH	1		100
MYOSITIS	1		100
PR-MUSCLE(S), LESION(S)	1		100

**TYLOSIN  
GOAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
INJ SITE SWELLING	1		100

**TYLOSIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN	NUMBER		PERCENT
ABN COLOR, URINE	1		50
CONGESTION, MUCOUS MEM	1		50
DEPRESSION/LETHARGY	1		50

**TYLOSIN  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	2	2	0
SIGN		NUMBER	PERCENT
DIARRHEA, MILD		1	50
ILL		1	50
RECUMBENCY		1	50

---

**TYLOSIN  
HUMAN, TOPICAL**

REPORTS	TREATED	REACTED	DIED
3	3	3	0
SIGN		NUMBER	PERCENT
RASH		3	100
INFLAM, SKIN		1	33
RESPIRATORY DISORDER		1	33

---

**TYLOSIN  
PIG, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	2	2	0
SIGN		NUMBER	PERCENT
DEPRESSION/LETHARGY		1	100
DYSPNEA		1	100
PRURITIS		1	100

---

**VIRGINIAMYCIN  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
2	0	0	0
SIGN		NUMBER	PERCENT
PD-PRODUCT DEFECT		1	50
PD-UNKNOWN		1	50

---

**VITAMIN A, VITAMIN D  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	195	40	0

**VITAMIN A, VITAMIN D  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	195	40	0
SIGN		NUMBER	PERCENT
DISCHARGE, NOSE		1	100
VOCALIZATION		1	100

---

**XYLAZINE  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
1	0	0	0
SIGN		NUMBER	PERCENT
PD-CONTAINER(S), DAMAG		1	100

---

**XYLAZINE  
CAT, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	22	22	2
SIGN		NUMBER	PERCENT
DEATH		2	67
ANESTH RECOV PROLONGED		1	33
APNEA		1	33
CONVULSION(S)		1	33
CYANOSIS		1	33
DYSPNEA		1	33
EDEMA, LUNG(S)/TRACHEA		1	33
PNEUMONIA, ASPIRATION		1	33
SEDATION TOO DEEP		1	33

---

**XYLAZINE  
DEER, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	33	33	3
SIGN		NUMBER	PERCENT
INEFFECT, SEDATION		3	75
DEATH		1	25

---

**XYLAZINE  
DOG, PARENTERAL**

**XYLAZINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
4	12	9	2
SIGN	NUMBER	PERCENT	
DEATH	2	50	
ANESTH RECOV PROLONGED	1	25	
BRADYCARDIA	1	25	
CONVULSION(S)	1	25	
DYSPNEA	1	25	
HYPERACTIVITY	1	25	
PALLOR, MUCOUS MEMBRAN	1	25	

---

**XYLAZINE  
HORSE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
3	6	6	0
SIGN	NUMBER	PERCENT	
ANESTH RECOV PROLONGED	1	33	
COLLAPSE	1	33	
INEFFECT, ANESTHESIA	1	33	
INEFFECT, SEDATION	1	33	

---

**XYLAZINE  
TIGER, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	1
SIGN	NUMBER	PERCENT	
APNEA	1	100	
DEATH	1	100	

---

**XYLAZINE  
VARIOUS, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
2	10	10	0
SIGN	NUMBER	PERCENT	
INEFFECT, SEDATION	2	100	

---

**XYLAZINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
---------	---------	---------	------

**XYLAZINE  
CAT, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
1	30	2	0
SIGN	NUMBER		PERCENT
APNEA	1		100

---

**XYLAZINE  
HORSE, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
3	18	18	0
SIGN	NUMBER		PERCENT
INEFFECT, SEDATION	3		100

---

**XYLAZINE  
VARIOUS, UNKNOWN**

REPORTS	TREATED	REACTED	DIED
2	20	20	0
SIGN	NUMBER		PERCENT
INEFFECT, SEDATION	2		100

---

**YOHIMBINE  
DOG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
ARRHYTHMIA	1		100
TACHYCARDIA	1		100

---

**YOHIMBINE  
PIG, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN	NUMBER		PERCENT
SHOCK	1		100
URTICARIA	1		100

---

**ZERANOL  
NOT APPLICABLE, DEFECT**

**ZERANOL  
NOT APPLICABLE, DEFECT**

REPORTS	TREATED	REACTED	DIED
17	0	0	0
SIGN		NUMBER	PERCENT
PD-IMPLANT, ABN		17	100
PD-APPLICATOR, ABN		1	6

---

**ZERANOL  
CATTLE, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	500	4	1
SIGN		NUMBER	PERCENT
ESTRUS BEHAVIOR		1	100

---

**ZERANOL  
HUMAN, PARENTERAL**

REPORTS	TREATED	REACTED	DIED
1	1	1	0
SIGN		NUMBER	PERCENT
INJ SITE INFLAM		1	100

---



---